



Status Report

HAWKER 800XP

S/N 258714 N874TX

OWNER: TVPX 2022-11288 BUSINESS TRUST
ADDRESS: 39 EAST EAGLE RIDGE DRIVE NORTH SALT LAKE UT 84054
OFFICE:
FAX:

OPERATOR: RAMJET AVIATION
ADDRESS: 1100 LEE WAGENER BLVD. FT. LAUDERDALE FL 33315
OFFICE: 954-359-0208
FAX:

CAMO: PLATINUM SKY MAINTENANCE
ADDRESS: 1020 NW 62ND ST, HANGAR 3 FORT LAUDERDALE FL 33309
OFFICE: 954-648-7550
FAX:

ANALYST: CHRISTOPHER CUTLER
EMAIL: CCUTLER@CAMPSYSTEMS.COM

+1-316-462-2451 (DIRECT)
+1-631-588-3200 (MAIN)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (EFAX-CARDS)

PLEASE REACH OUT TO YOUR ANALYST TO RECORD CHANGES TO ADDRESS, LAST ACTUALS (IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

Table with 4 columns: AIRCRAFT, SERIAL/REGNO: 258714/N874TX, MODEL: HAWKER 800XP, MANUFACTURER: TEXTRON AVIATION INC. Includes certification date and last actuals for A/C HRS, AFL, and APH.

Table with 4 columns: APU, SERIAL/PART: P-825/3800304-1, MODEL: GTCP36-150(W), MANUFACTURER: HONEYWELL. Includes installed on date and last actuals for APU HRS and APUS.

Table with 4 columns: ENGINE NO. 1, SERIAL/PART: P-107422/3075160-4, MODEL: TFE731-5BR-1H, MANUFACTURER: HONEYWELL. Includes installed on date and last actuals for ENG. HRS and ENC.

Table with 4 columns: ENGINE NO. 2, SERIAL/PART: P-107862/3075160-4, MODEL: TFE731-5BR-1H, MANUFACTURER: HONEYWELL. Includes installed on date and last actuals for ENG. HRS and ENC.



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 00 - INFORMATION</b>									
<b>ADS-B OUT STATUS</b>								Component	ATA:00
AUTOMATIC DEPENDENT SURVEILLANCE-BROADCAST (ADS-B) OUT COMPLIANT									
PN:CONFIRMATION FROM FLIGHT AWARE DATA	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<b>BCXP-160901</b>									
<b>REVIEW HAWKER 750/800XP/850XP/900XP AFMS REVISION 32 DATED SEP.16 REVISION SUMMARY CHANGE FORM</b>								Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF BCXPPROC. REF: RCF BCXP									
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
<b>050001</b>								Service	ATA:05
<b>INSPECTION PRE-FLIGHT</b>									
	MOS/MSC	11-Jun-13	A/R						
	HRS	5461.8							
WC#: 05.T01	AFL	3805							
PROC. REF: AMS 5-20-01, AFMS 05-00-00PROC. REF: AMS 5-20-01, AFMS 05-00-00									
<b>050005</b>								Service	ATA:05
<b>INSPECTION POST FLIGHT</b>									
	MOS/MSC	15-Jan-12	A/R						
	HRS	4697.1							
WC#: 05.T02	AFL	3205							
PROC. REF: AFMS 05-00-00, AMS 5-20-02PROC. REF: AFMS 05-00-00, AMS 5-20-02									
<b>050110</b>								Package	ATA:05
<b>INSPECTION B1-B12 COMPLETE</b>									
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)		9490.8	9530.8	498.3 (+40)		
	AFL	6072							
PROC. REF: AMS 5-21-00PROC. REF: AMS 5-21-00									

PKG:91

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
050141 <sup>S</sup>	INSPECT AREA F1-800 HOURS							Service	ATA:05
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 05.203	AFL	6072						PKG:9,91	
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
050171 <sup>S</sup>	INSPECT AREA F3 ABOVE FLOOR-800 HOURS							Service	ATA:05
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 05.206	AFL	6072						PKG:12,91	
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
050181 <sup>S</sup>	INSPECT AREA F4-800 HOURS							Service	ATA:05
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 05.207	AFL	6072						PKG:13,91	
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
050191 <sup>S</sup>	INSPECT AREA T1-800 HOURS							Service	ATA:05
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 05.208	AFL	6072						PKG:14,91	
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
050201 <sup>S</sup>	INSPECT AREA W1-800 HOURS							Service	ATA:05
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 05.209	AFL	6072						PKG:15,91	
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
050211 <sup>S</sup>	INSPECT AREA W2-800 HOURS							Service	ATA:05
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 05.210	AFL	6072							
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
PKG:16,91									
050221 <sup>S</sup>	INSPECT AREA M1/M2-800 HOURS							Service	ATA:05
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 05.211	AFL	6072							
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
PKG:17,91									
050231 <sup>S</sup>	INSPECT AREA G-800 HOURS							Service	ATA:05
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 05.212	AFL	6072							
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
PKG:18,91									
050240	INSPECTION C1-C12 COMPLETE							Package	ATA:05
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)		9608.7	9658.7	616.2 (+50)		
	AFL	5686							
PROC. REF: AMS 5-22-00PROC. REF: AMS 5-22-00									
PKG:92									
050271 <sup>S</sup>	INSPECT AREA F1-1600 HOURS							Service	ATA:05
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 05.303	AFL	5686							
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
PKG:21,92									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
050281 <sup>S</sup>	INSPECT AREA F2-1600 HOURS							Service	ATA:05
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 05.304	AFL	5686							
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
PKG:22,92									
050291 <sup>S</sup>	INSPECT AREA F3 UNDERFLOOR-1600 HOURS							Service	ATA:05
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 05.305	AFL	5686							
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
PKG:23,92									
050301 <sup>S</sup>	INSPECT AREA F3- ABOVE FLOOR-1600 HOURS							Service	ATA:05
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 05.306	AFL	5686							
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
PKG:24,92									
050311 <sup>S</sup>	INSPECT AREA F4-1600 HOURS							Service	ATA:05
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 05.307	AFL	5686							
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
PKG:25,92									
050321 <sup>S</sup>	INSPECT AREA T1-1600 HOURS							Service	ATA:05
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 05.308	AFL	5686							
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
PKG:26,92									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
050331 <sup>S</sup>	INSPECT AREA W1-1600 HOURS							Service	ATA:05
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 05.309	AFL	5686						PKG:27,92	
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
050341 <sup>S</sup>	INSPECT AREA W2-1600 HOURS							Service	ATA:05
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 05.310	AFL	5686						PKG:28,92	
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
050351 <sup>S</sup>	INSPECT AREA M1/M2-1600 HOURS							Service	ATA:05
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 05.311	AFL	5686						PKG:29,92	
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
050361 <sup>S</sup>	INSPECT AREA G-1600 HOURS							Service	ATA:05
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 05.312	AFL	5686						PKG:30,92	
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
050370	INSPECTION D1-D12 COMPLETE							Package	ATA:05
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)		9600.6	9750.6	608.1 (+150)		
	AFL	4498						PKG:93	
PROC. REF: AMS 5-23-00PROC. REF: AMS 5-23-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
050411 <sup>S</sup>	INSPECT AREA F2-3200 HOURS							Service	ATA:05
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 05.404	AFL	4498							
								PKG:34,93	
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
050431 <sup>S</sup>	INSPECT AREA F3 ABOVE FLOOR-3200 HOURS							Service	ATA:05
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 05.406	AFL	4498							
								PKG:36,93	
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
050441 <sup>S</sup>	INSPECT AREA F4-3200 HOURS							Service	ATA:05
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 05.407	AFL	4498							
								PKG:37,93	
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
050491 <sup>S</sup>	INSPECT AREA G-3200 HOURS							Service	ATA:05
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 05.412	AFL	4498							
								PKG:42,93	
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
050500	INSPECTION E1-E12 COMPLETE							Package	ATA:05
	MOS	13-Dec-24	12 (+1m/-1m)		13-Dec-25	13-Jan-26	334 d (+31)		
	HRS	8992.5							
	AFL	6223							
								PKG:94	
PROC. REF: AMS 5-24-00PROC. REF: AMS 5-24-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
050571 <sup>S</sup>	INSPECT AREA F4-12 MONTHS							Service	ATA:05
	MOS	13-Dec-24	12 (+1m/-1m)						
	HRS	8992.5							
WC#: 05.506	AFL	6223							
PKG:49,94									
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
050630	INSPECTION F1-F12 COMPLETE							Package	ATA:05
	MOS	08-Dec-23	24 (+2m/-2m)		08-Dec-25	08-Feb-26	329 d (+62)		
	HRS	8690.8							
	AFL	6072							
PKG:95									
PROC. REF: AMS 5-25-00PROC. REF: AMS 5-25-00									
050661 <sup>S</sup>	INSPECT AREA F1-24 MONTHS							Service	ATA:05
	MOS	08-Dec-23	24 (+2m/-2m)						
	HRS	8690.8							
WC#: 05.603	AFL	6072							
PKG:57,95									
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
050671 <sup>S</sup>	INSPECT AREA F2-24 MONTHS							Service	ATA:05
	MOS	08-Dec-23	24 (+2m/-2m)						
	HRS	8690.8							
WC#: 05.604	AFL	6072							
PKG:58,95									
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
050691 <sup>S</sup>	INSPECT AREA F3-24 MONTHS							Service	ATA:05
	MOS	08-Dec-23	24 (+2m/-2m)						
	HRS	8690.8							
WC#: 05.606	AFL	6072							
PKG:60,95									
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
050701 <sup>S</sup>	INSPECT AREA F4-24 MONTHS							Service	ATA:05
	MOS	08-Dec-23	24 (+2m/-2m)						
	HRS	8690.8							
WC#: 05.607	AFL	6072							
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
PKG:61,95									
050721 <sup>S</sup>	INSPECT AREA W1-24 MONTHS							Service	ATA:05
	MOS	08-Dec-23	24 (+2m/-2m)						
	HRS	8690.8							
WC#: 05.609	AFL	6072							
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
PKG:63,95									
050731 <sup>S</sup>	INSPECT AREA W2-24 MONTHS							Service	ATA:05
	MOS	08-Dec-23	24 (+2m/-2m)						
	HRS	8690.8							
WC#: 05.610	AFL	6072							
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
PKG:64,95									
050751 <sup>S</sup>	INSPECT AREA G-24 MONTHS							Service	ATA:05
	MOS	08-Dec-23	24 (+2m/-2m)						
	HRS	8690.8							
WC#: 05.612	AFL	6072							
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
PKG:66,95									
050760	INSPECTION G COMPLETE							Package	ATA:05
	MOS	29-Oct-21	48 (+2m/-2m)	Adj 9d	07-Nov-25	07-Jan-26	298 d (+61)		
	HRS	8008.7							
	AFL	5686							
PROC. REF: AMS 5-26-00PROC. REF: AMS 5-26-00									
PKG:96									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
050761 <sup>S</sup>	INSPECT AREA F1-48 MONTHS							Service	ATA:05
	MOS	29-Oct-21	48 (+2m/-2m)						
	HRS	8008.7							
WC#: 05.703	AFL	5686							
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
PKG:96									
050762 <sup>S</sup>	INSPECT AREA F2-48 MONTHS							Service	ATA:05
	MOS	29-Oct-21	48 (+2m/-2m)						
	HRS	8008.7							
WC#: 05.704	AFL	5686							
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
PKG:96									
050763 <sup>S</sup>	INSPECT AREA F3-48 MONTHS							Service	ATA:05
	MOS	29-Oct-21	48 (+2m/-2m)						
	HRS	8008.7							
WC#: 05.705	AFL	5686							
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
PKG:96									
050764 <sup>S</sup>	INSPECT AREA F4-48 MONTHS							Service	ATA:05
	MOS	29-Oct-21	48 (+2m/-2m)						
	HRS	8008.7							
WC#: 05.707	AFL	5686							
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
PKG:96									
050765 <sup>S</sup>	INSPECT AREA T1-48 MONTHS							Service	ATA:05
	MOS	29-Oct-21	48 (+2m/-2m)						
	HRS	8008.7							
WC#: 05.708	AFL	5686							
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
PKG:96									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
050766 <sup>S</sup>	INSPECT AREA W1/W2-48 MONTHS							Service	ATA:05
	MOS	29-Oct-21	48 (+2m/-2m)						
	HRS	8008.7							
WC#: 05.709	AFL	5686							
PROC. REF: AMS 5-00-00PROC. REF: AMS 5-00-00									
050771	INSPECTION 400 HOUR DETAILED WALK-AROUND							Service	ATA:05
	MOS	08-Dec-23							
	HRS	8690.8	400 (+40/-10)		9090.8	9130.8	98.3 (+40)		
WC#: 05.100	AFL	6072							
PROC. REF: AMS 5-20-07PROC. REF: AMS 5-20-07									
055005	ACCOMPLISH INSPECTIONS AFTER AN OVERWEIGHT OR HEAVY LANDING							Service	ATA:05
	MOS/MSC	08-Apr-05	A/R						
	HRS	0							
WC#: 05.710	AFL	0							
PROC. REF: AMS 5-50-01PROC. REF: AMS 5-50-01									
055010	ACCOMPLISH INSPECTIONS AFTER FLIGHT IN HEAVY TURBULENCE							Service	ATA:05
	MOS/MSC	08-Apr-05	A/R						
	HRS	0							
WC#: 05.711	AFL	0							
PROC. REF: AMS 5-50-02PROC. REF: AMS 5-50-02									
055015	ACCOMPLISH INSPECTIONS AFTER A LIGHTNING STRIKE							Service	ATA:05
	MOS/MSC	08-Apr-05	A/R						
	HRS	0							
WC#: 05.712	AFL	0							
PROC. REF: AMS 5-50-03PROC. REF: AMS 5-50-03									
055035	ACCOMPLISH INSPECTIONS AFTER A COLD SOAK BELOW -40 DEGREE C							Service	ATA:05
	MOS/MSC	08-Apr-05	A/R						
	HRS	0							
WC#: 05.713	AFL	0							
PROC. REF: AMS 5-50-06PROC. REF: AMS 5-50-06									

PKG:96

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>								
<b>055040 ACCOMPLISH INSPECTIONS AFTER MISUSE OF REVERSE THRUST Service ATA:05</b>								
	MOS/MSC	08-Apr-05	A/R					
	HRS	0						
WC#: 05.714	AFL	0						
PROC. REF: AMS 5-50-04PROC. REF: AMS 5-50-04								
<b>055045 ACCOMPLISH INSPECTIONS AFTER LANDING GEAR VIBRATION Service ATA:05</b>								
	MOS/MSC	08-Apr-05	A/R					
	HRS	0						
WC#: 05.715	AFL	0						
PROC. REF: AMS 5-50-05PROC. REF: AMS 5-50-05								
<b>055050 ACCOMPLISH INSPECTIONS AFTER LANDING OR ABORTED TAKE-OFF IN DEEP WATER PUDDLES, SLUSH OR SNOW Service ATA:05</b>								
	MOS/MSC	08-Apr-05	A/R					
	HRS	0						
WC#: 05.716	AFL	0						
PROC. REF: AMS 5-50-07PROC. REF: AMS 5-50-07								
<b>055060 ACCOMPLISH INSPECTIONS AFTER AN EMERGENCY STOP Service ATA:05</b>								
	MOS/MSC	08-Apr-05	A/R					
	HRS	0						
WC#: 05.717	AFL	0						
PROC. REF: AMS 5-50-08PROC. REF: AMS 5-50-08								
<b>055065 ACCOMPLISH INSPECTIONS AFTER ABNORMAL APU CONDITIONS Service ATA:05</b>								
	MOS/MSC	08-Apr-05	A/R					
	HRS	0						
WC#: 05.718	AFL	0						
PROC. REF: AMS 5-50-09PROC. REF: AMS 5-50-09								
<b>055070 ACCOMPLISH INSPECTIONS AFTER FLAP OVERSPEED Service ATA:05</b>								
	MOS/MSC	08-Apr-05	A/R					
	HRS	0						
WC#: 05.719	AFL	0						
PROC. REF: AMS 5-50-10PROC. REF: AMS 5-50-10								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
055075	ACCOMPLISH INSPECTIONS AFTER EXPOSURE TO VOLCANIC ASH							Service	ATA:05
	MOS/MSC	08-Apr-05	A/R						
	HRS	0							
WC#: 05.720	AFL	0							
PROC. REF: AMS 5-50-11PROC. REF: AMS 5-50-11									
055080	ACCOMPLISH INSPECTIONS FOR HYDRAULIC CONTAMINATION OF THE CABIN VENTILATION SYSTEM							Service	ATA:05
	MOS/MSC	08-Apr-05	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMS 5-50-12PROC. REF: AMS 5-50-12									
057110	NO. 1 ENGINE - 150 TO 250 HOUR INSPECTION							Package	ATA:05
	MOS	13-Dec-24							
	HRS	8783.6	150 (+100)		(8933.6) 9142.5	9033.6	150 (+100)		
	ENC	5856							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
057110	NO. 2 ENGINE - 150 TO 250 HOUR INSPECTION							Package	ATA:05
	MOS	13-Dec-24							
	HRS	8230.5	150 (+100)		(8380.5) 9142.5	8480.5	150 (+100)		
	ENC	5559							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
057120	NO. 1 ENGINE - 300 TO 400 HOUR INSPECTION							Package	ATA:05
	MOS	13-Dec-24							
	HRS	8783.6	300 (+100)		(9083.6) 9292.5	9183.6	300 (+100)		
	ENC	5856							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>								
057120	NO. 2 ENGINE - 300 TO 400 HOUR INSPECTION							Package ATA:05
	MOS	07-Jun-24						
	HRS	8130.1	300 (+100)		(8430.1) 9192.1	8530.1	199.6 (+100)	
	ENC	5496						
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								PKG:2
057140	NO. 1 ENGINE - 500 TO 850 HOUR INSPECTION							Package ATA:05
	MOS	07-Aug-23						
	HRS	8403.8	800 (+50)		(9203.8) 9412.7	9253.8	420.2 (+50)	
	ENC	5653						
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00								PKG:3
057140	NO. 2 ENGINE - 500 TO 850 HOUR INSPECTION							Package ATA:05
	MOS	07-Jun-24						
	HRS	8130.1	800 (+50)		(8930.1) 9692.1	8980.1	699.6 (+50)	
	ENC	5496						
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00								PKG:4
057160	NO. 1 ENGINE - 1000 TO 1400 HOUR INSPECTION							Package ATA:05
	MOS	10-Jul-24						
	HRS	8683.2	1200 (+200)		(9883.2) 10092.1	10083.2	1099.6 (+200)	
	ENC	5793						
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00								
057160	NO. 2 ENGINE - 1000 TO 1400 HOUR INSPECTION							Package ATA:05
	MOS	07-Jun-24						
	HRS	8130.1	1200 (+200)		(9330.1) 10092.1	9530.1	1099.6 (+200)	
	ENC	5496						
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>								
057170	NO. 1 ENGINE - 1200 TO 1650 HOUR INSPECTION							Package ATA:05
	MOS	02-Sep-21						
	HRS	7799.5	1600 (+50)		(9399.5) 9608.4	9449.5	615.9 (+50)	
	ENC	5320						
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00								PKG:5
057170	NO. 2 ENGINE - 1200 TO 1650 HOUR INSPECTION							Package ATA:05
	MOS	07-Jun-24						
	HRS	8130.1	1600 (+50)		(9730.1) 10492.1	9780.1	1499.6 (+50)	
	ENC	5496						
PROC. REF: LMM 72-00-00, LMM 72-00-00PROC. REF: LMM 72-00-00, LMM 72-00-00								PKG:5
T05T03 <sup>U</sup>	INSPECTION CRITERIA/STRUCTURAL INSPECTIONS							Service ATA:05
	MOS/MSC	08-Apr-05	O/C					
	HRS	0						
WC#: 05.T03	AFL	0						
<b>ATA 06 - DIMENSIONS AND AREAS</b>								
T06T01 <sup>U</sup>	GENERAL INSPECTION PANEL LOCATION CHARTS							Service ATA:06
	MOS/MSC	08-Apr-05	O/C					
	HRS	0						
WC#: 06.T01	AFL	0						
<b>ATA 08 - LEVELING AND WEIGHING</b>								
080001 <sup>U</sup>	WEIGH AIRCRAFT AND UPDATE FLIGHT MANUAL WEIGHT AND BALANCE INFORMATION.							Service ATA:08
	MOS	10-Jul-24	36		31-Jul-27		929 d	
	HRS	8892.1						
	AFL	6160						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 10 - PARKING, MOORING, STORE AND RET TO SERV</b>									
100002	ACCOMPLISH AIRPLANE "FLIGHT READY" STORAGE 2 WEEK INSPECTION							Service	ATA:10
	MOS/MSC	08-Apr-05	N/R						
	HRS	0							
WC#: 10.010	AFL	0							
<b>100004</b> ACCOMPLISH AIRPLANE "FLIGHT READY" STORAGE 4 WEEK INSPECTION <b>Service</b> <b>ATA:10</b>									
	MOS/MSC	08-Apr-05	N/R						
	HRS	0							
WC#: 10.020	AFL	0							
<b>100006</b> ACCOMPLISH AIRPLANE "FLIGHT READY" STORAGE 6 MONTH INSPECTION <b>Service</b> <b>ATA:10</b>									
	MOS/MSC	08-Apr-05	N/R						
	HRS	0							
WC#: 10.030	AFL	0							
<b>ATA 12 - SERVICING</b>									
120001	LUBRICATE AREA G-200 HOURS							Service	ATA:12
	MOS	27-Aug-24							
	HRS	8905.1	200 (+40/-10)		9105.1	9145.1	112.6 (+40)		
WC#: 12.001	AFL	6169							
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11									
<b>120003</b> LUBRICATE AREA F1-400 HOURS <b>Service</b> <b>ATA:12</b>									
	MOS	08-Dec-23							
	HRS	8690.8	400 (+40/-10)		9090.8	9130.8	98.3 (+40)		
WC#: 12.003	AFL	6072							
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11									
<b>120004</b> LUBRICATE AREA T1-400 HOURS <b>Service</b> <b>ATA:12</b>									
	MOS	08-Dec-23							
	HRS	8690.8	400 (+40/-10)		9090.8	9130.8	98.3 (+40)		
WC#: 12.004	AFL	6072							
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
120007	LUBRICATE AREA W1/W2-400 HOURS							Service	ATA:12
	MOS	08-Dec-23							
	HRS	8690.8	400 (+40/-10)		9090.8	9130.8	98.3 (+40)		
WC#: 12.007	AFL	6072							
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11									
120012 <sup>S</sup>	LUBRICATE AREA F3 (ABOVE FLOOR)-800 HOURS							Service	ATA:12
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 12.012	AFL	6072							
PROC. REF: AMS 5-20-11PKG:12,91									
120013 <sup>S</sup>	LUBRICATE AREA F4-800 HOURS							Service	ATA:12
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 12.009	AFL	6072							
PROC. REF: AMS 5-20-11PKG:13,91									
120015 <sup>S</sup>	LUBRICATE AREA W1-800 HOURS							Service	ATA:12
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 12.015	AFL	6072							
PROC. REF: AMS 5-20-11PKG:15,91									
120016 <sup>S</sup>	LUBRICATE AREA W2-800 HOURS							Service	ATA:12
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 12.016	AFL	6072							
PROC. REF: AMS 5-20-11PKG:16,91									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 12 - SERVICING</b>									
120018 <sup>S</sup>	LUBRICATE AREA G-800 HOURS							Service	ATA:12
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 12.018	AFL	6072						PKG:18,91	
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11									
120019 <sup>S</sup>	LUBRICATE AREA F1-1600 HOURS							Service	ATA:12
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 12.013	AFL	5686						PKG:21,92	
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11									
120020 <sup>S</sup>	LUBRICATE AREA F2-1600 HOURS							Service	ATA:12
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 12.020	AFL	5686						PKG:22,92	
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11									
120021 <sup>S</sup>	LUBRICATE AREA F3 (UNDERFLOOR)-1600 HOURS							Service	ATA:12
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 12.021	AFL	5686						PKG:23,92	
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11									
120022 <sup>S</sup>	LUBRICATE AREA F3-1600 HOURS							Service	ATA:12
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 12.022	AFL	5686						PKG:24,92	
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 12 - SERVICING</b>									
120023 <sup>S</sup>	LUBRICATE AREA F4-1600 HOURS							Service	ATA:12
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 12.023	AFL	5686						PKG:25,92	
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11									
120024 <sup>S</sup>	LUBRICATE AREA T1-1600 HOURS							Service	ATA:12
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 12.024	AFL	5686						PKG:26,92	
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11									
120025 <sup>S</sup>	LUBRICATE AREA W1-1600 HOURS							Service	ATA:12
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 12.025	AFL	5686						PKG:27,92	
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11									
120026 <sup>S</sup>	LUBRICATE AREA W2-1600 HOURS							Service	ATA:12
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 12.026	AFL	5686						PKG:28,92	
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11									
120030 <sup>S</sup>	LUBRICATE AREA F2-3200 HOURS							Service	ATA:12
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 12.030	AFL	4498						PKG:34,93	
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 12 - SERVICING</b>									
120049 <sup>S</sup>	LUBRICATE AREA F1-24 MONTHS							Service	ATA:12
	MOS	08-Dec-23	24 (+2m/-2m)						
	HRS	8690.8							
WC#: 12.049	AFL	6072							
PKG:57,95									
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11									
<hr/>									
120050 <sup>S</sup>	LUBRICATE AREA F2-24 MONTHS							Service	ATA:12
	MOS	08-Dec-23	24 (+2m/-2m)						
	HRS	8690.8							
WC#: 12.050	AFL	6072							
PKG:58,95									
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11									
<hr/>									
<b>ATA 20 - STANDARD PRACTICES - AIRFRAME</b>									
200001 <sup>S</sup>	BONDING CHECK CONTROL SURFACES							Service	ATA:20
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 20.010	AFL	6072							
PKG:7,91									
<hr/>									
200002 <sup>S</sup>	FUNCTIONAL TEST REFUEL POINT EARTHING STUDS (3 OFF)							Service	ATA:20
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 20.020	AFL	6072							
PKG:7,91									
<hr/>									
200003 <sup>S</sup>	CHECK RADIO RACKING, ELECTRICAL-BONDING							Service	ATA:20
	MOS	29-Oct-21	48 (+2m/-2m)						
	HRS	8008.7							
WC#: 20.030	AFL	5686							
PKG:96									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
210002 <sup>S</sup>	CHECK/TEST RAM AIR VALVE/DUMP VALVE/VENT VALVE							Service	ATA:21
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 21.075	AFL	6072						PKG:7,91	
<hr/>									
210003 <sup>S</sup>	BENCH CHECK ENVIRONMENTAL CONTROL SYSTEM							Service	ATA:21
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 21.110	AFL	6072						PKG:7,91	
<hr/>									
210004 <sup>S</sup>	CHECK MANUAL CABIN ALTITUDE CONTROL VALVE							Service	ATA:21
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 21.270	AFL	6072						PKG:10,91	
<hr/>									
210005 <sup>S</sup>	CHECK COOLING TURBINE EXHAUST DUCT DRAIN							Service	ATA:21
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 21.260	AFL	6072						PKG:13,91	
<hr/>									
210006	INSPECT WATER SEPARATOR FOR SATISFACTORY CONDITION							Service	ATA:21
	MOS	08-Dec-23							
	HRS	8690.8	400 (+10%)		9090.8	9130.8	98.3 (+40)		
WC#: 21.221	AFL	6072							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 21 - AIR CONDITIONING</b>								
210007			INSPECT WATER SEPARATOR WATER DRAIN, WATER DRAIN PIPELINE, HP LINE TO WATER INJECTOR NOZZLE AND WATER INJECTOR NOZZLE ARE FREE FROM BLOCKAGES AND OBSTRUCTIONS					Service ATA:21
	MOS	08-Dec-23						
	HRS	8690.8	400 (+10%)		9090.8	9130.8	98.3 (+40)	
WC#: 21.280	AFL	6072						
<hr/>								
210008 <sup>S</sup>			VISUALLY INSPECT CABIN PRESSURE OUTFLOW/SAFETY VALVE CONTROLLER					Service ATA:21
	MOS	29-Oct-21						
	HRS	8008.7	1600 (+50/-50)					
WC#: 21.118	AFL	5686						PKG:22,92
<hr/>								
210009 <sup>S</sup>			CHECK PRESSURIZATION CONTROL VENTURI SCREEN					Service ATA:21
	MOS	29-Oct-21						
	HRS	8008.7	1600 (+50/-50)					
WC#: 21.275	AFL	5686						PKG:24,92
<hr/>								
210010 <sup>S</sup>			CLEAN PRESSURE REGULATOR FILTER SCREENS					Service ATA:21
	MOS	29-Oct-21	48 (+2m/-2m)					
	HRS	8008.7						
WC#: 21.155	AFL	5686						PKG:96
<hr/>								
210011 <sup>S</sup>			CLEAN/FUNCTIONAL TEST OUTFLOW/SAFETY VALVES					Service ATA:21
	MOS	29-Oct-21	48 (+2m/-2m)					
	HRS	8008.7						
WC#: 21.120	AFL	5686						PKG:96

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
210012 <sup>S</sup>	INSPECT AIR CONDITIONING DUCTS							Service	ATA:21
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 21.250	AFL	5686						PKG:25,92	
<hr/>									
210013 <sup>S</sup>	INSPECT RAM AIR DUCT							Service	ATA:21
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 21.255	AFL	5686						PKG:25,92	
<hr/>									
210014 <sup>S</sup>	INSPECT CABIN AIR FILTERS (PRESSURIZATION SYSTEM)							Service	ATA:21
	MOS	29-Oct-21	48 (+2m/-2m)						
	HRS	8008.7							
WC#: 21.310	AFL	5686						PKG:96	
<hr/>									
210015 <sup>S</sup>	INSPECT SILENCER DUCT/SOUNDPROOFING							Service	ATA:21
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 21.015	AFL	4498						PKG:37,93	
<hr/>									
210016 <sup>S</sup>	BENCH CHECK SYSTEM OVERHEAT TEMPERATURE SWITCH							Service	ATA:21
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 21.195	AFL	4498						PKG:37,93	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
210017 <sup>S</sup>			CHECK BAGGAGE PANNIER HEATING SYSTEM INLET AND OUTLET VALVE (IF FITTED) OREXTERNAL BAGGAGE UNIT (EBU) INLET VALVE (750 AIRPLANES ONLY).					Service	ATA:21
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 21.285	AFL	4498						PKG:37,93	
<hr/>									
210018 <sup>S</sup>			FUNCTIONAL TEST ALTITUDE SWITCH, CABIN DEPRESSURIZATION WARNING					Service	ATA:21
	MOS	29-Oct-21	48 (+2m/-2m)						
	HRS	8008.7							
WC#: 21.135	AFL	5686						PKG:96	
<hr/>									
210019 <sup>S</sup>			INSPECT CABIN SUPPLY NON-RETURN VALVE					Service	ATA:21
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 21.065	AFL	4498						PKG:37,93	
<hr/>									
210020 <sup>S</sup>			FUNCTIONAL TEST ELECTRICALLY ACTUATED AUXILIARY HEATING VALVE					Service	ATA:21
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 21.180	AFL	5686						PKG:19,92	
<hr/>									
210021 <sup>S</sup>			INSPECT/CHECK APU SUPPLY, AUXILIARY SUPPLY, RAM AIR SUPPLY AND MAIN ENGINE SUPPLY CHECK/NON-RETURN VALVES					Service	ATA:21
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 21.030	AFL	4498						PKG:37,93	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
210022	CHECK TORQUE AIR CONDITIONING DUCTS							Service	ATA:21
	MOS/MSC	29-Oct-21	O/C						
	HRS	8008.7							
WC#: 21.010	AFL	5686							
<hr/>									
210024 <sup>S</sup>	CLEAN/REPLACE LOW LIMIT TEMPERATURE CONTROL VALVE FILTER							Service	ATA:21
	MOS/MSC	08-Dec-23	N/R						
	HRS	8690.8							
WC#: 21.290	AFL	6072							
<hr/>									
210025 <sup>S</sup>	INSPECT PATS APU GTCP36-150W BLEED AIR SYSTEM							Service	ATA:21
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 21.035	AFL	5686							
<hr/>									
210026	REPLACE DIGITAL PRESSURIZATION CABIN AIR FILTER ELEMENT							Service	ATA:21
	MOS/MSC	06-Jul-12	N/R						
	HRS	4925.2							
WC#: 21.322	AFL	3383							
<hr/>									
210027	CLEAN ELECTROPNEUMATIC OUTFLOW VALVE							Service	ATA:21
	MOS/MSC	06-Jul-12	N/R						
	HRS	4925.2							
WC#: 21.323	AFL	3383							
<hr/>									
211013	LEFT SWITCHES BLEED AIR OVER TEMPERATURE TEST							Service	ATA:21
	MOS	08-May-20	60		08-May-25		115 d		
	HRS	7778.6							
WC#: 21.265	AFL	5556							

PKG:13

PKG:25,92

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 21 - AIR CONDITIONING</b>								
<b>211014 RIGHT SWITCHES BLEED AIR OVER TEMPERATURE TEST Service ATA:21</b>								
	MOS	08-May-20	60		08-May-25		115 d	
	HRS	7778.6						
WC#: 21.265	AFL	5556						
<b>211019 APU SHUTOFF VALVE Component ATA:21</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.020	AFL	0		TSN 0				
<b>211031 APU BLEED AIR NON-RETURN VALVE Component ATA:21</b>								
PN:109812	MOS/MSC	14-May-11	O/C					
SN:UNKNOWN	HRS							
WC#: 21.025	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>211088 NO. 1 AIR DISTRIBUTION ACTUATOR Component ATA:21</b>								
PN:1092TH100-47	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:36640D	HRS	0		TSN 0				
WC#: 21.108	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>211089 NO. 2 AIR DISTRIBUTION ACTUATOR Component ATA:21</b>								
PN:1092TH100-47	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:3915D	HRS	0		TSN 0				
WC#: 21.108	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>211090 NO. 3 AIR DISTRIBUTION ACTUATOR Component ATA:21</b>								
PN:1092TH100-47	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:3918D	HRS	0		TSN 0				
WC#: 21.108	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
<b>211091</b>		<b>NO. 4 AIR DISTRIBUTION ACTUATOR</b>					<b>Component ATA:21</b>		
PN:1092TH100-47	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:3674D	HRS	0		TSN 0					
WC#: 21.108	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>211092</b>		<b>NO. 5 AIR DISTRIBUTION ACTUATOR</b>					<b>Component ATA:21</b>		
PN:1092TH100-47	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:3897D	HRS	0		TSN 0					
WC#: 21.108	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>212001</b>		<b>LEFT MAIN AIR VALVE</b>					<b>Component ATA:21</b>		
PN:321292-1	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:3011	HRS	0		TSN 0					
WC#: 21.040	AFL	0		TSN 0					
<b>212002</b>		<b>RIGHT MAIN AIR VALVE</b>					<b>Component ATA:21</b>		
PN:HTE250072	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:41040421	HRS	0		TSN 0					
WC#: 21.045	AFL	0		TSN 0					
<b>212008</b>		<b>PRESSURE REGULATOR VALVE</b>					<b>Component ATA:21</b>		
PN:3215086-3	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:660	HRS	0		TSN 0					
WC#: 21.295	AFL	0		TSN 0					
<b>212026</b>		<b>NO. 1 ENGINE BLEED AIR NON-RETURN VALVE</b>					<b>Component ATA:21</b>		
PN:HTE4168	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:M0336VNR1104	HRS	0		TSN 0					
WC#: 21.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 21 - AIR CONDITIONING</b>								
<b>212027 NO. 2 ENGINE BLEED AIR NON-RETURN VALVE</b> <span style="float:right">Component ATA:21</span>								
PN:HTE4168	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:M0330VNR1104	HRS	0		TSN 0				
WC#: 21.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>212050 AUXILIARY HEATING BLEED AIR NON-RETURN VALVE</b> <span style="float:right">Component ATA:21</span>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.055	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>212062 LEFT (HP/LP) MIXING VALVE</b> <span style="float:right">Component ATA:21</span>								
PN:3213788-3	MOS/MSC	06-Jul-12	O/C	TSO 0				
SN:2911C	HRS	4925.3		TSO 0				
WC#: 21.060	AFL	3383		TSO 0				
<b>212063 RIGHT (HP/LP) MIXING VALVE</b> <span style="float:right">Component ATA:21</span>								
PN:3213788-3	MOS/MSC	19-Sep-17	O/C	TSO 0				
SN:1636C	HRS	7023.3		TSO 0				
WC#: 21.060	AFL	4966		TSO 0				
<b>212074 MAIN SUPPLY NON-RETURN VALVE</b> <span style="float:right">Component ATA:21</span>								
PN:PN	MOS	08-Apr-05		TSN 0				OVERHAUL
SN:UNKNOWN	HRS	0	12000	TSN 0	12000		3007.5	
WC#: 21.245	AFL	0		TSN 0				
<b>212082 BLEED AIR CHECK VALVE</b> <span style="float:right">Component ATA:21</span>								
PN:HTE4405	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:M0293VNR1104	HRS	0		TSN 0				
WC#: 21.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
<b>212086</b>		<b>RAM AIR NON-RETURN VALVE</b>						<b>Component</b>	<b>ATA:21</b>
PN:321262-1	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:1498	HRS	0		TSN 0					
WC#: 21.075	AFL	0		TSN 0					
<hr/>									
<b>212098</b>		<b>RAM AIR SUPPLY NON-RETURN VALVE</b>						<b>Component</b>	<b>ATA:21</b>
PN:123190-1	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:7244	HRS	0		TSN 0					
WC#: 21.080	AFL	0		TSN 0					
<hr/>									
<b>212103</b>		<b>TEMPERATURE DUCT SWITCH</b>						<b>Component</b>	<b>ATA:21</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.085	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
<b>212122</b>		<b>UPPER CHECK VALVE</b>						<b>Component</b>	<b>ATA:21</b>
PN:130156-2	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:15-A0457	HRS	0		TSN 0					
WC#: 21.095	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
<b>212123</b>		<b>LOWER CHECK VALVE</b>						<b>Component</b>	<b>ATA:21</b>
PN:130156-2	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:84-A0389	HRS	0		TSN 0					
WC#: 21.095	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
<b>212146</b>		<b>CABIN RECIRCULATING FAN</b>						<b>Component</b>	<b>ATA:21</b>
PN:0901-2	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:0624	HRS	0		TSN 0					
WC#: 21.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
<b>213001</b>		<b>NO. 1 ENGINE HIGH PRESSURE BLEED AIR SHUTOFF VALVE</b>						<b>Component</b>	<b>ATA:21</b>
PN:B01A2-14128A	MOS/MSC	26-May-05	O/C						
SN:XS717	HRS	7.1							
WC#: 21.105	AFL	8							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>213002</b>		<b>NO. 2 ENGINE HIGH PRESSURE BLEED AIR SHUTOFF VALVE</b>						<b>Component</b>	<b>ATA:21</b>
PN:B01A2-14128A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:XT818	HRS	0		TSN 0					
WC#: 21.105	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>213019</b>		<b>OUTFLOW/SAFETY VALVE CONTROLLER</b>						<b>Component</b>	<b>ATA:21</b>
PN:130530-5	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:114-C0085	HRS	0		TSN 0					
WC#: 21.115	AFL	0		TSN 0					
<b>213020</b>		<b>CABIN PRESSURE CONTROLLER</b>						<b>Component</b>	<b>ATA:21</b>
PN:130530-5	MOS/MSC	02-Jun-09	O/C	TSO 0					
SN:111-A0489	HRS	3098.8		TSO 0					
WC#: 21.321	AFL	2078		TSO 0					
<b>213031</b>		<b>LEFT OUTFLOW VALVE</b>						<b>Component</b>	<b>ATA:21</b>
PN:103278-18	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:124-G0093	HRS	0		TSN 0					
WC#: 21.120	AFL	0		TSN 0					
<b>213032</b>		<b>RIGHT OUTFLOW VALVE</b>						<b>Component</b>	<b>ATA:21</b>
PN:103278-13	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:104-A0760	HRS	0		TSN 0					
WC#: 21.120	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 21 - AIR CONDITIONING</b>								
<b>213035 2" BUTTERFLY VALVE Component ATA:21</b>								
PN:AWE113-13A	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:XT469	HRS	0		TSN 0				
WC#: 21.320	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>213067 CABIN ALTITUDE CONTROL VALVE Component ATA:21</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.125	AFL	0		TSN 0				
<b>213073 MECHANICAL DUMP VALVE Component ATA:21</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.130	AFL	0		TSN 0				
<b>213097 ALTIMETER PRESSURE SWITCH Component ATA:21</b>								
PN:214C40-2-57	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:A013670A	HRS	0		TSN 0				
WC#: 21.135	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>213098 ALTIMETER PRESSURE SWITCH Component ATA:21</b>								
PN:214C40-2-59	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:E037240A	HRS	0		TSN 0				
WC#: 21.300	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>213109 VENTURI Component ATA:21</b>								
PN:131052-1	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:99-4193	HRS	0		TSN 0				
WC#: 21.140	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
<b>213115</b>		<b>FAN OPERATED VENTURI</b>					<b>Component</b>		<b>ATA:21</b>
PN:132322-3-1	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:94-A0615	HRS	0		TSN 0					
WC#: 21.145	AFL	0		TSN 0					
<hr/>									
<b>213121</b>		<b>LEFT PNEUMATIC VALVE</b>					<b>Component</b>		<b>ATA:21</b>
PN:107312-4-1	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:64-12750	HRS	0		TSN 0					
WC#: 21.150	AFL	0		TSN 0					
<hr/>									
<b>213122</b>		<b>RIGHT PNEUMATIC VALVE</b>					<b>Component</b>		<b>ATA:21</b>
PN:107312-4-1	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:64-12751	HRS	0		TSN 0					
WC#: 21.150	AFL	0		TSN 0					
<hr/>									
<b>213133</b>		<b>LEFT ABSOLUTE PRESSURE CONTROL</b>					<b>Component</b>		<b>ATA:21</b>
PN:102466-13	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:104-A0377	HRS	0		TSN 0					
WC#: 21.155	AFL	0		TSN 0					
<hr/>									
<b>213134</b>		<b>RIGHT ABSOLUTE PRESSURE CONTROL</b>					<b>Component</b>		<b>ATA:21</b>
PN:102466-13	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:114-A0394	HRS	0		TSN 0					
WC#: 21.155	AFL	0		TSN 0					
<hr/>									
<b>213157</b>		<b>JET PUMP</b>					<b>Component</b>		<b>ATA:21</b>
PN:131150-1-1	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:94-3278	HRS	0		TSN 0					
WC#: 21.160	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 21 - AIR CONDITIONING</b>								
<b>213169 CABIN DIFFERENTIAL PRESSURE INDICATOR</b>								Component ATA:21
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.165	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>213181 GROUND PRESSURE CONNECTOR</b>								Component ATA:21
PN:WGE133-2A-1	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:XB874	HRS	0		TSN 0				
WC#: 21.170	AFL	0		TSN 0				
<b>216001 CABIN TEMPERATURE CONTROL VALVE</b>								Component ATA:21
PN:104968	MOS/MSC	06-Jul-12	O/C	TSO 0				
SN:P-546	HRS	4925.3		TSO 0				
WC#: 21.175	AFL	3383		TSO 0				
<b>216025 AUXILIARY HEATING VALVE</b>								Component ATA:21
PN:104568	MOS/MSC	03-Feb-07	O/C	TSR 0				
SN:P-11793	HRS	1374.7		TSR 0				
WC#: 21.180	AFL	915		TSR 0				
<b>216055 CABIN TEMPERATURE (CONTROLLER) SENSOR</b>								Component ATA:21
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.185	AFL	0		TSN 0				
<b>216073 CABIN TEMPERATURE CONTROLLER</b>								Component ATA:21
PN:617452-4	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:617452-01574	HRS	0		TSN 0				
WC#: 21.190	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 21 - AIR CONDITIONING</b>								
<b>216097 TEMPERATURE DUCT SELECTOR</b>								Component ATA:21
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.195	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>216115 COLD AIR UNIT PACK</b>								Component ATA:21
PN:2214070-5	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:661	HRS	0		TSN 0				
WC#: 21.200	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>216121 MODULATING VALVE</b>								Component ATA:21
PN:978836-5-1	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:858	HRS	0		TSN 0				
WC#: 21.210	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>216127 CONTROL SENSOR</b>								Component ATA:21
PN:1150642-3	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:1150642-11326	HRS	0		TSN 0				
WC#: 21.215	AFL	0		TSN 0				
<b>216135 TOTAL TEMPERATURE SENSOR</b>								Component ATA:21
PN:102ER1EC	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:A56782	HRS	0		TSN 0				
WC#: 21.305	AFL	0		TSN 0				
<b>217001 WATER SEPARATOR</b>								Component ATA:21
PN:25VF1351-131	MOS/MSC	06-Mar-18	O/C					
SN:1573	HRS	7181.1						
WC#: 21.220	AFL	5257						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
<b>217014</b>		<b>CABIN TRIPLE INDICATOR</b>					<b>Component</b>		<b>ATA:21</b>
PN:51010-1113	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:507454	HRS	0		TSN 0					
WC#: 21.225	AFL	0		TSN 0					
<b>217023</b>									
<b>217023</b>		<b>PRESSURE SWITCH</b>					<b>Component</b>		<b>ATA:21</b>
PN:HTE690090	MOS/MSC	11-Mar-15	O/C	TSN 48					
SN:36091218	HRS	6400.6		TSN 2324.1					
WC#: 21.235	AFL	4498		TSN 1734					
<b>ATA 22 - AUTO FLIGHT</b>									
<b>221001</b>		<b>AFCS CONTROL PANEL</b>					<b>Component</b>		<b>ATA:22</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 22.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>221007</b>		<b>NO. 1 FLIGHT GUIDANCE COMPUTER</b>					<b>Component</b>		<b>ATA:22</b>
PN:822-1108-023	MOS/MSC	24-Jun-23	O/C	TSO 1					
SN:J5JK	HRS	8549.7		TSO 0					
WC#: 22.015	AFL	5985		TSO 0					
<b>221008</b>		<b>NO. 2 FLIGHT GUIDANCE COMPUTER</b>					<b>Component</b>		<b>ATA:22</b>
PN:822-1108-023	MOS/MSC	24-Jun-23	O/C	TSO 1					
SN:3BC1V	HRS	8549.7		TSO 0					
WC#: 22.015	AFL	5985		TSO 0					
<b>221010</b>		<b>NO. 1 AUTO PILOT MODE SELECT PANEL</b>					<b>Component</b>		<b>ATA:22</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 22.040	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 22 - AUTO FLIGHT</b>									
<b>221011</b>		<b>NO. 2 AUTO PILOT MODE SELECT PANEL</b>					<b>Component ATA:22</b>		
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 22.040	AFL	0		TSN 0					
<hr/>									
<b>221037</b>		<b>AUTOPILOT ELEVATOR SERVO</b>					<b>Component ATA:22</b>		
PN:822-1168-002	MOS/MSC	18-Dec-20	O/C						
SN:2N2WK	HRS	7859							
WC#: 22.020	AFL	5614							
<hr/>									
<b>221039</b>		<b>ELEVATOR SERVO MOUNT</b>					<b>Component ATA:22</b>		
PN:622-5735-004	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:1M8YN	HRS	0		TSN 0					
WC#: 22.050	AFL	0		TSN 0					
<hr/>									
<b>221043</b>		<b>AUTOPILOT RUDDER SERVO</b>					<b>Component ATA:22</b>		
PN:822-1168-002	MOS/MSC	24-Jun-23	O/C	TSO 5					
SN:2YP4D	HRS	8549.7		TSO 0					
WC#: 22.020	AFL	5985		TSO 0					
<hr/>									
<b>221045</b>		<b>RUDDER SERVO MOUNT</b>					<b>Component ATA:22</b>		
PN:622-5735-004	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:1M3JM	HRS	0		TSN 0					
WC#: 22.050	AFL	0		TSN 0					
<hr/>									
<b>221049</b>		<b>AUTOPILOT AILERON SERVO</b>					<b>Component ATA:22</b>		
PN:822-1168-002	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:1M7MN	HRS	0		TSN 0					
WC#: 22.020	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 22 - AUTO FLIGHT</b>								
<b>221052 AILERON SERVO MOUNT</b>								Component ATA:22
PN:622-5735-004	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:1M85G	HRS	0		TSN 0				
WC#: 22.050	AFL	0		TSN 0				
<b>ATA 23 - COMMUNICATIONS</b>								
<b>231001 NO. 1 HF COMMUNICATIONS CONTROLLER</b>								Component ATA:23
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.015	AFL	0		TSN 0				
<b>231002 NO. 2 HF COMMUNICATIONS CONTROLLER</b>								Component ATA:23
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.015	AFL	0		TSN 0				
<b>231004 NO. 1 HF CONTROLLER ADAPTER</b>								Component ATA:23
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>231006 NO. 2 HF CONTROLLER ADAPTER</b>								Component ATA:23
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>231011 NO. 1 HF COMMUNICATIONS POWER AMPLIFIER</b>								Component ATA:23
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.025	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 23 - COMMUNICATIONS</b>									
<b>231012</b>		<b>NO. 2 HF COMMUNICATIONS POWER AMPLIFIER</b>					<b>Component ATA:23</b>		
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.025	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>231015</b>		<b>COLLINS HG 9041 HF ANTENNA</b>					<b>Component ATA:23</b>		
PN:622-8114-002	MOS/MSC	06-May-16	O/C	TSO 0					
SN:4361	HRS	6721		TSO 0					
WC#: 23.130	AFL	4681		TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>231016</b>		<b>COLLINS HF 9031A RECEIVER/TRANSMITTER</b>					<b>Component ATA:23</b>		
PN:822-0101-002	MOS/MSC	06-Jul-12	O/C	TSR 0					
SN:3456	HRS	4925.3		TSR 0					
WC#: 23.135	AFL	3383		TSR 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>231025</b>		<b>NO. 1 HF RECEIVER EXCITER</b>					<b>Component ATA:23</b>		
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.030	AFL	0		TSN 0					
<b>231026</b>		<b>NO. 2 HF RECEIVER EXCITER</b>					<b>Component ATA:23</b>		
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.030	AFL	0		TSN 0					
<b>231027</b>		<b>NO. 1 HF BRIDGING AMPLIFIER</b>					<b>Component ATA:23</b>		
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.035	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 23 - COMMUNICATIONS</b>								
<b>231028 NO. 2 HF BRIDGING AMPLIFIER Component ATA:23</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.035	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>231029 DUAL HF CAPACITOR Component ATA:23</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>231041 VHF COMMUNICATION (CTL-23D) CONTROL Component ATA:23</b>								
PN:822-1121-002	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:1KBJV	HRS	0		TSN 0				
WC#: 23.136	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>231043 NO. 1 VHF COMMUNICATIONS TRANSCEIVER Component ATA:23</b>								
PN:822-115-021	MOS/MSC	11-Jan-09	O/C					
SN:1MRFG	HRS	2880.4						
WC#: 23.045	AFL	1942						
<b>231049 NO. 2 VHF COMMUNICATIONS TRANSCEIVER Component ATA:23</b>								
PN:822-1115-021	MOS/MSC	23-Aug-15	O/C	TSO 0				
SN:1287Y	HRS	6544		TSO 0				
WC#: 23.045	AFL	4617		TSO 0				
<b>231050 ATC UPPER ANTENNA Component ATA:23</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 23 - COMMUNICATIONS</b>									
<b>231055</b>		<b>NO. 1 VHF AERIAL</b>							<b>Component ATA:23</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.055	AFL	0		TSN 0					
<b>231056</b>		<b>NO. 2 VHF AERIAL</b>							<b>Component ATA:23</b>
PN:16-21-1T	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:7673	HRS	0		TSN 0					
WC#: 23.055	AFL	0		TSN 0					
<b>231058</b>		<b>AUDIO TONE GENERATOR</b>							<b>Component ATA:23</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.060	AFL	0		TSN 0					
<b>231061</b>		<b>NO. 1 RADIO MANAGEMENT UNIT</b>							<b>Component ATA:23</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.065	AFL	0		TSN 0					
<b>231062</b>		<b>NO. 2 RADIO MANAGEMENT UNIT</b>							<b>Component ATA:23</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.065	AFL	0		TSN 0					
<b>231064</b>		<b>CLEARANCE DELIVERY CONTROL</b>							<b>Component ATA:23</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 23 - COMMUNICATIONS</b>								
<b>234001 MOBILE RADIO/TELEPHONE TRANSCEIVER Component ATA:23</b>								
PN:500-10695-001	MOS/MSC	26-May-05	O/C					
SN:1068010809	HRS	7.1						
WC#: 23.075	AFL	8						
<b>234007 MOBILE RADIO ANTENNA Component ATA:23</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.080	AFL	0		TSN 0				
<b>234013 COCKPIT MOBILE RADIO TELEPHONE HANDSET Component ATA:23</b>								
PN:500-10036-002	MOS/MSC	26-May-05	O/C					
SN:1003512012	HRS	7.1						
WC#: 23.085	AFL	8						
<b>234019 CABIN MOBILE RADIO TELEPHONE HANDSET Component ATA:23</b>								
PN:500-10037-002	MOS/MSC	20-Jun-05	O/C					
SN:1000112913	HRS	18.2						
WC#: 23.085	AFL	17						
<b>234041 FLITEPHONE AUXILIARY BELL Component ATA:23</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>235001 NO. 1 AUDIO CONTROLLER Component ATA:23</b>								
PN:803-005	MOS/MSC	13-Dec-24	O/C	TSR 86				
SN:488	HRS	8992.5		TSR 1967.1				
WC#: 23.095	AFL	6223		TSR 1254				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 23 - COMMUNICATIONS</b>									
<b>235002</b>		<b>NO. 2 AUDIO CONTROLLER</b>					<b>Component</b>		<b>ATA:23</b>
PN:803-005	MOS/MSC	13-Dec-24	O/C	TSR 113					
SN:605	HRS	8992.5		TSR 2492.5					
WC#: 23.095	AFL	6223		TSR 1640					
<hr/>									
<b>235017</b>		<b>NO. 1 HANDHELD AUDIO MICROPHONE</b>					<b>Component</b>		<b>ATA:23</b>
PN:602-3375	MOS/MSC	08-Sep-09	O/C	TSN 0					
SN:NSN	HRS	3234.3		TSN 0					
WC#: 23.100	AFL	2176		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
<b>235019</b>		<b>NO. 2 HANDHELD AUDIO MICROPHONE</b>					<b>Component</b>		<b>ATA:23</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
<b>237001</b>		<b>COCKPIT VOICE RECORDER</b>					<b>Component</b>		<b>ATA:23</b>
PN:1603-02-12	MOS/MSC	18-Jun-09	O/C						
SN:422	HRS	3099.6							
WC#: 23.105	AFL	2079							
<hr/>									
<b>237004</b>		<b>COCKPIT VOICE RECORDER NO.1 MICROPHONE</b>					<b>Component</b>		<b>ATA:23</b>
PN:16301-01	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:1623	HRS	0		TSN 0					
WC#: 23.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
<b>237005</b>		<b>COCKPIT VOICE RECORDER NO.2 MICROPHONE</b>					<b>Component</b>		<b>ATA:23</b>
PN:16301-01	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:1629	HRS	0		TSN 0					
WC#: 23.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 23 - COMMUNICATIONS</b>								
<b>237014 COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON</b> <span style="float:right">Component ATA:23</span>								
PN:DK120/90	MOS/MSC	29-Oct-21	O/C	TSN 0				
SN:AT165322	HRS	8008.7		TSN 0				
WC#: 23.105	AFL	5686		TSN 0				
<hr/>								
<b>237015 TEST COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON</b> <span style="float:right">Service ATA:23</span>								
	MOS	22-Sep-23	24		22-Sep-25		252 d	
	HRS							
WC#: 23.105	AFL							
		Test Date: : 22-Sep-23						
<hr/>								
<b>237016 CLEAN/TEST COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON</b> <span style="float:right">Service ATA:23</span>								
	MOS	22-Sep-23	24		22-Sep-25		252 d	
	HRS	8654.2						
WC#: 23.105	AFL	6050						
<hr/>								
<b>237017 REPLACE COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON BATTERY</b> <span style="float:right">Service ATA:23</span>								
	MOS/MSC	29-Oct-21	DUE		01-Feb-28 (M)		1114 d	
	HRS	8008.7						
WC#: 23.105	AFL	5686						
<hr/>								
<b>237019 LEFT COCKPIT VOICE RECORDER CONTROL</b> <span style="float:right">Component ATA:23</span>								
PN:1634-01	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:713	HRS	0		TSN 0				
WC#: 23.125	AFL	0		TSN 0				
<hr/>								
<b>237020 RIGHT COCKPIT VOICE RECORDER CONTROL</b> <span style="float:right">Component ATA:23</span>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.125	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 23 - COMMUNICATIONS</b>									
<b>237021</b>		<b>VOICE RECORDER INERTIA SWITCH</b>					<b>Component</b>		<b>ATA:23</b>
PN:3LO453/2.0	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:L13125	HRS	0		TSN 0					
WC#: 23.115	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>237022</b>		<b>COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON BATTERY</b>					<b>Component</b>		<b>ATA:23</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>238015</b>		<b>SELCAL DECODER UNIT</b>					<b>Component</b>		<b>ATA:23</b>
PN:1200008-002	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:4295	HRS	0		TSN 0					
WC#: 23.120	AFL	0		TSN 0					
<b>23A105 <sup>U</sup></b>		<b>AIRCELL ATG 5000 AIR-GROUND TRANCEIVER</b>					<b>Component</b>		<b>ATA:23</b>
PN:P15864-001	MOS/MSC	01-Jun-22	O/C						
SN:1586412217	HRS	8113.9							
	AFL	5754							
<b>23A110 <sup>U</sup></b>		<b>AIRCELL CABIN TELECOMMUNICATIONS ROUTER</b>					<b>Component</b>		<b>ATA:23</b>
PN:P12083	MOS/MSC	14-Sep-23	O/C	TSR 0					
SN:1208312793	HRS	8646.2		TSR 0					
	AFL	6046		TSR 0					
<b>23A115 <sup>U</sup></b>		<b>AIRCELL CONFIGURATION MODULE</b>					<b>Component</b>		<b>ATA:23</b>
PN:P14126	MOS/MSC	01-Jun-22	O/C						
SN:1412614266	HRS	8113.9							
	AFL	5754							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 23 - COMMUNICATIONS</b>									
<b>23A120<sup>U</sup></b>		<b>AIRCELL AIR-GROUND FWD ANTENNA</b>						<b>Component</b>	<b>ATA:23</b>
PN:P12949	MOS/MSC	11-Mar-15	O/C	TSN 0					
SN:469280	HRS	6400.6		TSN 0					
	AFL	4498		TSN 0					
<b>23A125<sup>U</sup></b>		<b>AIRCELL AIR-GROUND AFT ANTENNA</b>						<b>Component</b>	<b>ATA:23</b>
PN:P12949	MOS/MSC	11-Mar-15	O/C	TSN 0					
SN:469281	HRS	6400.6		TSN 0					
	AFL	4498		TSN 0					
<b>ATA 24 - ELECTRICAL POWER</b>									
<b>240001</b>		<b>INSPECT/CHECK NO. 1 ENGINE STARTER/GENERATOR</b>						<b>Service</b>	<b>ATA:24</b>
PN:23080-064	MOS	06-Jun-24							
SN:Y30559	HRS	8851	300 (+100)		9151	9251	158.5 (+100)		
WC#: 24.045	AFL	6141							
<b>240001</b>		<b>INSPECT/CHECK NO. 2 ENGINE STARTER/GENERATOR</b>						<b>Service</b>	<b>ATA:24</b>
PN:23080-064	MOS	06-Jun-24							
SN:P1147	HRS	8851	300 (+100)		9151	9251	158.5 (+100)		
WC#: 24.045	AFL	6141							
<b>240002<sup>S</sup></b>		<b>OPERATE NO.1 AND NO.2 MAIN STATIC INVERTERS</b>						<b>Service</b>	<b>ATA:24</b>
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 24.010	AFL	6072							
								PKG:7,91	
<b>240003<sup>S</sup></b>		<b>FUNCTION TEST FREQUENCY WILD A.C. SYSTEM</b>						<b>Service</b>	<b>ATA:24</b>
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 24.030	AFL	4498							
								PKG:31,93	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
240004 <sup>S</sup>	CHECK BUSBAR CONTACTOR CONTROL							Service	ATA:24
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 24.145	AFL	5686						PKG:19,92	
240006 <sup>S</sup>	CHECK D.C. BUSBAR PROTECTION/VOLTAGE SENSING UNIT							Service	ATA:24
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 24.070	AFL	4498						PKG:36,93	
240007 <sup>S</sup>	BENCH CHECK GROUND POWER OVERVOLTAGE SENSOR (IF FITTED).							Service	ATA:24
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 24.110	AFL	4498						PKG:37,93	
240009 <sup>S</sup>	FUNCTIONAL TEST D.C. GENERATING SYSTEM							Service	ATA:24
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 24.065	AFL	6072						PKG:7,91	
240010 <sup>S</sup>	INSPECT PE, PS1 AND PS2 BUSBAR FEEDER CABLES BELOW PANEL DA							Service	ATA:24
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 24.160	AFL	5686						PKG:24,92	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
240011 <sup>S</sup>	FUNCTIONAL TEST OF THE BUSBAR PE, PS1 AND PS2 FEEDER FUSES							Service	ATA:24
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 24.150	AFL	5686						PKG:25,92	
<hr/>									
240012 <sup>U S</sup>	INSPECT BUSBAR PE, PS1 AND PS2 FEEDER SYSTEM CONNECTIONS							Service	ATA:24
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 24.165	AFL	5686						PKG:25,92	
<hr/>									
240013 <sup>S</sup>	FUNCTION TEST ALL CIRCUIT BREAKERS							Service	ATA:24
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 24.005	AFL	4498						PKG:31,93	
<hr/>									
240014 <sup>S</sup>	FUNCTION TEST MAIN GENERATOR CONTROL UNIT (GCU)							Service	ATA:24
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 24.040	AFL	4498						PKG:31,93	
<hr/>									
240015 <sup>S</sup>	FUNCTION TEST APU GENERATOR CONTROL UNIT (GCU)							Service	ATA:24
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 24.040	AFL	4498						PKG:31,93	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
240016 <sup>S</sup>	INSPECT ELECTRICAL CABLE PRESSURE BUNGS (IN THE FORWARD PRESSURE BULKHEAD)							Service	ATA:24
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 24.235	AFL	4498						PKG:33,93	
<hr/>									
240017 <sup>S</sup>	INSPECT/CHECK EARTH STATIONS *16, *17, *18, AND *19							Service	ATA:24
	MOS	29-Oct-21	48 (+2m/-2m)						
	HRS	8008.7							
WC#: 24.155	AFL	5686						PKG:96	
<hr/>									
240018 <sup>S</sup>	INSPECT ELECTRICAL CABLE PRESSURE BUNGS (IN THE REAR PRESSURE-BULKHEAD)							Service	ATA:24
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 24.235	AFL	4498						PKG:37,93	
<hr/>									
240024	INSPECT/CHECK APU STARTER/GENERATOR							Service	ATA:24
PN:23080-064	MOS	27-Aug-24							
SN:6936	HRS	8905.1							
WC#: 24.085	AFL	6169							
	APH	7049.5	500		7549.5		500		
<hr/>									
240025 <sup>S</sup>	INSPECT ELECTRICAL CABLE PRESSURE BUNGS (IN THE FUSELAGE KEEL AT THE FRONT SPAR)							Service	ATA:24
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 24.245	AFL	4498						PKG:35,93	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
240026 <sup>S</sup>	INSPECT ELECTRICAL CABLE PRESSURE BUNGS (IN THE FORWARD PRESSURE BULKHEAD)							Service	ATA:24
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 24.240	AFL	4498						PKG:34,93	
<hr/>									
240027 <sup>S</sup>	CHECK MAIN BATTERIES							Service	ATA:24
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 24.250	AFL	4498						PKG:37,93	
<hr/>									
240028	VISUAL INSPECTION PANEL GG AND TERMINAL BLOCK M							Service	ATA:24
	MOS/MSC	08-Dec-22	N/A						
	HRS	8298							
WC#: 24.095	AFL	5859							
<hr/>									
240029 <sup>S</sup>	VISUAL INSPECTION FOR DISCOLORATION AND SIGNS OF HEAT DISTRESS, INSPECT DA-PANEL FOR PROPER MOUNTING OF COMPONENTS							Service	ATA:24
	MOS	13-Dec-24	12 (+1m/-1m)						
	HRS	8992.5							
WC#: 24.260	AFL	6223						PKG:48,94	
<hr/>									
240030	FUNCTION TEST CABIN INVERTER (115 VAC) SYSTEM (IF INSTALLED)							Service	ATA:24
	DAYS/MSC	19-Sep-17	N/R						
	HRS	7023.3							
WC#: 24.255	AFL	4966							
<hr/>									
242001	NO. 1 (MAIN) INVERTER							Component	ATA:24
PN:100-1600-04	MOS/MSC	16-Aug-19	O/C		TSR 0				
SN:2099M	HRS	7617.9			TSR 0				
WC#: 24.015	AFL	5481			TSR 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
242002	NO. 2 (MAIN) INVERTER							Component	ATA:24
PN:100-1600-001	MOS/MSC	29-Jan-14	O/C						
SN:1645ME	HRS	5783.3							
WC#: 24.015	AFL	4050							
242013	NO. 3 (STANDBY) INVERTER							Component	ATA:24
PN:PC250	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:7661	HRS	0		TSN 0					
WC#: 24.015	AFL	0		TSN 0					
242031	NO. 1 INVERTER CONTACTOR							Component	ATA:24
PN:LDA200B18C	MOS	06-Jul-12		TSO 0				OVERHAUL	
SN:Q38293	HRS	4925.3	5000	TSO 0	9925.3		932.8		
WC#: 24.020	AFL	3383		TSO 0					
242032	NO. 2 INVERTER CONTACTOR							Component	ATA:24
PN:LDA200B18C	MOS	06-Jul-12		TSO 0				OVERHAUL	
SN:C2994	HRS	4925.3	5000	TSO 0	9925.3		932.8		
WC#: 24.020	AFL	3383		TSO 0					
242073	NO. 1 ENGINE AC GENERATOR							Component	ATA:24
PN:BA02801-1	MOS	29-Mar-21	96	TSO 0	29-Mar-29		1536 d	OVERHAUL	
SN:3356	HRS	7907.9	3000	TSO 0	10907.9		1915.4		
WC#: 24.025	AFL	5641		TSO 0					
242074	NO. 2 ENGINE AC GENERATOR							Component	ATA:24
PN:BA02801-1	MOS	25-Apr-22	96	TSO 0	25-Apr-30		1928 d	OVERHAUL	
SN:1913	HRS	8091.8	3000	TSO 0	11091.8		2099.3		
WC#: 24.025	AFL	5744		TSO 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 24 - ELECTRICAL POWER</b>								
<b>242097 LEFT AC GENERATOR CONTROL UNIT</b>								<b>Component ATA:24</b>
PN:CB02701	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:2854	HRS	0		TSN 0				
WC#: 24.035	AFL	0		TSN 0				
<b>242098 RIGHT AC GENERATOR CONTROL UNIT</b>								<b>Component ATA:24</b>
PN:CB02701	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:2851	HRS	0		TSN 0				
WC#: 24.035	AFL	0		TSN 0				
<b>243001 NO. 1 ENGINE STARTER/GENERATOR</b>								<b>Component ATA:24</b>
PN:23080-064	MOS	06-Jun-24		TSO 0				OVERHAUL
SN:Y30559	HRS	8851	1000	TSO 0	9851		858.5	
WC#: 24.045	AFL	6141		TSO 0				
<b>243002 NO. 2 ENGINE STARTER/GENERATOR</b>								<b>Component ATA:24</b>
PN:23080-064	MOS	06-Jun-24		TSO 9				OVERHAUL
SN:P1147	HRS	8851	1000	TSO 196.8	9654.2		661.7	
WC#: 24.045	AFL	6141		TSO 91				
<b>243037 NO. 1 DC GENERATOR CONTROL UNIT</b>								<b>Component ATA:24</b>
PN:51539-006H	MOS/MSC	22-May-07	O/C					
SN:97576	HRS	1578.8						
WC#: 24.050	AFL	1050						
<b>243038 NO. 2 DC GENERATOR CONTROL UNIT</b>								<b>Component ATA:24</b>
PN:51539-006H	MOS/MSC	05-Feb-10	O/C	TSO 0				
SN:P1359	HRS	3489.8		TSO 0				
WC#: 24.050	AFL	2341		TSO 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 24 - ELECTRICAL POWER</b>								
<b>243049 H (UPPER) CONTACTOR</b> <span style="float:right">Component ATA:24</span>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.055	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>243050 H (LOWER) CONTACTOR</b> <span style="float:right">Component ATA:24</span>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.055	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>243061 G (UPPER) CONTACTOR</b> <span style="float:right">Component ATA:24</span>								
PN:140-380021-0001	MOS/MSC	15-May-14	O/C	TSO 0				
SN:UNKNOWN	HRS	5972.2		TSO 0				
WC#: 24.060	AFL	4185		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>243062 G (LOWER) CONTACTOR</b> <span style="float:right">Component ATA:24</span>								
PN:140-380017-0001	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:CN-85415	HRS	0		TSN 0				
WC#: 24.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>243079 DC VOLTAGE SENSING UNIT</b> <span style="float:right">Component ATA:24</span>								
PN:U3626-2	MOS/MSC	08-Jun-14	O/C	TSO 0				
SN:1523	HRS	6042		TSO 0				
WC#: 24.070	AFL	4241		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>243091 GROUND SUPPLY START (E) CONTACTOR</b> <span style="float:right">Component ATA:24</span>								
PN:140-380021-0001	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.075	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 24 - ELECTRICAL POWER</b>								
<b>243103 APU STARTER/GENERATOR CONTROL UNIT Component ATA:24</b>								
PN:51539-006H	MOS/MSC	26-May-05	O/C					
SN:P-1155	HRS	7.1						
WC#: 24.080	AFL	8						
<b>243115 APU STARTER/GENERATOR Component ATA:24</b>								
PN:23080-064	MOS	29-Oct-21		TSO 0				OVERHAUL
SN:6936	HRS	8008.7		TSO 0				
WC#: 24.085	AFL	5686		TSO 0				
	APH	6574	1000	TSO 0	7574		524.5	
<b>243137 NO. 1 BATTERY Component ATA:24</b>								
PN:9750W0640	MOS/MSC	26-Sep-24	O/C	TSN 0				
SN:240610002	HRS	8922.2		TSN 0				
WC#: 24.090	AFL	6182		TSN 0				
<b>243138 NO. 2 BATTERY Component ATA:24</b>								
PN:9750W0640	MOS/MSC	26-Sep-24	O/C	TSN 0				
SN:240610006	HRS	8922.2		TSN 0				
WC#: 24.090	AFL	6182		TSN 0				
<b>243139 NO. 3 BATTERY Component ATA:24</b>								
PN:100-0540-04	MOS/MSC	29-Oct-21	O/C					
SN:2449	HRS	8008.7						
WC#: 24.210	AFL	5686						
<b>243140 NO. 4 BATTERY Component ATA:24</b>								
PN:100-0540-04	MOS/MSC	29-Oct-21	O/C	TSO 33				
SN:1772	HRS	8008.7		TSO 501.7				
WC#: 24.220	AFL	5686		TSO 267				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
<b>243141</b>		<b>NO. 5 BATTERY</b>						<b>Component</b>	<b>ATA:24</b>
PN:100-0540-04	MOS/MSC	29-Oct-21	O/C	TSO 33					
SN:1861	HRS	8008.7		TSO 501.7					
WC#: 24.230	AFL	5686		TSO 267					
<b>243142</b>		<b>NO. 6 BATTERY</b>						<b>Component</b>	<b>ATA:24</b>
PN:100-0540-04	MOS/MSC	29-Oct-21	O/C	TSR 33					
SN:2412	HRS	8008.7		TSR 501.7					
WC#: 24.230	AFL	5686		TSR 267					
<b>243154</b>		<b>CAPACITY CHECK NO. 1 BATTERY</b>						<b>Service</b>	<b>ATA:24</b>
PN:9750W0640	MOS	26-Sep-24	12 (+1m/-1m)		26-Sep-25	26-Oct-25	256 d (+30)		
SN:240610002	HRS	8922.2							
WC#: 24.090	AFL	6182							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>243155</b>		<b>CAPACITY CHECK NO. 2 BATTERY</b>						<b>Service</b>	<b>ATA:24</b>
PN:9750W0640	MOS	26-Sep-24	12 (+1m/-1m)		26-Sep-25	26-Oct-25	256 d (+30)		
SN:240610006	HRS	8922.2							
WC#: 24.090	AFL	6182							
<b>243156</b>		<b>ENERGY LEVEL TEST NO. 3 BATTERY</b>						<b>Service</b>	<b>ATA:24</b>
PN:100-0540-04	MOS	13-Dec-24	12 (+30d/-30d)		13-Dec-25	12-Jan-26	334 d (+30)		
SN:2449	HRS	8992.5							
WC#: 24.210	AFL	6223							
<b>243157</b>		<b>ENERGY LEVEL TEST NO. 4 BATTERY</b>						<b>Service</b>	<b>ATA:24</b>
PN:100-0540-04	MOS	13-Dec-24	12 (+30d/-30d)		13-Dec-25	12-Jan-26	334 d (+30)		
SN:1772	HRS	8992.5							
WC#: 24.220	AFL	6223							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
<b>243158</b>		<b>ENERGY LEVEL TEST NO. 5 BATTERY</b>						Service	ATA:24
PN:100-0540-04	MOS	13-Dec-24	12 (+30d/-30d)		13-Dec-25	12-Jan-26	334 d (+30)		
SN:1861	HRS	8992.5							
WC#: 24.230	AFL	6223							
<b>243159</b>		<b>ENERGY LEVEL TEST NO. 6 BATTERY</b>						Service	ATA:24
PN:100-0540-04	MOS	13-Dec-24	12 (+30d/-30d)		13-Dec-25	12-Jan-26	334 d (+30)		
SN:2412	HRS	8992.5							
WC#: 24.230	AFL	6223							
<b>243238</b>		<b>OVERVOLTAGE SENSOR</b>						Component	ATA:24
PN:E311TS	MOS/MSC	11-Mar-15	O/C	TSN 119					
SN:CN-94694	HRS	6400.6		TSN 6400.6					
WC#: 24.110	AFL	4498		TSN 4498					
<b>243246</b>		<b>THERMAL SWITCH</b>						Component	ATA:24
PN:21346-6	MOS/MSC	11-Mar-15	O/C						
SN:0915	HRS	6400.6							
WC#: 24.115	AFL	4498							
<b>243247</b>		<b>S CONTACTOR</b>						Component	ATA:24
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.120	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>243253</b>		<b>FORWARD U CONTACTOR</b>						Component	ATA:24
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.120	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 24 - ELECTRICAL POWER</b>								
<b>243259 J CONTACTOR</b> <span style="float:right">Component ATA:24</span>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.125	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>243265 K CONTACTOR</b> <span style="float:right">Component ATA:24</span>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.125	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>243271 AFT U CONTACTOR</b> <span style="float:right">Component ATA:24</span>								
PN:A848MAS	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:CN-89865	HRS	0		TSN 0				
WC#: 24.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>243277 L CONTACTOR</b> <span style="float:right">Component ATA:24</span>								
PN:9124-9290	MOS/MSC	19-Feb-10	O/C					
SN:11042	HRS	3505.4						
WC#: 24.135	AFL	2350						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>243283 M CONTACTOR</b> <span style="float:right">Component ATA:24</span>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.135	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>245001 BUS TIE (T) CONTACTOR</b> <span style="float:right">Component ATA:24</span>								
PN:LDA.150A-8C	MOS	07-Nov-13		TSO 0				OVERHAUL
SN:1167	HRS	5682.5	5000	TSO 0	10682.5		1690	
WC#: 24.140	AFL	3972		TSO 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
245043	TEMPERATURE SENSOR							Component	ATA:24
PN:548408-1	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:548408-02238	HRS	0		TSN 0					
WC#: 24.170	AFL	0		TSN 0					
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
250003 <sup>S</sup>	CHECK 3RD CREW MEMBERS SEAT							Service	ATA:25
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 25.115	AFL	6072						PKG:12,91	
250005 <sup>S</sup>	INSPECT EMERGENCY PACKS (IF FITTED)							Service	ATA:25
	MOS	13-Dec-24	12 (+1m/-1m)						
	HRS	8992.5							
WC#: 25.125	AFL	6223						PKG:48,94	
250006 <sup>S</sup>	CHECK FIRST AID KITS							Service	ATA:25
	MOS	13-Dec-24	12 (+1m/-1m)						
	HRS	8992.5							
WC#: 25.130	AFL	6223						PKG:48,94	
250007 <sup>S</sup>	OPERATIONAL CHECK CREW SEATS							Service	ATA:25
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 25.145	AFL	6072						PKG:10,91	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
250008 <sup>S</sup>	DETAILED CHECK CREW SEATS							Service	ATA:25
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 25.150	AFL	4498						PKG:34,93	
<hr/>									
251001	NO. 1 CREW SEAT							Component	ATA:25
PN:3A026-0013-00	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:42801	HRS	0		TSN 0					
WC#: 25.010	AFL	0		TSN 0					
<hr/>									
251002	NO. 2 CREW SEAT							Component	ATA:25
PN:3A026-0014-00	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:42802	HRS	0		TSN 0					
WC#: 25.010	AFL	0		TSN 0					
<hr/>									
251020	THROTTLE BOX							Component	ATA:25
PN:DOIW01149-003A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:909	HRS	0		TSN 0					
WC#: 25.020	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
251038	FLIGHT DECK CONTROLLER							Component	ATA:25
PN:922000-2	MOS/MSC	15-Aug-06	O/C						
SN:G05044363	HRS	957.2							
WC#: 25.135	AFL	643							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
251057	NO. 1 DIGITAL AUDIO AMPLIFIER							Component	ATA:25
PN:700-007	MOS/MSC	15-Aug-06	O/C						
SN:1539	HRS	957.8							
WC#: 25.050	AFL	644							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
<b>251058</b>		<b>NO. 2 DIGITAL AUDIO AMPLIFIER</b>							<b>Component ATA:25</b>
PN:700-007	MOS/MSC	23-Apr-08	O/C	TSR 0					
SN:1245	HRS	2340.3		TSR 0					
WC#: 25.050	AFL	1576		TSR 0					
<hr/>									
<b>253089</b>		<b>MICROWAVE OVEN</b>							<b>Component ATA:25</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 25.055	AFL	0		TSN 0					
<hr/>									
<b>256001</b>		<b>EMERGENCY LOCATOR TRANSMITTER (ELT)</b>							<b>Component ATA:25</b>
PN:453-5000-999	MOS/MSC	29-Dec-13	O/C						
SN:07102	HRS	5746.6							
WC#: 25.025	AFL	4021							
<hr/>									
<b>256005</b>		<b>INSPECT EMERGENCY LOCATOR TRANSMITTER (ELT)</b>							<b>Service ATA:25</b>
PN:453-5000-999	MOS	27-Aug-24	12		27-Aug-25		226 d		
SN:07102	HRS	8905.1							
WC#: 25.025	AFL	6169							
<hr/>									
<b>256006</b>		<b>ELT REMOTE (CONTROL UNIT) SWITCH</b>							<b>Component ATA:25</b>
PN:453-9701	MOS/MSC	26-Dec-05	O/C						
SN:NSN	HRS	429.7		TSN 122					
WC#: 25.030	AFL	303		TSN 69					
<hr/>									
<b>256007</b>		<b>REPLACE EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY</b>							<b>Service ATA:25</b>
PN:452-0133	MOS/MSC	06-May-24	DUE		31-Mar-28 (M)		1173 d		
SN:399388-026	HRS	8829.1							
WC#: 25.025	AFL	6132							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>								
<b>256009 EMERGENCY LOCATOR TRANSMITTER ANTENNA</b> Component ATA:25								
PN:DG16040	MOS/MSC	12-Jul-19	O/C					
SN:7053477	HRS	7601.6						
WC#: 25.015	AFL	5472						
<b>256010 FUNCTIONAL TEST EMERGENCY LOCATOR TRANSMITTER (ELT)</b> Service ATA:25								
PN:453-5000-999	MOS	27-Aug-24	12		27-Aug-25		226 d	
SN:07102	HRS	8905.1						
WC#: 25.025	AFL	6169						
<b>256013 INSPECT LIFE VESTS</b> Service ATA:25								
	MOS	12-Apr-24	60		12-Apr-29		1550 d	
	HRS	8799.2						
WC#: 25.040	AFL	6119						
<b>256097 DIGITAL INTERFACE UNIT</b> Component ATA:25								
PN:920050	MOS/MSC	11-May-23	O/C	TSR 0				
SN:502643016	HRS	8496.2		TSR 0				
WC#: 25.140	AFL	5959		TSR 0				
<b>256301 EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY</b> Component ATA:25								
PN:452-0133	MOS/MSC	06-May-24	O/C	TSN 0				
SN:399388-026	HRS	8829.1		TSN 0				
	AFL	6132		TSN 0				
<b>257209 <sup>U</sup> LIFE RAFT</b> Component ATA:25								
PN:RAF1210-305T1	MOS/MSC		O/C					
SN:2307BBA/2279BBA	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
257210 <sup>U</sup>	INSPECT LIFE RAFT							Service	ATA:25
	MOS	14-Jun-22	36		30-Jun-25		168 d		
	HRS								
	AFL								
257230 <sup>U</sup>	LIFE RAFT CYLINDER HYDROSTATIC CHECK							Service	ATA:25
	MOS	14-Jun-22	60		30-Jun-27		898 d		
	HRS								
	AFL								
257240 <sup>U</sup>	LIFE RAFT ELT							Component	ATA:25
PN:500-12Y	MOS/MSC	14-Jun-22	-						
SN:15594	HRS								
	AFL								
257245 <sup>U</sup>	LIFE RAFT ELT BATTERIES - REPLACE							Service	ATA:25
	MOS	14-Jun-22	60		01-Apr-27 (M)		808 d		
	HRS								
	AFL								
<b>ATA 26 - FIRE PROTECTION</b>									
260001 <sup>S</sup>	CHECK AFT ENGINE FIRE EXTINGUISHER							Service	ATA:26
	MOS	13-Dec-24	12 (+1m/-1m)						
	HRS	8992.5							
WC#: 26.020	AFL	6223							
								PKG:43,94	
260001 <sup>S</sup>	CHECK FORWARD ENGINE FIRE EXTINGUISHER							Service	ATA:26
	MOS	13-Dec-24	12 (+1m/-1m)						
	HRS	8992.5							
WC#: 26.010	AFL	6223							
								PKG:43,94	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
260002 <sup>S</sup>	FUNCTIONAL TEST REAR EQUIPMENT BAY OVERHEAT DETECTION SYSTEM							Service	ATA:26
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 26.035	AFL	6072						PKG:7,91	
260003 <sup>S</sup>	WEIGHT CHECK COCKPIT PORTABLE FIRE EXTINGUISHER							Service	ATA:26
PN:C354TS	MOS	13-Dec-24	12 (+1m/-1m)						
SN:G-04698793	HRS	8992.5							
WC#: 26.080	AFL	6223						PKG:46,94	
					WeightCheck Date : : 03-Dec-24				
260004 <sup>S</sup>	WEIGHT CHECK CABIN PORTABLE FIRE EXTINGUISHER							Service	ATA:26
PN:C354TS	MOS	13-Dec-24	12 (+1m/-1m)						
SN:G-12595243	HRS	8992.5							
WC#: 26.075	AFL	6223						PKG:48,94	
					WeightCheck Date : : 03-Dec-24				
260005 <sup>S</sup>	WEIGHT CHECK AFT ENGINE FIRE EXTINGUISHER							Service	ATA:26
	MOS	13-Dec-24	12 (+1m/-1m)						
	HRS	8992.5							
WC#: 26.020	AFL	6223						PKG:49,94	
					WeightCheck Date : : 13-Dec-24				
260005 <sup>S</sup>	WEIGHT CHECK FORWARD ENGINE FIRE EXTINGUISHER							Service	ATA:26
	MOS	13-Dec-24	12 (+1m/-1m)						
	HRS	8992.5							
WC#: 26.010	AFL	6223						PKG:49,94	
					WeightCheck Date : : 13-Dec-24				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
260007	CHECK/FUNCTIONAL TEST APU FIRE EXTINGUISHER							Service	ATA:26
	MOS/MSC	16-May-18	N/R						
	HRS	7247.7							
WC#: 26.090	AFL	5289							
260008	FUNCTIONAL TEST SMOKE DETECTION SYSTEM (IF FITTED)							Service	ATA:26
	MOS	06-Nov-24	6 (+10%)		06-May-25	24-May-25	113 d (+18)		
	HRS	8970.6							
WC#: 26.115	AFL	6208							
260010 <sup>S</sup>	CHECK/FUNCTIONAL TEST APU FIRE EXTINGUISHER							Service	ATA:26
	MOS	13-Dec-24	12 (+1m/-1m)						
	HRS	8992.5							
WC#: 26.085	AFL	6223							
PKG:49,94									
PROC. REF: CMM 26-20-02PROC. REF: CMM 26-20-02									
261030	APU ENCLOSURE HOT SECTION LOWER THERMAL SWITCH							Component	ATA:26
PN:17343-62	MOS/MSC	16-May-18	O/C						
SN:6551DA	HRS	7247.7							
WC#: 26.120	AFL	5289							
261031	APU ENCLOSURE FUEL CONTROL AREA THERMAL SWITCH							Component	ATA:26
PN:17343-62	MOS/MSC	16-May-18	O/C						
SN:6550DA	HRS	7247.7							
WC#: 26.125	AFL	5289							
261032	APU ENCLOSURE HOT SECTION UPPER THERMAL SWITCH							Component	ATA:26
PN:17343-62	MOS/MSC	16-May-18	O/C						
SN:6549DA	HRS	7247.7							
WC#: 26.130	AFL	5289							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
<b>261033</b>		<b>APU ENCLOSURE STARTER/GENERATOR AREA THERMAL SWITCH</b>							<b>Component ATA:26</b>
PN:17343-162	MOS/MSC	16-May-18	O/C						
SN:6548DA	HRS	7247.7							
WC#: 26.135	AFL	5289							
<hr/>									
<b>261034</b>		<b>TEST APU ENCLOSURE HOT SECTION LOWER THERMAL SWITCH</b>							<b>Service ATA:26</b>
PN:17343-62	MOS	11-May-23	60		11-May-28		1214 d		
SN:6551DA	HRS	8494.6							
WC#: 26.120	AFL	5957							
<hr/>									
<b>261035</b>		<b>TEST APU ENCLOSURE FUEL CONTROL AREA THERMAL SWITCH</b>							<b>Service ATA:26</b>
PN:17343-62	MOS	11-May-23	60		11-May-28		1214 d		
SN:6550DA	HRS	8494.6							
WC#: 26.125	AFL	5957							
<hr/>									
<b>261036</b>		<b>TEST APU ENCLOSURE HOT SECTION UPPER THERMAL SWITCH</b>							<b>Service ATA:26</b>
PN:17343-62	MOS	11-May-23	60		11-May-28		1214 d		
SN:6549DA	HRS	8494.6							
WC#: 26.130	AFL	5957							
<hr/>									
<b>261037</b>		<b>TEST APU ENCLOSURE STARTER/GENERATOR AREA THERMAL SWITCH</b>							<b>Service ATA:26</b>
PN:17343-162	MOS	11-May-23	60		11-May-28		1214 d		
SN:6548DA	HRS	8494.6							
WC#: 26.135	AFL	5957							
<hr/>									
<b>261074</b>		<b>OVERHEAT DETECTION SWITCHES TEST</b>							<b>Service ATA:26</b>
	MOS	08-May-20	60		08-May-25		115 d		
	HRS	7778.6							
WC#: 26.030	AFL	5556							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 26 - FIRE PROTECTION</b>								
<b>261171 NO. 1 ENGINE ZONE 1 FIRE DETECTOR Component ATA:26</b>								
PN:3001-112-900-400	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:86729	HRS	0		TSN 0				
WC#: 26.050	AFL	0		TSN 0				
<b>261172 NO. 2 ENGINE ZONE 1 FIRE DETECTOR Component ATA:26</b>								
PN:3001-112-900-400	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:86748	HRS	0		TSN 0				
WC#: 26.055	AFL	0		TSN 0				
<b>261183 NO. 1 ENGINE ZONE 2 FIRE DETECTOR Component ATA:26</b>								
PN:3001-133-900-500-6	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:86683	HRS	0		TSN 0				
WC#: 26.050	AFL	0		TSN 0				
<b>261184 NO. 2 ENGINE ZONE 2 FIRE DETECTOR Component ATA:26</b>								
PN:3001-133-900-500-6	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:86646	HRS	0		TSN 0				
WC#: 26.055	AFL	0		TSN 0				
<b>262001 ENGINE FORWARD FIRE EXTINGUISHER Component ATA:26</b>								
PN:33200009-3	MOS/MSC	08-Dec-23	O/C	TSO 1				
SN:30897C1	HRS	8690.8		TSO 0				
WC#: 26.010	AFL	6072		TSO 0				
<b>262002 ENGINE AFT FIRE EXTINGUISHER Component ATA:26</b>								
PN:33200009-3	MOS/MSC	13-Dec-24	O/C	TSN 241, TSO 0				
SN:24149C1	HRS	8992.5		TSO 0				
WC#: 26.020	AFL	6223		TSO 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
<b>262025</b>		<b>HYDROSTATIC TEST ENGINE FORWARD FIRE EXTINGUISHER</b>							Service ATA:26
PN:33200009-3	MOS	28-Nov-23	120		28-Nov-33		3241 d		
SN:30897C1	HRS								
WC#: 26.010	AFL								
HydroCheck Date: : 28-Nov-23									
<b>262026</b>		<b>HYDROSTATIC TEST ENGINE AFT FIRE EXTINGUISHER</b>							Service ATA:26
PN:33200009-3	MOS	13-Dec-24	120		01-Dec-29 (M)		1783 d		
SN:24149C1	HRS	8992.5							
WC#: 26.020	AFL	6223							
HydroCheck Date: : 12-Dec-24									
<b>262027</b>		<b>FORWARD ENGINE FIRE EXTINGUISHER HEAD A CARTRIDGE</b>							Component ATA:26
PN:30900000M	MOS/MSC	11-Mar-15	O/C	TSN 14					
SN:2115RK	HRS	6400.6		TSN 0					
WC#: 26.015	AFL	4498		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>262028</b>		<b>AFT ENGINE FIRE EXTINGUISHER HEAD A CARTRIDGE</b>							Component ATA:26
PN:30900000M	MOS/MSC	11-Mar-15	O/C	TSN 14					
SN:2116RK	HRS	6400.6		TSN 0					
WC#: 26.025	AFL	4498		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>262029</b>		<b>FORWARD ENGINE FIRE EXTINGUISHER HEAD B CARTRIDGE</b>							Component ATA:26
PN:30900000M	MOS/MSC	11-Mar-15	O/C	TSN 14					
SN:2114RK	HRS	6400.6		TSN 0					
WC#: 26.015	AFL	4498		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>262030</b>		<b>AFT ENGINE FIRE EXTINGUISHER HEAD B CARTRIDGE</b>							Component ATA:26
PN:30900000M	MOS/MSC	11-Mar-15	O/C	TSN 14					
SN:2117RK	HRS	6400.6		TSN 0					
WC#: 26.025	AFL	4498		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 26 - FIRE PROTECTION</b>								
<b>262037 REPLACE FORWARD ENGINE FIRE EXTINGUISHER HEAD A CARTRIDGE (SERVICE LIFE) Service ATA:26</b>								
PN:30900000M	MOS	11-Mar-15	120		11-Mar-25		57 d	LIFE LIMIT
SN:2115RK	HRS							
WC#: 26.015	AFL							
Installation Date: : 11-Mar-15								
<b>262038 REPLACE AFT ENGINE FIRE EXTINGUISHER HEAD A CARTRIDGE (SERVICE LIFE) Service ATA:26</b>								
PN:30900000M	MOS	11-Mar-15	120		11-Mar-25		57 d	LIFE LIMIT
SN:2116RK	HRS							
WC#: 26.025	AFL							
Installation Date: : 11-Mar-15								
<b>262049 REPLACE FORWARD ENGINE FIRE EXTINGUISHER HEAD B CARTRIDGE (SERVICE LIFE) Service ATA:26</b>								
PN:30900000M	MOS	11-Mar-15	120		11-Mar-25		57 d	LIFE LIMIT
SN:2114RK	HRS							
WC#: 26.015	AFL							
Installation Date: : 11-Mar-15								
<b>262050 REPLACE AFT ENGINE FIRE EXTINGUISHER HEAD B CARTRIDGE (SERVICE LIFE) Service ATA:26</b>								
PN:30900000M	MOS	11-Mar-15	120		11-Mar-25		57 d	LIFE LIMIT
SN:2117RK	HRS							
WC#: 26.025	AFL							
Installation Date: : 11-Mar-15								
<b>262061 REPLACE FORWARD ENGINE FIRE EXTINGUISHER HEAD A CARTRIDGE (LIFE LIMIT) Service ATA:26</b>								
PN:30900000M	MOS	01-Jan-14	180		01-Jan-29		1449 d	LIFE LIMIT
SN:2115RK	HRS							
WC#: 26.015	AFL							
Manufacture Date:: 01-Jan-14								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
<b>262062</b>		<b>REPLACE AFT ENGINE FIRE EXTINGUISHER HEAD A CARTRIDGE (LIFE LIMIT)</b>							Service ATA:26
PN:30900000M	MOS	01-Jan-14	180		01-Jan-29		1449 d	LIFE LIMIT	
SN:2116RK	HRS								
WC#: 26.025	AFL								
Manufacture Date:: 01-Jan-14									
<b>262073</b>		<b>REPLACE FORWARD ENGINE FIRE EXTINGUISHER HEAD B CARTRIDGE (LIFE LIMIT)</b>							Service ATA:26
PN:30900000M	MOS	01-Jan-14	180		01-Jan-29		1449 d	LIFE LIMIT	
SN:2114RK	HRS								
WC#: 26.015	AFL								
Manufacture Date:: 01-Jan-14									
<b>262074</b>		<b>REPLACE AFT ENGINE FIRE EXTINGUISHER HEAD B CARTRIDGE (LIFE LIMIT)</b>							Service ATA:26
PN:30900000M	MOS	01-Jan-14	180		01-Jan-29		1449 d	LIFE LIMIT	
SN:2117RK	HRS								
WC#: 26.025	AFL								
Manufacture Date:: 01-Jan-14									
<b>262091</b>		<b>CABIN PORTABLE FIRE EXTINGUISHER</b>							Component ATA:26
PN:C354TS	MOS/MSC	29-Oct-21	O/C	TSN 21					
SN:G-12595243	HRS	8008.7		TSN 0					
WC#: 26.075	AFL	5686		TSN 0					
<b>262103</b>		<b>HYDROSTATIC TEST CABIN PORTABLE FIRE EXTINGUISHER</b>							Service ATA:26
PN:C354TS	MOS	01-Jan-20	144		01-Jan-32		2544 d		
SN:G-12595243	HRS								
WC#: 26.075	AFL								
HydroCheck Date: : 01-Jan-20									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
<b>262109</b>		<b>COCKPIT PORTABLE FIRE EXTINGUISHER</b>						<b>Component</b>	<b>ATA:26</b>
PN:C354TS	MOS/MSC	29-Oct-21	O/C	TSN 0					
SN:G-04698793	HRS	8008.7		TSN 0					
WC#: 26.080	AFL	5686		TSN 0					
<hr/>									
<b>262121</b>		<b>HYDROSTATIC TEST COCKPIT PORTABLE FIRE EXTINGUISHER</b>						<b>Service</b>	<b>ATA:26</b>
PN:C354TS	MOS	01-Jan-20	144		01-Jan-32		2544 d		
SN:G-04698793	HRS								
WC#: 26.080	AFL								
HydroCheck Date: : 01-Jan-20									
<hr/>									
<b>262127</b>		<b>APU FIRE EXTINGUISHER</b>						<b>Component</b>	<b>ATA:26</b>
PN:4190-01	MOS/MSC	10-Dec-21	O/C	TSR 0					
SN:405	HRS	8032.4		TSR 0					
WC#: 26.085	AFL	5703		TSR 0					
<hr/>									
<b>262137</b>		<b>LEAK CHECK APU FIRE EXTINGUISHER</b>						<b>Service</b>	<b>ATA:26</b>
	MOS/MSC	11-Jun-05	O/C						
	HRS	0							
WC#: 26.085	AFL	0							
PROC. REF: CMM 26-20-02PROC. REF: CMM 26-20-02									
<hr/>									
<b>262139</b>		<b>HYDROSTATIC TEST APU FIRE EXTINGUISHER</b>						<b>Service</b>	<b>ATA:26</b>
PN:4190-01	MOS		60		31-Mar-25 (M)		77 d		
SN:405	HRS								
WC#: 26.085	AFL								
<hr/>									
<b>262143</b>		<b>APU FORWARD CARTRIDGE</b>						<b>Component</b>	<b>ATA:26</b>
PN:30900000M	MOS/MSC	10-Dec-21	O/C						
SN:NSN	HRS	8032.4							
WC#: 26.060	AFL	5703							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
262144		APU AFT CARTRIDGE						Component	ATA:26
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 26.065	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
262145		REPLACE APU FORWARD CARTRIDGE (SERVICE LIFE)						Service	ATA:26
PN:30900000M	MOS	10-Dec-21	120		10-Dec-31		2522 d	LIFE LIMIT	
SN:NSN	HRS								
WC#: 26.060	AFL								
Installation Date: : 10-Dec-21									
PROC. REF: CMM 26-20-02PROC. REF: CMM 26-20-02									
262157		REPLACE APU FORWARD CARTRIDGE (LIFE LIMIT)						Service	ATA:26
PN:30900000M	MOS	31-Mar-19	180		31-Mar-34		3364 d	LIFE LIMIT	
SN:NSN	HRS								
WC#: 26.060	AFL								
Manufacture Date:: 31-Mar-19									
PROC. REF: CMM 26-20-02PROC. REF: CMM 26-20-02									
262163		REPLACE APU AFT CARTRIDGE (LIFE LIMIT)						Service	ATA:26
PN:PN	MOS/MSC		N/R						
SN:UNKNOWN	HRS								
WC#: 26.065	AFL								
PROC. REF: CMM 26-20-02PROC. REF: CMM 26-20-02									
262190		FORWARD EXTINGUISHER GONE INDICATION FUSE CARTRIDGE, ENGINE AND EXTERNAL BAGGAGE UNIT IF FITTED						Component	ATA:26
PN:A1003(1)	MOS/MSC	06-Nov-24	O/C	TSN 0					
SN:UNKNOWN	HRS	8970.6		TSN 0					
WC#: 26.100	AFL	6208		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
262195		AFT EXTINGUISHER GONE INDICATION FUSE CARTRIDGE, ENGINE AND EXTERNAL BAGGAGE UNIT IF FITTED						Component	ATA:26
PN:A1003(1)	MOS/MSC	06-Nov-24	O/C	TSN 0					
SN:UNKNOWN	HRS	8970.6		TSN 0					
WC#: 26.105	AFL	6208		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
262199	REPLACE FORWARD EXTINGUISHER GONE INDICATION FUSE CARTRIDGE, ENGINE AND EXTERNAL BAGGAGE UNIT IF FITTED (LIFE LIMIT)							Service	ATA:26
PN:A1003(1)	MOS	06-Nov-24	48		06-Nov-27 (M)		1027 d	LIFE LIMIT	
SN:UNKNOWN	HRS	8970.6							
WC#: 26.100	AFL	6208							
262200	REPLACE AFT EXTINGUISHER GONE INDICATION FUSE CARTRIDGE, ENGINE AND EXTERNAL BAGGAGE UNIT IF FITTED (LIFE LIMIT)							Service	ATA:26
PN:A1003(1)	MOS	06-Nov-24	48		06-Nov-27 (M)		1027 d	LIFE LIMIT	
SN:UNKNOWN	HRS	8970.6							
WC#: 26.105	AFL	6208							
262201	REPLACE FORWARD EXTINGUISHER GONE INDICATION FUSE CARTRIDGE, ENGINE AND EXTERNAL BAGGAGE UNIT IF FITTED (SERVICE LIFE)							Service	ATA:26
PN:A1003(1)	MOS	06-Nov-24	36		06-Nov-27 (M)		1027 d	LIFE LIMIT	
SN:UNKNOWN	HRS	8970.6							
WC#: 26.100	AFL	6208							
262202	REPLACE AFT EXTINGUISHER GONE INDICATION FUSE CARTRIDGE, ENGINE AND EXTERNAL BAGGAGE UNIT IF FITTED (SERVICE LIFE)							Service	ATA:26
PN:A1003(1)	MOS	06-Nov-24	36		06-Nov-27 (M)		1027 d	LIFE LIMIT	
SN:UNKNOWN	HRS	8970.6							
WC#: 26.105	AFL	6208							
262301	SMOKE DETECTOR AMPLIFIER							Component	ATA:26
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 26.070	AFL	0		TSN 0					
262307	FORWARD BAGGAGE COMPARTMENT SMOKE DETECTOR							Component	ATA:26
PN:473597-14	MOS/MSC	25-Oct-12	O/C	TSO 0					
SN:1575	HRS	5117.3		TSO 0					
WC#: 26.110	AFL	3538		TSO 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 26 - FIRE PROTECTION</b>								
<b>262308 AFT BAGGAGE COMPARTMENT SMOKE DETECTOR</b>								Component ATA:26
PN:473597-14	MOS/MSC	26-May-05	O/C					
SN:0761	HRS	7.1						
WC#: 26.110	AFL	8						
<b>262309 VANITY SMOKE DETECTOR</b>								Component ATA:26
PN:473597-14	MOS/MSC	26-May-05	O/C					
SN:0778	HRS	7.1						
WC#: 26.110	AFL	8						
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>270002 <sup>S</sup> INSPECT LEFT WING FLAP VANE INNER</b>								Service ATA:27
	MOS	29-Oct-21						
	HRS	8008.7	1600 (+50/-50)					
WC#: 27.490	AFL	5686						PKG:27,92
<b>270003 <sup>S</sup> INSPECT LEFT WING FLAP SCREWJACKS SCREW THREADS</b>								Service ATA:27
	MOS	08-Dec-23						
	HRS	8690.8	800 (+40/-10)					
WC#: 27.495	AFL	6072						PKG:15,91
<b>270004 <sup>S</sup> FUNCTIONAL TEST STALL WARNING AND IDENTIFICATION SYSTEM</b>								Service ATA:27
	MOS	08-Dec-23						
	HRS	8690.8	800 (+40/-10)					
WC#: 27.120	AFL	6072						PKG:8,91

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
270008 <sup>S</sup>	FUNCTIONAL TEST RUDDER BIAS STRUT HEATER MUFFS							Service	ATA:27
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 27.060	AFL	6072						PKG:8,91	
270009	FUNCTIONAL TEST STALL DETECTOR UNIT (THIRD CHANNEL)							Service	ATA:27
	MOS/MSC	07-Nov-13	N/R						
	HRS	5682.5							
WC#: 27.110	AFL	3972							
270011 <sup>S</sup>	INSPECT GUST LOCKS/AILERONS AND ELEVATORS							Service	ATA:27
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 27.415	AFL	6072						PKG:10,91	
270012 <sup>S</sup>	CHECK AND INSPECT RUDDER TRIM TAB AND ANTI SERVO TAB							Service	ATA:27
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 27.450	AFL	6072						PKG:14,91	
270013 <sup>S</sup>	CHECK AND INSPECT ELEVATORS AND TRIM TABS							Service	ATA:27
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 27.485	AFL	6072						PKG:14,91	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
270014 <sup>S</sup>	INSPECT RUDDER AND ELEVATORS PRIMARY SURFACES							Service	ATA:27
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 27.420	AFL	6072						PKG:14,91	
270015 <sup>S</sup>	OPERATIONAL CHECK LEFT AILERON PRIMARY SURFACES							Service	ATA:27
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 27.425	AFL	6072						PKG:15,91	
270016 <sup>S</sup>	CHECK AND INSPECT LEFT AILERON TRIM AND SERVO TABS							Service	ATA:27
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 27.435	AFL	6072						PKG:15,91	
270017 <sup>S</sup>	CHECK LEFT FLAP SCREWJACK AND REDUCTION GEARBOX							Service	ATA:27
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 27.500	AFL	6072						PKG:15,91	
270018 <sup>S</sup>	INSPECT LEFT FLAP SYNCHRONIZATION SYSTEM CONTROL CABLES							Service	ATA:27
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 27.550	AFL	6072						PKG:15,91	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
270019 <sup>S</sup>	CHECK FLAP CONTROL UNIT							Service	ATA:27
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 27.525	AFL	6072						PKG:15,91	
<hr/>									
270020 <sup>S</sup>	OPERATE FLAP CONTROL UNIT							Service	ATA:27
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 27.520	AFL	6072						PKG:15,91	
<hr/>									
270021 <sup>S</sup>	INSPECT LEFT FLAP DRIVE SHAFTS							Service	ATA:27
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 27.510	AFL	6072						PKG:15,91	
<hr/>									
270022 <sup>S</sup>	OPERATIONAL CHECK RIGHT AILERON PRIMARY SURFACES							Service	ATA:27
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 27.425	AFL	6072						PKG:16,91	
<hr/>									
270023 <sup>S</sup>	CHECK AND INSPECT RIGHT AILERON SERVO TABS							Service	ATA:27
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 27.435	AFL	6072						PKG:16,91	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
270024 <sup>S</sup>	CHECK RIGHT FLAP SCREWJACK AND REDUCTION GEARBOX							Service	ATA:27
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 27.500	AFL	6072						PKG:16,91	
<hr/>									
270025 <sup>S</sup>	INSPECT RIGHT FLAP SYNCHRONIZATION SYSTEM CONTROL CABLES							Service	ATA:27
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 27.550	AFL	6072						PKG:16,91	
<hr/>									
270026 <sup>S</sup>	INSPECT RIGHT FLAP DRIVE SHAFTS							Service	ATA:27
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 27.510	AFL	6072						PKG:16,91	
<hr/>									
270027 <sup>S</sup>	FUNCTIONAL TEST FLAP CONTROL SYSTEM							Service	ATA:27
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 27.200	AFL	6072						PKG:18,91	
<hr/>									
270028 <sup>S</sup>	FUNCTIONAL TEST AIRBRAKE AND LIFT DUMP SYSTEM							Service	ATA:27
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 27.260	AFL	6072						PKG:18,91	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
270030 <sup>S</sup>	CHECK ELEVATOR TRIM SERVO							Service	ATA:27
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 27.095	AFL	5686						PKG:20,92	
<hr/>									
270032 <sup>S</sup>	CHECK AILERON AUTOPILOT SERVO CONTROL CABLES							Service	ATA:27
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 27.440	AFL	5686						PKG:22,92	
<hr/>									
270033 <sup>S</sup>	INSPECT ELEVATOR CONTROL SYSTEM BALANCE/FEEL SPRING							Service	ATA:27
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 27.100	AFL	5686						PKG:22,92	
<hr/>									
270034 <sup>S</sup>	CHECK ELEVATOR PRIMARY CONTROL CABLES							Service	ATA:27
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 27.460	AFL	5686						PKG:23,92	
<hr/>									
270035 <sup>S</sup>	CHECK FLAP CONTROL CABLES							Service	ATA:27
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 27.540	AFL	5686						PKG:23,92	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
270036 <sup>S</sup>	CHECK ELEVATOR PRIMARY AND ELEVATOR TRIM CONTROL CABLES							Service	ATA:27
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 27.465	AFL	5686						PKG:25,92	
<hr/>									
270037 <sup>S</sup>	CHECK RUDDER PRIMARY AND RUDDER TRIM CONTROL CABLES							Service	ATA:27
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 27.455	AFL	5686						PKG:25,92	
<hr/>									
270038 <sup>S</sup>	CHECK ELEVATOR AUTOPILOT SERVO CONTROL CABLES							Service	ATA:27
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 27.475	AFL	5686						PKG:25,92	
<hr/>									
270039 <sup>S</sup>	CHECK RUDDER AUTOPILOT SERVO CONTROL CABLES							Service	ATA:27
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 27.445	AFL	5686						PKG:25,92	
<hr/>									
270040 <sup>S</sup>	CHECK ELEVATOR AUTOPILOT TRIM-SERVO CONTROL CABLES							Service	ATA:27
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 27.480	AFL	5686						PKG:25,92	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
270041 <sup>S</sup>	INSPECT ELEVATOR TRIM CABLES							Service	ATA:27
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 27.470	AFL	5686						PKG:26,92	
<hr/>									
270042 <sup>S</sup>	CHECK LEFT AILERON PRIMARY AND TRIM CONTROL CABLES							Service	ATA:27
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 27.430	AFL	5686						PKG:27,92	
<hr/>									
270043 <sup>S</sup>	INSPECT LEFT FLAP DRIVE SHAFT UNIVERSAL JOINT							Service	ATA:27
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 27.565	AFL	5686						PKG:27,92	
<hr/>									
270044 <sup>S</sup>	CHECK LEFT FLAP BEVEL DRIVE ASSEMBLY							Service	ATA:27
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 27.535	AFL	5686						PKG:27,92	
<hr/>									
270045 <sup>S</sup>	CHECK FLAP CONTROL UNIT BAULK RELEASE CABLE							Service	ATA:27
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 27.515	AFL	5686						PKG:27,92	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
270046 <sup>S</sup>								Service ATA:27
	MOS	29-Oct-21						
	HRS	8008.7	1600 (+50/-50)					
WC#: 27.575	AFL	5686						PKG:27,92
<hr/>								
270047 <sup>S</sup>								Service ATA:27
	MOS	29-Oct-21						
	HRS	8008.7	1600 (+50/-50)					
WC#: 27.555	AFL	5686						PKG:27,92
<hr/>								
270048 <sup>S</sup>								Service ATA:27
	MOS	29-Oct-21						
	HRS	8008.7	1600 (+50/-50)					
WC#: 27.505	AFL	5686						PKG:27,92
<hr/>								
270049 <sup>S</sup>								Service ATA:27
	MOS	29-Oct-21						
	HRS	8008.7	1600 (+50/-50)					
WC#: 27.530	AFL	5686						PKG:27,92
<hr/>								
270050 <sup>S</sup>								Service ATA:27
	MOS	29-Oct-21						
	HRS	8008.7	1600 (+50/-50)					
WC#: 27.570	AFL	5686						PKG:27,92

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
270051 <sup>S</sup>	CHECK RIGHT AILERON PRIMARY AND TRIM CONTROL CABLES							Service	ATA:27
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 27.430	AFL	5686						PKG:28,92	
<hr/>									
270052 <sup>S</sup>	INSPECT RIGHT FLAP DRIVE SHAFT UNIVERSAL JOINT							Service	ATA:27
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 27.565	AFL	5686						PKG:28,92	
<hr/>									
270053 <sup>S</sup>	CHECK RIGHT FLAP BEVEL DRIVE ASSEMBLY							Service	ATA:27
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 27.535	AFL	5686						PKG:28,92	
<hr/>									
270054 <sup>S</sup>	CHECK RIGHT FLAP SCREWJACK/REDUCTION GEARBOX							Service	ATA:27
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 27.505	AFL	5686						PKG:28,92	
<hr/>									
270055 <sup>S</sup>	CHECK RIGHT FLAP SYNCHRONIZING SYSTEM							Service	ATA:27
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 27.530	AFL	5686						PKG:28,92	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
270056 <sup>S</sup>	CHECK RIGHT AIRBRAKE CONTROL CABLES							Service	ATA:27
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 27.570	AFL	5686						PKG:28,92	
270057 <sup>S</sup>	CHECK FLAP CONTROL FORWARD SPRING STRUT							Service	ATA:27
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 27.560	AFL	4498						PKG:34,93	
270058 <sup>S</sup>	CHECK FLAP CONTROL INPUT-CIRCUIT							Service	ATA:27
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 27.210	AFL	4498						PKG:34,93	
270059 <sup>S</sup>	INSPECT CONTROL CABLE PRESSURE SEALS AT REAR PRESSURE BULKHEAD							Service	ATA:27
	MOS	13-Dec-24	12 (+1m/-1m)						
	HRS	8992.5							
WC#: 27.545	AFL	6223						PKG:49,94	
270060 <sup>S</sup>	REPLACE FLAP AUXILIARY HYDRAULIC SYSTEM SUPPLY TO FLAP CONTROL UNIT FILTER							Service	ATA:27
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 27.215	AFL	4498						PKG:40,93	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
270061	CHECK FLIGHT CONTROL CABLES TENSION							Service	ATA:27
	MOS/MSC	08-Apr-05	O/C						
	HRS	0							
WC#: 27.010	AFL	0							
<hr/>									
270063	LUBRICATE/CLEAN SERVOMOTOR ASSEMBLY SVO-85B (P/N 622-5027-001)							Service	ATA:27
	MOS/MSC	08-Apr-05	C/C						
	HRS	0							
WC#: 27.030	AFL	0							
<hr/>									
270064 <sup>S</sup>	INSPECT RIGHT WING FLAP VANE INNER							Service	ATA:27
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 27.490	AFL	5686						PKG:28,92	
<hr/>									
270065 <sup>S</sup>	INSPECT RIGHT WING FLAP SCREWJACKS SCREW THREADS							Service	ATA:27
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 27.495	AFL	6072						PKG:16,91	
<hr/>									
270066 <sup>S</sup>	INSPECT LEFT AILERON CONTROL CABLE PRESSURE SEALS							Service	ATA:27
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 27.600	AFL	6072						PKG:15,91	
<hr/>									
270067 <sup>S</sup>	INSPECT RIGHT AILERON CONTROL CABLE PRESSURE SEALS							Service	ATA:27
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 27.605	AFL	6072						PKG:16,91	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
270068	LUBRICATE/CLEAN AILERON SERVOMOTOR ASSEMBLY SVO-85B (P/N 622-5027-001)							Service	ATA:27
	MOS/MSC	07-Nov-13	N/R						
	HRS	5682.5							
WC#: 27.610	AFL	3972							
270069	LUBRICATE/CLEAN ELEVATOR SERVOMOTOR ASSEMBLY SVO-85B (P/N 622-5027-001)							Service	ATA:27
	MOS/MSC	07-Nov-13	N/R						
	HRS	5682.5							
WC#: 27.615	AFL	3972							
270070	LUBRICATE/CLEAN RUDDER SERVOMOTOR ASSEMBLY SVO-85B (P/N 622-5027-001)							Service	ATA:27
	MOS/MSC	07-Nov-13	N/R						
	HRS	5682.5							
WC#: 27.620	AFL	3972							
270071 <sup>S</sup>	INSPECT RUDDER TRIM JACK							Service	ATA:27
	MOS	29-Oct-21	48 (+2m/-2m)						
	HRS	8008.7							
WC#: 27.700	AFL	5686						PKG:96	
270072 <sup>S</sup>	INSPECT ELEVATOR TRIM JACK							Service	ATA:27
	MOS	29-Oct-21	48 (+2m/-2m)						
	HRS	8008.7							
WC#: 27.700	AFL	5686						PKG:96	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
<b>270100</b>		<b>LEFT CONTROL COLUMN</b>					<b>Component</b>		<b>ATA:27</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.015	AFL	0		TSN 0					
<b>270102</b>		<b>RIGHT CONTROL COLUMN</b>					<b>Component</b>		<b>ATA:27</b>
PN:25-8CF55-215A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:PPLS/DH/1934	HRS	0		TSN 0					
WC#: 27.015	AFL	0		TSN 0					
<b>271001</b>		<b>LEFT AILERON</b>					<b>Component</b>		<b>ATA:27</b>
PN:251W01214-7A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:DHB1515	HRS	0		TSN 0					
WC#: 27.020	AFL	0		TSN 0					
<b>271002</b>		<b>RIGHT AILERON</b>					<b>Component</b>		<b>ATA:27</b>
PN:251W01214-8A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:DHB1494	HRS	0		TSN 0					
WC#: 27.020	AFL	0		TSN 0					
<b>271025</b>		<b>AILERON TRIM SCREWJACK</b>					<b>Component</b>		<b>ATA:27</b>
PN:25-8CW49-47A	MOS/MSC	21-Mar-11	O/C	TSO 0					
SN:MEC/DHB221	HRS	4076.5		TSO 0					
WC#: 27.025	AFL	2764		TSO 0					
<b>272001</b>		<b>RUDDER</b>					<b>Component</b>		<b>ATA:27</b>
PN:25-8TR105-11A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:FL-DHB-8721	HRS	0		TSN 0					
WC#: 27.045	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
<b>272019</b>		<b>RUDDER TRIM JACK</b>						<b>Component</b>	<b>ATA:27</b>
PN:25CW573AG	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:BPEB/DHB/14870	HRS	0		TSN 0					
WC#: 27.050	AFL	0		TSN 0					
<hr/>									
<b>272020</b>		<b>RUDDER GEARED TAB</b>						<b>Component</b>	<b>ATA:27</b>
PN:25TR209AF	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:FL-DHB-8758A	HRS	0		TSN 0					
WC#: 27.125	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
<b>272021</b>		<b>RUDDER TRIM TAB</b>						<b>Component</b>	<b>ATA:27</b>
PN:25TR221AF	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:FL-DHB-8752A	HRS	0		TSN 0					
WC#: 27.285	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
<b>272022</b>		<b>LEFT RUDDER PEDAL ASSEMBLY</b>						<b>Component</b>	<b>ATA:27</b>
PN:25-8CF549-1A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:BPEB/DHB/14702	HRS	0		TSN 0					
WC#: 27.065	AFL	0		TSN 0					
<hr/>									
<b>272023</b>		<b>RIGHT RUDDER PEDAL ASSEMBLY</b>						<b>Component</b>	<b>ATA:27</b>
PN:25-8CF549-2A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:BPEB/DHB/14706	HRS	0		TSN 0					
WC#: 27.065	AFL	0		TSN 0					
<hr/>									
<b>272049</b>		<b>LEFT RUDDER BIAS STRUT</b>						<b>Component</b>	<b>ATA:27</b>
PN:ACA1218	MOS/MSC	03-May-15	O/C	TSO 0					
SN:EET182	HRS	6409.2		TSO 0					
WC#: 27.055	AFL	4509		TSO 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>272050 RIGHT RUDDER BIAS STRUT</b>								Component ATA:27
PN:ACA1218	MOS/MSC	03-May-15	O/C	TSO 0				
SN:EFA291	HRS	6409.2		TSO 0				
WC#: 27.055	AFL	4509		TSO 0				
<hr/>								
<b>272066 LEFT RUDDER BIAS STRUT HEATER MUFF</b>								Component ATA:27
PN:259W03486-1A	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:1614	HRS	0		TSN 0				
WC#: 27.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<hr/>								
<b>272067 RIGHT RUDDER BIAS STRUT HEATER MUFF</b>								Component ATA:27
PN:259W03486-3A	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:1559	HRS	0		TSN 0				
WC#: 27.061	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<hr/>								
<b>272103 LEFT RUDDER BIAS PRESSURE SWITCH</b>								Component ATA:27
PN:HTE690011	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:20647	HRS	0		TSN 0				
WC#: 27.290	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<hr/>								
<b>272105 RIGHT RUDDER BIAS PRESSURE SWITCH</b>								Component ATA:27
PN:HTE690011	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:20648	HRS	0		TSN 0				
WC#: 27.290	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<hr/>								
<b>273001 LEFT ELEVATOR</b>								Component ATA:27
PN:25-8TE1-1A	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:SD-DH-1225	HRS	0		TSN 0				
WC#: 27.070	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
<b>273002</b>		<b>RIGHT ELEVATOR</b>						<b>Component</b>	<b>ATA:27</b>
PN:25-8TE1-2A	MOS/MSC	11-Apr-07	O/C	TSN 0					
SN:DHB830RASL\R\89180	HRS	1471.6		TSN 0					
WC#: 27.070	AFL	979		TSN 0					
<b>273021</b>		<b>ELEVATOR TRIM SERVOMOTOR</b>						<b>Component</b>	<b>ATA:27</b>
PN:622-3260-001	MOS	08-Dec-22		TSO 0				OVERHAUL	
SN:D37J	HRS	8298.7	3500	TSO 0	11798.7		2806.2		
WC#: 27.085	AFL	5859		TSO 0					
<b>273022</b>		<b>ELEVATOR TRIM SERVOMOTOR MOUNT ASSEMBLY</b>						<b>Component</b>	<b>ATA:27</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.701	AFL	0		TSN 0					
<b>273025</b>		<b>LEFT ELEVATOR TRIM JACK</b>						<b>Component</b>	<b>ATA:27</b>
PN:25-8CT29-123A	MOS/MSC	19-Sep-17	O/C	TSN 0					
SN:UNKNOWN	HRS	7023.3		TSN 0					
WC#: 27.080	AFL	4966		TSN 0					
<b>273026</b>		<b>RIGHT ELEVATOR TRIM JACK</b>						<b>Component</b>	<b>ATA:27</b>
PN:25-8CL29-124A	MOS/MSC	21-Mar-11	O/C	TSO 0					
SN:BPEB/DHD15423	HRS	4076.5		TSO 0					
WC#: 27.080	AFL	2764		TSO 0					
<b>273040</b>		<b>LEFT ELEVATOR TRIM TAB</b>						<b>Component</b>	<b>ATA:27</b>
PN:25-8TE3-1A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:SD-DH-1273	HRS	0		TSN 0					
WC#: 27.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>273041 RIGHT ELEVATOR TRIM TAB</b> Component ATA:27								
PN:25-8TE3-2A	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:SD-DH-1302	HRS	0		TSN 0				
WC#: 27.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>273104 LEFT STICK SHAKER</b> Component ATA:27								
PN:B1443-2	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:9228	HRS	0		TSN 0				
WC#: 27.140	AFL	0		TSN 0				
<b>273105 RIGHT STICK SHAKER</b> Component ATA:27								
PN:B1443-2	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:9230	HRS	0		TSN 0				
WC#: 27.140	AFL	0		TSN 0				
<b>273110 FORWARD STALL WARNING DETECTOR</b> Component ATA:27								
PN:C87706-1	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:964	HRS	0		TSN 0				
WC#: 27.145	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>273111 AFT STALL WARNING DETECTOR</b> Component ATA:27								
PN:C87706-1	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:965	HRS	0		TSN 0				
WC#: 27.145	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>273115 NO. 1 STALL WARNING VANE</b> Component ATA:27								
PN:1703-12	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:2463	HRS	0		TSN 0				
WC#: 27.150	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
273116	NO. 2 STALL WARNING VANE							Component	ATA:27
PN:1703-128-1	MOS/MSC	23-Jun-06	O/C	TSN 0					
SN:NSN	HRS	848.2		TSN 0					
WC#: 27.150	AFL	567		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
273121	THIRD CHANNEL STALL DETECTOR							Component	ATA:27
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.305	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
275001	LEFT FLAP							Component	ATA:27
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.155	AFL	0		TSN 0					
275002	RIGHT FLAP							Component	ATA:27
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.155	AFL	0		TSN 0					
275025	LEFT FLAP SCREWJACK AND REDUCTION GEARBOX							Component	ATA:27
PN:25-8CW161AC	MOS	07-Nov-13		TSO 0				OVERHAUL	
SN:MEC/DHB/453	HRS	5682.5		TSO 0					
WC#: 27.160	AFL	3972	4000	TSO 0	7972		1749		
275026	RIGHT FLAP SCREWJACK AND REDUCTION GEARBOX							Component	ATA:27
PN:25-8CW161AC	MOS	07-Nov-13		TSO 0				OVERHAUL	
SN:BPEB/DHB/8597	HRS	5682.5		TSO 0					
WC#: 27.160	AFL	3972	4000	TSO 0	7972		1749		

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>275049 LEFT OUTBOARD FLAP VANE Component ATA:27</b>								
PN:25-8WF13-65A	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:SD-DH1317	HRS	0		TSN 0				
WC#: 27.165	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>275050 RIGHT OUTBOARD FLAP VANE Component ATA:27</b>								
PN:25-8WF13-66A	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:SD-DH1300	HRS	0		TSN 0				
WC#: 27.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>275051 LEFT INBOARD FLAP VANE Component ATA:27</b>								
PN:25-7WF101A	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:SD-DH-1237	HRS	0		TSN 0				
WC#: 27.165	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>275052 RIGHT INBOARD FLAP VANE Component ATA:27</b>								
PN:25-7WF102A	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:SD-DH-1306	HRS	0		TSN 0				
WC#: 27.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>275057 LEFT FLAP BEVEL SHAFT ASSEMBLY Component ATA:27</b>								
PN:25CF2667AD	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:BPEB/DHB/15343	HRS	0		TSN 0				
WC#: 27.175	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>275058 RIGHT FLAP BEVEL SHAFT ASSEMBLY Component ATA:27</b>								
PN:25CF2668AD	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:BPEB/DHB/15846	HRS	0		TSN 0				
WC#: 27.175	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
<b>275073</b>		<b>FLAP CONTROL UNIT</b>						<b>Component</b>	<b>ATA:27</b>
PN:TYPE614MK2	MOS	03-Sep-12		TSO 0				OVERHAUL	
SN:1049	HRS	5014		TSO 0					
WC#: 27.180	AFL	3462	6000	TSO 0	9462		3239		
<b>275074</b>		<b>FLAP DESIGN UNIT ASSEMBLY</b>						<b>Component</b>	<b>ATA:27</b>
PN:25-8NW111-1A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:83294	HRS	0		TSN 0					
WC#: 27.590	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>275085</b>		<b>FLAP SYNCHRONIZING SYSTEM RECEIVER</b>						<b>Component</b>	<b>ATA:27</b>
PN:617MK4	MOS	11-Mar-15		TSO 0				OVERHAUL	
SN:1141	HRS	6400.6		TSO 0					
WC#: 27.185	AFL	4498	4500	TSO 0	8998		2775		
<b>275091</b>		<b>FLAP POSITION INDICATOR</b>						<b>Component</b>	<b>ATA:27</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.190	AFL	0		TSN 0					
<b>275097</b>		<b>FLAP POSITION TRANSMITTER</b>						<b>Component</b>	<b>ATA:27</b>
PN:S132-3-22	MOS/MSC	10-Dec-11	O/C						
SN:BY6226	HRS	4649.4							
WC#: 27.195	AFL	3169							
<b>275145</b>		<b>LEFT FLAP INBOARD FORWARD SYNCHRO CABLE</b>						<b>Component</b>	<b>ATA:27</b>
PN:25CF3455-19A	MOS	27-Jan-16		TSN 0				LIFE LIMIT	
SN:NSN	HRS	6748.9		TSN 0					
WC#: 27.220	AFL	4775	5000	TSN 0	9775		3552		

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>275146 RIGHT FLAP INBOARD FORWARD SYNCHRO CABLE</b>								
PN:25-CF3455-11A	MOS	27-Jan-16		TSN 0				Component ATA:27 LIFE LIMIT
SN:NSN	HRS	6748.9		TSN 0				
WC#: 27.225	AFL	4775	5000	TSN 0	9775		3552	
<b>275147 LEFT FLAP INBOARD AFT SYNCHRO CABLE</b>								
PN:25CF3455-17A	MOS	27-Jan-16		TSN 0				Component ATA:27 LIFE LIMIT
SN:NSN	HRS	6748.9		TSN 0				
WC#: 27.220	AFL	4775	5000	TSN 0	9775		3552	
<b>275148 RIGHT FLAP INBOARD AFT SYNCHRO CABLE</b>								
PN:25CF3455-9A	MOS	27-Jan-16		TSN 0				Component ATA:27 LIFE LIMIT
SN:NSN	HRS	6748.9		TSN 0				
WC#: 27.225	AFL	4775	5000	TSN 0	9775		3552	
<b>275149 LEFT FLAP OUTBOARD FORWARD SYNCHRO CABLE</b>								
PN:25CF3455-7A	MOS	27-Jan-16		TSN 0				Component ATA:27 LIFE LIMIT
SN:NSN	HRS	6748.9		TSN 0				
WC#: 27.230	AFL	4775	5000	TSN 0	9775		3552	
<b>275150 RIGHT FLAP OUTBOARD FORWARD SYNCHRO CABLE</b>								
PN:25CF3455-13A	MOS	27-Jan-16		TSN 0				Component ATA:27 LIFE LIMIT
SN:NSN	HRS	6748.9		TSN 0				
WC#: 27.235	AFL	4775	5000	TSN 0	9775		3552	
<b>275151 LEFT FLAP OUTBOARD AFT SYNCHRO CABLE</b>								
PN:25CF3455-3A	MOS	27-Jan-16		TSN 0				Component ATA:27 LIFE LIMIT
SN:NSN	HRS	6748.9		TSN 0				
WC#: 27.230	AFL	4775	5000	TSN 0	9775		3552	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
<b>275152</b>		<b>RIGHT FLAP OUTBOARD AFT SYNCHRO CABLE</b>						<b>Component</b>	<b>ATA:27</b>
PN:25CF3455-15A	MOS	27-Jan-16		TSN 0				LIFE LIMIT	
SN:NSN	HRS	6748.9		TSN 0					
WC#: 27.235	AFL	4775	5000	TSN 0	9775		3552		
<b>276001</b>		<b>LEFT UPPER AIRBRAKE</b>						<b>Component</b>	<b>ATA:27</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.240	AFL	0		TSN 0					
<b>276002</b>		<b>RIGHT UPPER AIRBRAKE</b>						<b>Component</b>	<b>ATA:27</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.245	AFL	0		TSN 0					
<b>276003</b>		<b>LEFT LOWER AIRBRAKE</b>						<b>Component</b>	<b>ATA:27</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.240	AFL	0		TSN 0					
<b>276004</b>		<b>RIGHT LOWER AIRBRAKE</b>						<b>Component</b>	<b>ATA:27</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.245	AFL	0		TSN 0					
<b>276039</b>		<b>LEFT AIRBRAKE JACK ASSEMBLY</b>						<b>Component</b>	<b>ATA:27</b>
PN:AIR46520-2	MOS	17-May-23						OVERHAUL	
SN:APB970869	HRS	8496.2	3000	TSO 269	11227.2		2234.7		
WC#: 27.250	AFL	5959							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
<b>276040</b>		<b>RIGHT AIRBRAKE JACK ASSEMBLY</b>					<b>Component</b>		<b>ATA:27</b>
PN: AIR46521-2	MOS	11-May-23		TSO 0				OVERHAUL	
SN: APB992540	HRS	8496.2	3000	TSO 0	11496.2		2503.7		
WC#: 27.255	AFL	5959		TSO 0					
<b>276051</b>		<b>LEFT AIRBRAKE JACK BODY</b>					<b>Component</b>		<b>ATA:27</b>
PN: PN	MOS	08-Apr-05		TSN 0				LIFE LIMIT	
SN: UNKNOWN	HRS	0		TSN 0					
WC#: 27.250	AFL	0	25000	TSN 0	25000		18777		
<b>276052</b>		<b>RIGHT AIRBRAKE JACK BODY</b>					<b>Component</b>		<b>ATA:27</b>
PN: PN	MOS	08-Apr-05		TSN 0				LIFE LIMIT	
SN: UNKNOWN	HRS	0		TSN 0					
WC#: 27.255	AFL	0	25000	TSN 0	25000		18777		
<b>276063</b>		<b>LEFT AIRBRAKE JACK EYE END</b>					<b>Component</b>		<b>ATA:27</b>
PN: PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN: UNKNOWN	HRS	0		TSN 0					
WC#: 27.250	AFL	0		TSN 0					
<b>276064</b>		<b>RIGHT AIRBRAKE JACK EYE END</b>					<b>Component</b>		<b>ATA:27</b>
PN: PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN: UNKNOWN	HRS	0		TSN 0					
WC#: 27.255	AFL	0		TSN 0					
<b>276110</b>		<b>STICK PUSHER</b>					<b>Component</b>		<b>ATA:27</b>
PN: 104829001	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN: DH-0099-04	HRS	0		TSN 0					
WC#: 27.585	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
280001 <sup>S</sup>	FLOW CHECK FUEL TRANSFER SYSTEM, WING TANKS							Service	ATA:28
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 28.075	AFL	6072						PKG:7,91	
280002 <sup>S</sup>	CHECK FUEL VALVE CONTROL CABLES							Service	ATA:28
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 28.010	AFL	5686						PKG:23,92	
280003 <sup>S</sup>	FUNCTIONAL TEST LP VALVES							Service	ATA:28
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 28.050	AFL	4498						PKG:31,93	
280004 <sup>S</sup>	INSPECT/CLEAN OR REPLACE APU FUEL INLET FILTER ELEMENT (IF FITTED)							Service	ATA:28
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 28.085	AFL	4498						PKG:37,93	
280005 <sup>S</sup>	VISUALLY INSPECT LEFT WING SUCTION PIPE STRAINERS							Service	ATA:28
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 28.165	AFL	5686						PKG:27,92	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
280006 <sup>S</sup>	VISUALLY INSPECT LEFT WING WATER TRANSFER SYSTEM PIPE SUCTION BLOCKS							Service	ATA:28
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 28.170	AFL	5686						PKG:27,92	
280007 <sup>S</sup>	VISUALLY INSPECT RIGHT WING SUCTION PIPE STRAINERS							Service	ATA:28
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 28.165	AFL	5686						PKG:28,92	
280008 <sup>S</sup>	VISUALLY INSPECT RIGHT WING WATER TRANSFER SYSTEM PIPE SUCTION BLOCKS							Service	ATA:28
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 28.170	AFL	5686						PKG:28,92	
280010	CHECK CABLE TENSION OF FUEL CONTROL VALVES							Service	ATA:28
	MOS/MSC	08-Apr-05	O/C						
	HRS	0							
WC#: 28.020	AFL	0							
280014 <sup>S</sup>	CHECK LEFT BOOST PUMP BRUSH LENGTH							Service	ATA:28
PN:2C40-2	MOS/MSC	11-Mar-15	N/R						
SN:12AV114	HRS	6400.6							
WC#: 28.080	AFL	4498						PKG:27,92	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 28 - FUEL</b>									
280015	CHECK RIGHT BOOST PUMP BRUSH LENGTH							Service	ATA:28
PN:2C40-2	MOS/MSC	11-Mar-15	N/R						
SN:12AV121	HRS	6400.6							
WC#: 28.080	AFL	4498							
								PKG:28,92	
280016	VISUAL INSPECTION LOW PRESSURE FUEL VALVE SUPPORT STRUT. PART NO. 25 PF361, 25 PF361-5A (MOD. 25G310A) AND 25 PF363							Service	ATA:28
	MOS	29-Oct-21	48 (+2m/-2m)						
	HRS	8008.7							
WC#: 28.195	AFL	5686							
								PKG:96	
281067	VENTRAL FUEL TANK							Component	ATA:28
PN:DOIW00325-1A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:SD-DH-506	HRS	0		TSN 0					
WC#: 28.015	AFL	0		TSN 0					
282001	LEFT WING HIGH LEVEL FLOAT SWITCH							Component	ATA:28
PN:3515000-107	MOS/MSC	02-Apr-14	O/C	TSN 0					
SN:26100830	HRS	5882		TSN 0					
WC#: 28.025	AFL	4128		TSN 0					
282002	RIGHT WING HIGH LEVEL FLOAT SWITCH							Component	ATA:28
PN:3515000-107	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:FR022BN	HRS	0		TSN 0					
WC#: 28.025	AFL	0		TSN 0					
282004	LOW PRESSURE FUEL COCK VALVE							Component	ATA:28
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.191	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282005	LEFT FUEL COCK							Component	ATA:28
PN:7913003K	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:38040235	HRS	0		TSN 0					
WC#: 28.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
282006	RIGHT FUEL COCK							Component	ATA:28
PN:7913003K	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:38040234	HRS	0		TSN 0					
WC#: 28.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
282007	LEFT FUEL ACTUATOR							Component	ATA:28
PN:HTE9044-001	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:M497GBO904	HRS	0		TSN 0					
WC#: 28.185	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
282008	RIGHT FUEL ACTUATOR							Component	ATA:28
PN:9044-001	MOS/MSC	29-Oct-21	O/C						
SN:393GB317	HRS	8008.7							
WC#: 28.185	AFL	5686							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
282009	LEFT FUEL NON-RETURN VALVE							Component	ATA:28
PN:9807870	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:33040703	HRS	0		TSN 0					
WC#: 28.190	AFL	0		TSN 0					
282010	RIGHT FUEL NON-RETURN VALVE							Component	ATA:28
PN:9807870	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:33040709	HRS	0		TSN 0					
WC#: 28.190	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 28 - FUEL</b>								
<b>282011 LEFT FUEL NON-RETURN VALVE Component ATA:28</b>								
PN:HTE4350	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:M0296VNRO404	HRS	0		TSN 0				
WC#: 28.192	AFL	0		TSN 0				
<b>282012 RIGHT FUEL NON-RETURN VALVE Component ATA:28</b>								
PN:HTE4350	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:M0493VNR0704	HRS	0		TSN 0				
WC#: 28.193	AFL	0		TSN 0				
<b>282025 APU FUEL PRESSURE SWITCH Component ATA:28</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.030	AFL	0		TSN 0				
<b>282053 LEFT FUEL SYSTEM RIB NO.8 NON-RETURN VALVE Component ATA:28</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.035	AFL	0		TSN 0				
<b>282054 RIGHT FUEL SYSTEM RIB NO.8 NON-RETURN VALVE Component ATA:28</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.035	AFL	0		TSN 0				
<b>282253 LEFT HAND LP FUEL VALVE Component ATA:28</b>								
PN:HTE1984-1	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:40040615	HRS	0		TSN 0				
WC#: 28.045	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 28 - FUEL</b>									
<b>282254</b>		<b>RIGHT HAND LP FUEL VALVE</b>					<b>Component</b>		<b>ATA:28</b>
PN:HTE1984-1	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:40040613	HRS	0		TSN 0					
WC#: 28.045	AFL	0		TSN 0					
<hr/>									
<b>282289</b>		<b>FUEL 3C VALVE</b>					<b>Component</b>		<b>ATA:28</b>
PN:HTE1984-1	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:40040621	HRS	0		TSN 0					
WC#: 28.055	AFL	0		TSN 0					
<hr/>									
<b>282295</b>		<b>FUEL 4S VALVE</b>					<b>Component</b>		<b>ATA:28</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.060	AFL	0		TSN 0					
<hr/>									
<b>282301</b>		<b>VENTRAL TANK FUEL TRANSFER VALVE</b>					<b>Component</b>		<b>ATA:28</b>
PN:HTE1984-1	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:40040620	HRS	0		TSN 0					
WC#: 28.065	AFL	0		TSN 0					
<hr/>									
<b>282343</b>		<b>LEFT BOOST PUMP</b>					<b>Component</b>		<b>ATA:28</b>
PN:2C40-2	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:12AV114	HRS	0		TSN 0					
WC#: 28.080	AFL	0		TSN 0					
<hr/>									
<b>282344</b>		<b>RIGHT BOOST PUMP</b>					<b>Component</b>		<b>ATA:28</b>
PN:2C40-2	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:12AV121	HRS	0		TSN 0					
WC#: 28.080	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 28 - FUEL</b>								
<b>282384 SINGLE-POINT PRESSURE CONTROL VALVE</b>								
PN:1159000-1	MOS/MSC	13-Nov-19	O/C	TSO 0				Component ATA:28
SN:FRTR110/L	HRS	7695		TSO 0				
WC#: 28.175	AFL	5514		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>284013 LEFT NO. 1 FUEL TANK UNIT</b>								
PN:0207KTU04	MOS/MSC	08-Apr-05	O/C	TSN 0				Component ATA:28
SN:FP023085	HRS	0		TSN 0				
WC#: 28.100	AFL	0		TSN 0				
<b>284014 RIGHT NO.1 FUEL TANK UNIT</b>								
PN:0207KTU4	MOS/MSC	08-Apr-05	O/C	TSN 0				Component ATA:28
SN:FP019813	HRS	0		TSN 0				
WC#: 28.100	AFL	0		TSN 0				
<b>284015 LEFT NO.2 FUEL TANK UNIT</b>								
PN:0204KTU2	MOS/MSC	08-Apr-05	O/C	TSN 0				Component ATA:28
SN:FP023587	HRS	0		TSN 0				
WC#: 28.105	AFL	0		TSN 0				
<b>284016 RIGHT NO.2 FUEL TANK UNIT</b>								
PN:0204KTU2	MOS/MSC	08-Apr-05	O/C	TSN 0				Component ATA:28
SN:FP023584	HRS	0		TSN 0				
WC#: 28.105	AFL	0		TSN 0				
<b>284017 LEFT NO.3 FUEL TANK UNIT</b>								
PN:0207KTU3	MOS/MSC	08-Apr-05	O/C	TSN 0				Component ATA:28
SN:FP023091	HRS	0		TSN 0				
WC#: 28.110	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 28 - FUEL</b>									
<b>284018</b>	<b>RIGHT NO.3 FUEL TANK UNIT</b>							<b>Component</b>	<b>ATA:28</b>
PN:0207KTU3	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:FP023098	HRS	0		TSN 0					
WC#: 28.110	AFL	0		TSN 0					
<b>284019</b>	<b>LEFT NO.4 FUEL TANK UNIT</b>							<b>Component</b>	<b>ATA:28</b>
PN:0207KTU4	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:FP022048	HRS	0		TSN 0					
WC#: 28.115	AFL	0		TSN 0					
<b>284020</b>	<b>RIGHT NO.4 FUEL TANK UNIT</b>							<b>Component</b>	<b>ATA:28</b>
PN:0204KTU4	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:FP022049	HRS	0		TSN 0					
WC#: 28.115	AFL	0		TSN 0					
<b>284021</b>	<b>LEFT NO.5 FUEL TANK UNIT</b>							<b>Component</b>	<b>ATA:28</b>
PN:0204KTU5	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:FP020720	HRS	0		TSN 0					
WC#: 28.120	AFL	0		TSN 0					
<b>284022</b>	<b>RIGHT NO.5 FUEL TANK UNIT</b>							<b>Component</b>	<b>ATA:28</b>
PN:0204KTU5	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:FP020723	HRS	0		TSN 0					
WC#: 28.120	AFL	0		TSN 0					
<b>284023</b>	<b>LEFT NO.6 FUEL TANK UNIT</b>							<b>Component</b>	<b>ATA:28</b>
PN:0204KTU6	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:FP02283	HRS	0		TSN 0					
WC#: 28.125	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284024	RIGHT NO.6 FUEL TANK UNIT							Component	ATA:28
PN:0204KTU6	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:EP023067	HRS	0		TSN 0					
WC#: 28.125	AFL	0		TSN 0					
284025	LEFT NO.7 FUEL TANK CONTENTS UNIT							Component	ATA:28
PN:0204KTU7	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:FP022007	HRS	0		TSN 0					
WC#: 28.130	AFL	0		TSN 0					
284026	RIGHT NO.7 FUEL TANK CONTENTS UNIT							Component	ATA:28
PN:0204KTU7	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:FP022011	HRS	0		TSN 0					
WC#: 28.130	AFL	0		TSN 0					
284115	LEFT FUEL QUANTITY INDICATOR							Component	ATA:28
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.140	AFL	0		TSN 0					
284116	RIGHT FUEL QUANTITY INDICATOR							Component	ATA:28
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.140	AFL	0		TSN 0					
284130	FUEL PRESSURE SWITCH							Component	ATA:28
PN:HTE690009	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:20307	HRS	0		TSN 0					
WC#: 28.194	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 28 - FUEL</b>									
284139	VENTRAL TANK LOW LEVEL FLOAT SWITCH							Component	ATA:28
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.145	AFL	0		TSN 0					
<hr/>									
284145	VENTRAL TANK HIGH LEVEL FLOAT SWITCH							Component	ATA:28
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.150	AFL	0		TSN 0					
<hr/>									
284151	LEFT SURGE TANK FLOAT SWITCH							Component	ATA:28
PN:3515000-106	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:40040644	HRS	0		TSN 0					
WC#: 28.155	AFL	0		TSN 0					
<hr/>									
284152	RIGHT SURGE TANK FLOAT SWITCH							Component	ATA:28
PN:3515000-106	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:40040639	HRS	0		TSN 0					
WC#: 28.155	AFL	0		TSN 0					
<hr/>									
<b>ATA 29 - HYDRAULIC POWER</b>									
290003 <sup>S</sup>	REPLACE HYDRAULIC SUCTION FILTER ELEMENT							Service	ATA:29
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 29.070	AFL	6072							
								PKG:13,91	
<hr/>									
290004 <sup>S</sup>	FUNCTIONAL TEST MAIN HYDRAULIC SYSTEM							Service	ATA:29
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 29.075	AFL	6072							
								PKG:18,91	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 29 - HYDRAULIC POWER</b>									
290005 <sup>S</sup>	OPERATIONAL TEST LANDING GEAR AND FLAPS EMERGENCY LOWERING SYSTEM							Service	ATA:29
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 29.115	AFL	6072						PKG:18,91	
290006 <sup>S</sup>	DRAIN HYDRAULIC TANK PRESSURIZATION SYSTEM							Service	ATA:29
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 29.160	AFL	5686						PKG:25,92	
290007 <sup>S</sup>	TEST FLAPS, AIRBRAKES, LANDING GEAR, NOSEWHEEL STEERING, NOSE LEG SELF-CENTERING							Service	ATA:29
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 29.165	AFL	5686						PKG:30,92	
290008 <sup>S</sup>	CHECK EMERGENCY BRAKE SYSTEM LEAK RATE							Service	ATA:29
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 29.175	AFL	5686						PKG:30,92	
290009 <sup>S</sup>	FUNCTIONAL TEST AUXILIARY RESERVOIR LOW-LEVEL WARNING SYSTEM							Service	ATA:29
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 29.180	AFL	6072						PKG:18,91	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 29 - HYDRAULIC POWER</b>								
<b>290010 <sup>S</sup> FUNCTIONAL TEST HYDRAULIC RESERVOIR PRESSURIZATION SYSTEM Service ATA:29</b>								
	MOS	29-Oct-21						
	HRS	8008.7	1600 (+50/-50)					
WC#: 29.170	AFL	5686						PKG:30,92
<b>290011 <sup>S</sup> CLEAN FULL-FLOW RELIEF VALVE Service ATA:29</b>								
	MOS	11-Mar-15						
	HRS	6400.6	3200 (+150/-50)					
WC#: 29.005	AFL	4498						PKG:37,93
<b>290012 <sup>S</sup> INSPECT HYDRAULIC POWER HIGH TEMPERATURE WARNING SYSTEM Service ATA:29</b>								
	MOS	11-Mar-15						
	HRS	6400.6	3200 (+150/-50)					
WC#: 29.145	AFL	4498						PKG:37,93
<b>291018 PRESSURE REGULATOR VALVE Component ATA:29</b>								
PN: PAS129-163	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN: XT775	HRS	0		TSN 0				
WC#: 29.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>291025 NO. 1 ENGINE HYDRAULIC PUMP CASE DRAIN NONRETURN VALVE Component ATA:29</b>								
PN: AIR87240-0	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN: APB040976	HRS	0		TSN 0				
WC#: 29.015	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>291026 NO. 2 ENGINE HYDRAULIC PUMP CASE DRAIN NONRETURN VALVE Component ATA:29</b>								
PN: PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN: UNKNOWN	HRS	0		TSN 0				
WC#: 29.015	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>291037 LEFT HYDRAULIC SUCTION VALVE Component ATA:29</b>								
PN:7907015E	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:33040448	HRS	0		TSN 0				
WC#: 29.020	AFL	0		TSN 0				
<b>291038 RIGHT HYDRAULIC SUCTION VALVE Component ATA:29</b>								
PN:7907015E	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:33040453	HRS	0		TSN 0				
WC#: 29.020	AFL	0		TSN 0				
<b>291049 NO. 1 FULL FLOW HYDRAULIC RELIEF VALVE Component ATA:29</b>								
PN:AIR45394-0	MOS	11-Mar-15		TSO 0				OVERHAUL
SN:APB001781	HRS	6400.6		TSO 0				
WC#: 29.025	AFL	4498	4500	TSO 0	8998		2775	
<b>291050 NO. 2 FULL FLOW HYDRAULIC RELIEF VALVE Component ATA:29</b>								
PN:AIR45394-0	MOS	11-Mar-15		TSO 0				OVERHAUL
SN:LK0289	HRS	6400.6		TSO 0				
WC#: 29.025	AFL	4498	4500	TSO 0	8998		2775	
<b>291061 NO. 1 DUNLOP VALVE Component ATA:29</b>								
PN:AC69536	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:EKQ138	HRS	0		TSN 0				
WC#: 29.106	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>291062 NO. 2 DUNLOP VALVE Component ATA:29</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.106	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 29 - HYDRAULIC POWER</b>								
<b>291063 NO. 3 DUNLOP VALVE Component ATA:29</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.106	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>291073 PRESSURE MAINTAINING VALVE Component ATA:29</b>								
PN:AHA1814	MOS	04-Sep-11		TSO 0				OVERHAUL
SN:LK0333	HRS	4465.1		TSO 0				
WC#: 29.030	AFL	3045	5000	TSO 0	8045		1822	
<b>291079 GROUND SERVICE HANDPUMP SUPPLY NONRETURN VALVE Component ATA:29</b>								
PN:AIR48026-0-1	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:APB041180	HRS	0		TSN 0				
WC#: 29.035	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>291091 MAIN HYDRAULIC RESERVOIR Component ATA:29</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.040	AFL	0		TSN 0				
<b>291096 HYDRAULIC PRESSURE GAUGE Component ATA:29</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.045	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>291103 MAIN HYDRAULIC ACCUMULATOR Component ATA:29</b>								
PN:AIR45574-4	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:APB041887	HRS	0		TSN 0				
WC#: 29.050	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 29 - HYDRAULIC POWER</b>									
<b>291109</b>		<b>EMERGENCY BRAKE ACCUMULATOR</b>					<b>Component</b>		<b>ATA:29</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 29.055	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>291131</b>		<b>HYDRAULIC FILTER</b>					<b>Component</b>		<b>ATA:29</b>
PN:MFHA15104	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:BF03/0399	HRS	0		TSN 0					
WC#: 29.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>291132</b>		<b>PRESSURE FILTER ASSEMBLY</b>					<b>Component</b>		<b>ATA:29</b>
PN:B2125-H4	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:FYH204942	HRS	0		TSN 0					
WC#: 29.065	AFL	0		TSN 0					
<b>291163</b>		<b>NO. 1 ENGINE HYDRAULIC PUMP</b>					<b>Component</b>		<b>ATA:29</b>
PN:42022-03	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:AV900	HRS	0		TSN 0					
WC#: 29.080	AFL	0		TSN 0					
<b>291164</b>		<b>NO. 2 ENGINE HYDRAULIC PUMP</b>					<b>Component</b>		<b>ATA:29</b>
PN:42022-03	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:AV081	HRS	0		TSN 0					
WC#: 29.080	AFL	0		TSN 0					
<b>291170</b>		<b>HYDRAULIC RESERVOIR RELIEF VALVE</b>					<b>Component</b>		<b>ATA:29</b>
PN:AIR87236-0	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:APB040913	HRS	0		TSN 0					
WC#: 29.117	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 29 - HYDRAULIC POWER</b>								
<b>291178 BANJO ASSEMBLY</b>								Component ATA:29
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.118	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>291182 GROUND SERVICING HANDPUMP</b>								Component ATA:29
PN:AIR45424-0	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:APB041040	HRS	0		TSN 0				
WC#: 29.085	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>291186 NO. 1 NON-RETURN TANK PRESSURE VALVE</b>								Component ATA:29
PN:HTE4853	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:12041052	HRS	0		TSN 0				
WC#: 29.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>291193 NO. 2 NON-RETURN TANK PRESSURE VALVE</b>								Component ATA:29
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>292001 EMERGENCY HYDRAULIC TANK</b>								Component ATA:29
PN:25HC161D	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:WN813544	HRS	0		TSN 0				
WC#: 29.095	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>292003 SUCTION FILTER ASSEMBLY</b>								Component ATA:29
PN:AIR87366-0	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:BF04/0104	HRS	0		TSN 0				
WC#: 29.100	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 29 - HYDRAULIC POWER</b>								
<b>292007 EMERGENCY HYDRAULIC HAND PUMP</b>								Component ATA:29
PN: AIR45448-1	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN: APB041189	HRS	0		TSN 0				
WC#: 29.105	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>292013 AUXILIARY RESERVOIR LOW-LEVEL WARNING SYSTEM SWITCH</b>								Component ATA:29
PN: PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN: UNKNOWN	HRS	0		TSN 0				
WC#: 29.110	AFL	0		TSN 0				
<b>292031 EMERGENCY TANK ON/OFF HAND PUMP VALVE</b>								Component ATA:29
PN: AIR45446-2	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN: APB011353	HRS	0		TSN 0				
WC#: 29.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>292037 EMERGENCY SYSTEM CHECK VALVE</b>								Component ATA:29
PN: PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN: UNKNOWN	HRS	0		TSN 0				
WC#: 29.125	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>293001 NO. 1 ENGINE HYDRAULIC PUMP LOW PRESSURE SWITCH</b>								Component ATA:29
PN: 211C223-647	MOS/MSC	01-Aug-08	O/C	TSN 0				
SN: J022075	HRS	2568.2		TSN 0				
WC#: 29.130	AFL	1719		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>293002 NO. 2 ENGINE HYDRAULIC PUMP LOW PRESSURE SWITCH</b>								Component ATA:29
PN: 211C223-647	MOS/MSC	22-Jan-11	O/C	TSN 0				
SN: L041054	HRS	4018		TSN 0				
WC#: 29.130	AFL	2719		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 29 - HYDRAULIC POWER</b>								
<b>293013 EMERGENCY BRAKE LOW PRESSURE WARNING SWITCH</b> Component ATA:29								
PN:TP42001	MOS	06-Jul-12		TSO 0				OVERHAUL
SN:440	HRS	4925.3	5000	TSO 0	9925.3		932.8	
WC#: 29.135	AFL	3383		TSO 0				
<b>293019 HYDRAULIC PRESSURE TRANSDUCER</b> Component ATA:29								
PN:695-4-20	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:6946-4-188	HRS	0		TSN 0				
WC#: 29.140	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>293024 HYDRAULIC SYSTEM OVERTEMPERATURE SWITCH</b> Component ATA:29								
PN:150T283	MOS/MSC	11-Mar-15	O/C					
SN:1638	HRS	6400.6						
WC#: 29.145	AFL	4498						
<b>294001 LEFT HYDRAULIC NON-RETURN VALVE</b> Component ATA:29								
PN:9840078J	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:M0191VNR1004	HRS	0		TSN 0				
WC#: 29.183	AFL	0		TSN 0				
<b>294002 RIGHT HYDRAULIC NON-RETURN VALVE</b> Component ATA:29								
PN:9840078J	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:M0194VNR1004	HRS	0		TSN 0				
WC#: 29.184	AFL	0		TSN 0				
<b>294003 NO. 1 HYDRAULIC NON-RETURN VALVE</b> Component ATA:29								
PN:9840000J	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:39040037	HRS	0		TSN 0				
WC#: 29.186	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 29 - HYDRAULIC POWER</b>								
<b>294004 NO. 2 HYDRAULIC NON-RETURN VALVE</b>								Component ATA:29
PN:9840000J	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:M0358VNR0904	HRS	0		TSN 0				
WC#: 29.187	AFL	0		TSN 0				
<hr/>								
<b>294005 HYDRAULIC NON-RETURN VALVE</b>								Component ATA:29
PN:AIR45468-0	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:APB040188	HRS	0		TSN 0				
WC#: 29.188	AFL	0		TSN 0				
<hr/>								
<b>294006 HYDRAULIC RELIEF VALVE</b>								Component ATA:29
PN:AIR45418-0	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:APB031985	HRS	0		TSN 0				
WC#: 29.189	AFL	0		TSN 0				
<hr/>								
<b>294007 LEFT HYDRAULIC NON-RETURN VALVE</b>								Component ATA:29
PN:AIR87246-0	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:APB040410	HRS	0		TSN 0				
WC#: 29.190	AFL	0		TSN 0				
<hr/>								
<b>294008 RIGHT HYDRAULIC NON-RETURN VALVE</b>								Component ATA:29
PN:AIR87246-0	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:APB040416	HRS	0		TSN 0				
WC#: 29.191	AFL	0		TSN 0				
<hr/>								
<b>ATA 30 - ICE AND RAIN PROTECTION</b>								
<b>300001<sup>S</sup> FUNCTIONAL TEST ROTARY ICE DETECTOR</b>								Service ATA:30
	MOS	11-Jan-24						
	HRS	8721.8	800 (+40/-10)					
WC#: 30.085	AFL	6087						
								PKG:7,91

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 30 - ICE AND RAIN PROTECTION</b>								
<b>300002 <sup>S</sup> OPERATIONAL TEST WINDSHIELD ELECTRICAL DE-ICE SYSTEM Service ATA:30</b>								
	MOS	29-Oct-21						
	HRS	8008.7	1600 (+50/-50)					
WC#: 30.080	AFL	5686						PKG:19,92
<b>300003 <sup>S</sup> REPLACE AIRFRAME DE-ICING FILTER ELEMENT Service ATA:30</b>								
	MOS	08-Dec-23						
	HRS	8690.8	800 (+40/-10)					
WC#: 30.020	AFL	6072						PKG:12,91
<b>300004 <sup>S</sup> FUNCTIONAL TEST PITOT HEAD AND STATIC PLATE HEATERS Service ATA:30</b>								
	MOS	29-Oct-21						
	HRS	8008.7	1600 (+50/-50)					
WC#: 30.065	AFL	5686						PKG:19,92
<b>300005 <sup>S</sup> REPLACE AIRFRAME DE-ICING PUMP SUCTION FILTER Service ATA:30</b>								
	MOS	29-Oct-21						
	HRS	8008.7	1600 (+50/-50)					
WC#: 30.045	AFL	5686						PKG:24,92
<b>300007 PURGE ICE PROTECTION SYSTEM Service ATA:30</b>								
	MOS/MSC	07-Apr-22	A/R					
	HRS	8091.8						
WC#: 30.090	AFL	5744						
<b>301001 TKS DE-ICER TANK Component ATA:30</b>								
PN:08301-01	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:AST04M693	HRS	0		TSN 0				
WC#: 30.010	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
<b>301007 AIRFRAME DE-ICING PUMP ASSEMBLY Component ATA:30</b>								
PN:XA9511E009	MOS/MSC	20-Dec-11	O/C	TSO 0				
SN:AST07J411	HRS	4656.9		TSO 0				
WC#: 30.015	AFL	3177		TSO 0				
<b>301013 AIRFRAME DE-ICING FILTER ASSEMBLY Component ATA:30</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.020	AFL	0		TSN 0				
<b>301025 DE-ICING VALVE ASSEMBLY Component ATA:30</b>								
PN:FV131-1	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:AST049490	HRS	0		TSN 0				
WC#: 30.025	AFL	0		TSN 0				
<b>301037 DE-ICING SYSTEM CONTENTS GAUGE Component ATA:30</b>								
PN:S458-3-191T	MOS/MSC	28-Aug-10	O/C					
SN:PIL6826	HRS	3785.2						
WC#: 30.030	AFL	2551						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>301043 DE-ICING SYSTEM CONTENTS FLOAT Component ATA:30</b>								
PN:FRH070001	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:FR030BN	HRS	0		TSN 0				
WC#: 30.035	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>301063 EMPENNAGE TKS PROPORTION UNIT Component ATA:30</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.050	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 30 - ICE AND RAIN PROTECTION</b>									
<b>301067</b>		<b>TKS VENT VALVE</b>						<b>Component</b>	<b>ATA:30</b>
PN:FV141	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:AST03M052	HRS	0		TSN 0					
WC#: 30.055	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>301069</b>		<b>TKS PRESSURE SWITCH</b>						<b>Component</b>	<b>ATA:30</b>
PN:P067D075	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:AST04G475	HRS	0		TSN 0					
WC#: 30.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>304019</b>		<b>NO. 1 WINDSCREEN (A PANEL) CONTROLLER</b>						<b>Component</b>	<b>ATA:30</b>
PN:ND0075-2011	MOS/MSC	03-Sep-13	O/C	TSN 0					
SN:L404968	HRS	5609.1		TSN 0					
WC#: 30.070	AFL	3920		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>304020</b>		<b>NO. 2 WINDSCREEN (A PANEL) CONTROLLER</b>						<b>Component</b>	<b>ATA:30</b>
PN:ND0075-2011	MOS/MSC	05-Aug-13	O/C						
SN:L341370	HRS	5604.7							
WC#: 30.070	AFL	3914							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>304022</b>		<b>NO. 1 WINDSCREEN (B PANEL) CONTROLLER</b>						<b>Component</b>	<b>ATA:30</b>
PN:ND0075-2001	MOS/MSC	28-Aug-08	O/C						
SN:L341355	HRS	2625.7							
WC#: 30.075	AFL	1764							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>304023</b>		<b>NO. 2 WINDSCREEN (B PANEL) CONTROLLER</b>						<b>Component</b>	<b>ATA:30</b>
PN:ND0075-2001	MOS/MSC	28-Aug-08	O/C						
SN:L341462	HRS	2625.7							
WC#: 30.075	AFL	1764							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 30 - ICE AND RAIN PROTECTION</b>									
308001	ROTARY ICE DETECTOR							Component	ATA:30
PN:NF0075/667	MOS/MSC	11-Jan-24	O/C						
SN:L248531	HRS	8721.8							
WC#: 30.085	AFL	6087							
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>									
310001 <sup>S</sup>	CHECK FLIGHT DATA RECORDER (IF FITTED)							Service	ATA:31
	MOS	13-Dec-24	12 (+1m/-1m)						
	HRS	8992.5							
WC#: 31.085	AFL	6223						PKG:43,94	
310002	LIGHTNING SENSOR ANTENNA							Component	ATA:31
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 31.015	AFL	0		TSN 0					
310100	LIGHTNING PROCESSOR UNIT							Component	ATA:31
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 31.010	AFL	0		TSN 0					
311001	TKS TIMER							Component	ATA:31
PN:100-1805-02	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:041348	HRS	0		TSN 0					
WC#: 31.020	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
312001	PILOT CLOCK							Component	ATA:31
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 31.025	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>									
<b>312002</b>		<b>COPILOT CLOCK</b>					<b>Component ATA:31</b>		
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 31.025	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>312008</b>		<b>O.A.T. INDICATOR</b>					<b>Component ATA:31</b>		
PN:2141-01-0014	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:82556	HRS	0		TSN 0					
WC#: 31.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>312009</b>		<b>PITOT AMMETER</b>					<b>Component ATA:31</b>		
PN:2132-1-62	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:82676	HRS	0		TSN 0					
WC#: 31.035	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>313003</b>		<b>NO. 1 CURRENT MONITOR-</b>					<b>Component ATA:31</b>		
PN:E37040S	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:4036	HRS	0		TSN 0					
WC#: 31.300	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>313004</b>		<b>NO. 2 CURRENT MONITOR-</b>					<b>Component ATA:31</b>		
PN:E37040S	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:4051	HRS	0		TSN 0					
WC#: 31.300	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>313005</b>		<b>LEFT CURRENT LEVEL INDICATOR</b>					<b>Component ATA:31</b>		
PN:770-537	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:Z129	HRS	0		TSN 0					
WC#: 31.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>								
<b>313006 RIGHT CURRENT LEVEL INDICATOR Component ATA:31</b>								
PN:770-537	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:Z159	HRS	0		TSN 0				
WC#: 31.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>313007 CABIN TEMPERATURE INDICATOR Component ATA:31</b>								
PN:2132-01-0015	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:82494	HRS	0		TSN 0				
WC#: 31.045	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>313008 DC VOLTMETER Component ATA:31</b>								
PN:2132-1-12	MOS/MSC	19-Sep-17	O/C	TSO 0				
SN:82802	HRS	7023.3		TSO 0				
WC#: 31.050	AFL	4966		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>313009 LEFT DC AMMETER Component ATA:31</b>								
PN:01-13-2132	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:82758	HRS	0		TSN 0				
WC#: 31.055	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>313010 AC VOLTMETER Component ATA:31</b>								
PN:01-14-2132	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:82497	HRS	0		TSN 0				
WC#: 31.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>313011 RIGHT DC AMMETER Component ATA:31</b>								
PN:2132-1-13	MOS/MSC	21-Apr-16	O/C	TSO 0				
SN:82784	HRS	6868		TSO 0				
WC#: 31.065	AFL	4855		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>								
<b>313012 FLIGHT DATA ACCELEROMETER Component ATA:31</b>								
PN:971-4193-001	MOS/MSC	26-May-05	O/C					
SN:10798	HRS	7.1						
WC#: 31.120	AFL	8						
<b>313014 DUCT AIR TEMPERATURE INDICATOR Component ATA:31</b>								
PN:2132-01-0018	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:82530	HRS	0		TSN 0				
WC#: 31.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>313015 TEMPERATURE SELECTOR Component ATA:31</b>								
PN:25-6MC415	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:627578-01419	HRS	0		TSN 0				
WC#: 31.075	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>313020 FUEL PROCESSOR UNIT Component ATA:31</b>								
PN:0107KPU1	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:FE00217	HRS	0		TSN 0				
WC#: 31.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>313023 FLIGHT DATA RECORDER Component ATA:31</b>								
PN:980-4710-003	MOS/MSC	15-May-14	O/C					
SN:ARFDR-00824	HRS	5972.2						
WC#: 31.085	AFL	4185						
<b>313030 FILTER UNIT Component ATA:31</b>								
PN:25-9NF4027-645	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:L349571	HRS	0		TSN 0				
WC#: 31.303	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>								
<b>313031 FILTER UNIT Component ATA:31</b>								
PN:25-9NF4027-647	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:L349541	HRS	0		TSN 0				
WC#: 31.303	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>313032 FILTER UNIT Component ATA:31</b>								
PN:25-9NF4027-649	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:L341495	HRS	0		TSN 0				
WC#: 31.303	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>313033 FILTER UNIT Component ATA:31</b>								
PN:25-9NF4027-651	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:L341496	HRS	0		TSN 0				
WC#: 31.303	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>313062 FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON Component ATA:31</b>								
PN:DK-120	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:DU37611	HRS	0		TSN 0				
WC#: 31.085	AFL	0		TSN 0				
<b>313064 CLEAN/TEST FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON Service ATA:31</b>								
	MOS/MSC	15-May-14	N/R					
	HRS	5972.2						
WC#: 31.085	AFL	4185						
<b>313067 FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON BATTERY Component ATA:31</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>								
<b>313068 REPLACE FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON BATTERY Service ATA:31</b>								
	MOS/MSC	19-Sep-17	N/R					
	HRS	7023.3						
WC#: 31.085	AFL	4966						
<b>313074 TEST FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON Service ATA:31</b>								
	MOS/MSC	12-Jul-13	N/R					
	HRS	5534.1						
WC#: 31.085	AFL	3865						
<b>313101 ANGLE OF ATTACK INDICATOR COMPUTER Component ATA:31</b>								
PN:C87705-4	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:685	HRS	0		TSN 0				
WC#: 31.095	AFL	0		TSN 0				
<b>313109 NO. 1 ANGLE OF ATTACK INDEXER Component ATA:31</b>								
PN:965-0113-003	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:2786	HRS	0		TSN 0				
WC#: 31.100	AFL	0		TSN 0				
<b>313110 NO. 2 ANGLE OF ATTACK INDEXER Component ATA:31</b>								
PN:965-0113-003	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:2779	HRS	0		TSN 0				
WC#: 31.100	AFL	0		TSN 0				
<b>313201 BRAKE PRESSURE INDICATOR Component ATA:31</b>								
PN:696-1-13	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:82590	HRS	0		TSN 0				
WC#: 31.105	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>								
<b>314008 NO. 1 INCLINOMETER</b>								Component ATA:31
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.115	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>314009 NO. 2 INCLINOMETER</b>								Component ATA:31
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.115	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>314012 NO. 1 IAPS (ICC 3000) CARD CAGE</b>								Component ATA:31
PN:822-1129-001	MOS/MSC	19-Jul-19	O/C	TSN 0				
SN:4FM6C7	HRS	7601.6		TSN 0				
	AFL	5472		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>314014 MAINTENANCE DIAGNOSTIC COMPUTER</b>								Component ATA:31
PN:822-1139-301	MOS/MSC	01-May-13	O/C	TSO 0				
SN:1G7VK	HRS	5360.8		TSO 0				
WC#: 31.130	AFL	3723		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>ATA 32 - LANDING GEAR</b>								
<b>320001 <sup>S</sup> TEST BRAKING SYSTEMS</b>								Service ATA:32
	MOS	08-Dec-23						
	HRS	8690.8	800 (+40/-10)					
WC#: 32.305	AFL	6072						
PKG:18,91								
<b>320002 <sup>S</sup> FUNCTIONAL TEST MAXARET UNITS</b>								Service ATA:32
	MOS	08-Dec-23						
	HRS	8690.8	800 (+40/-10)					
WC#: 32.370	AFL	6072						
PKG:18,91								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
320003 <sup>S</sup>	CHECK NOSE GEAR LEG ASSEMBLY							Service	ATA:32
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 32.430	AFL	6072						PKG:18,91	
320004 <sup>S</sup>	CHECK NOSE GEAR LEG LOCK AND CHANGE OVER MICROSWITCHES OPERATING MECHANISM							Service	ATA:32
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 32.435	AFL	6072						PKG:18,91	
320005 <sup>S</sup>	INSPECT NOSEWHEEL STEERING JACK							Service	ATA:32
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 32.470	AFL	6072						PKG:18,91	
320006 <sup>S</sup>	INSPECT NOSE GEAR RETRACTION AND STEERING SYSTEM SPRING STRUTS							Service	ATA:32
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 32.450	AFL	6072						PKG:18,91	
320007 <sup>S</sup>	INSPECT NOSEWHEEL STEERING ON/OFF VALVE							Service	ATA:32
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 32.350	AFL	6072						PKG:18,91	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
320008 <sup>S</sup>			CHECK NOSE GEAR DRAG STAY ASSEMBLY					Service ATA:32
	MOS	08-Dec-23						
	HRS	8690.8	800 (+40/-10)					
WC#: 32.440	AFL	6072						PKG:18,91
<hr/>								
320009 <sup>S</sup>			DETAIL INSPECT NOSEWHEEL STEERING JACK SELECTOR VALVE					Service ATA:32
	MOS	08-Dec-23						
	HRS	8690.8	800 (+40/-10)					
WC#: 32.545	AFL	6072						PKG:18,91
<hr/>								
320010 <sup>S</sup>			CHECK MAIN GEAR LEG ASSEMBLIES					Service ATA:32
	MOS	08-Dec-23						
	HRS	8690.8	800 (+40/-10)					
WC#: 32.420	AFL	6072						PKG:18,91
<hr/>								
320011 <sup>S</sup>			INSPECT MAIN LANDING GEAR SIDE-STAYS					Service ATA:32
	MOS	08-Dec-23						
	HRS	8690.8	800 (+40/-10)					
WC#: 32.010	AFL	6072						PKG:18,91
<hr/>								
320012 <sup>S</sup>			CHECK MAIN LANDING GEAR TORQUE LINKS					Service ATA:32
	MOS	08-Dec-23						
	HRS	8690.8	800 (+40/-10)					
WC#: 32.015	AFL	6072						PKG:18,91

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
320013 <sup>S</sup>	INSPECT MAIN LANDING GEAR DOORS							Service	ATA:32
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 32.460	AFL	6072						PKG:18,91	
<hr/>									
320014 <sup>S</sup>	INSPECT/CLEAN MAIN LANDING GEAR DOOR UPLOCK SPRING STRUTS							Service	ATA:32
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 32.425	AFL	6072						PKG:18,91	
<hr/>									
320015 <sup>S</sup>	INSPECT REVERSING VALVES AND OPERATING MECHANISMS							Service	ATA:32
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 32.445	AFL	6072						PKG:18,91	
<hr/>									
320016 <sup>S</sup>	CHECK STEERING SYSTEM CABLES AND CHAINS							Service	ATA:32
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 32.475	AFL	5686						PKG:22,92	
<hr/>									
320017 <sup>S</sup>	CHECK NOSE LANDING GEAR RETRACTION SPRING STRUT							Service	ATA:32
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 32.180	AFL	5686						PKG:30,92	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
320018 <sup>S</sup>	CHECK NOSEWHEEL STEERING SYSTEM SPRING STRUT BREAK-OUT LOAD							Service	ATA:32
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 32.350	AFL	5686						PKG:30,92	
<hr/>									
320019 <sup>S</sup>	INSPECT/CLEAN STEERING SYSTEM FILTER ELEMENT							Service	ATA:32
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 32.385	AFL	4498						PKG:42,93	
<hr/>									
320020 <sup>S</sup>	CLEAN FILTERS, HYDRAULIC SUPPLY (4 OFF)							Service	ATA:32
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 32.185	AFL	4498						PKG:42,93	
<hr/>									
320021 <sup>S</sup>	CLEAN RESTRICTOR VALVES							Service	ATA:32
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 32.145	AFL	4498						PKG:42,93	
<hr/>									
320022 <sup>S</sup>	CHECK BRAKE MASTER CYLINDERS							Service	ATA:32
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 32.465	AFL	6072						PKG:10,91	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
320023 <sup>S</sup>	CHECK BRAKE HOSES TO MASTER CYLINDERS							Service	ATA:32
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 32.455	AFL	5686						PKG:22,92	
<hr/>									
320024 <sup>S</sup>	REMOVE/INSPECT AXLE/MAXARET/MODULATOR/PLUNGER TUBE							Service	ATA:32
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 32.375	AFL	5686						PKG:30,92	
<hr/>									
320027 <sup>S</sup>	VISUALLY INSPECT NOSE-WHEEL STEERING ON/OFF VALVE							Service	ATA:32
	MOS	29-Oct-21	48 (+2m/-2m)						
	HRS	8008.7							
WC#: 32.350	AFL	5686						PKG:96	
<hr/>									
320028	INSPECT/NDT MAIN LANDING GEAR FAIRING STRUT							Service	ATA:32
	MOS	29-Oct-21	48 (+3m)		29-Oct-25	29-Jan-26	289 d (+92)		
	HRS	8008.7							
WC#: 32.035	AFL	5686							
PROC. REF: NTM 32-10-05PROC. REF: NTM 32-10-05									
<hr/>									
320029	CHECK NOSE LANDING GEAR DRAG STAY							Service	ATA:32
	MOS/MSC	04-Mar-16	A/R						
	HRS	6789.1							
WC#: 32.070	AFL	4804							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
320033 <sup>S</sup>	DETAIL INSPECT MAIN GEAR RETRACTION ACTUATOR							Service	ATA:32
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 32.095	AFL	6072						PKG:18,91	
<hr/>									
320034 <sup>S</sup>	INSPECT MAIN LANDING GEAR PLUNGER TUBE/AXLE JOINT							Service	ATA:32
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 32.510	AFL	6072						PKG:18,91	
<hr/>									
320035 <sup>S</sup>	INSPECT MAIN LANDING GEAR MAIN LEG ASSEMBLY RETRACTION LEVER							Service	ATA:32
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 32.520	AFL	5686						PKG:30,92	
<hr/>									
320036 <sup>S</sup>	INSPECT MAIN LANDING GEAR SIDESTAY ASSEMBLY LOCK MECHANISM LINK							Service	ATA:32
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 32.530	AFL	5686						PKG:30,92	
<hr/>									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
320037 <sup>S</sup>	CHECK NOSE LEG ASSEMBLY TORQUE LINKS							Service	ATA:32
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 32.540	AFL	6072						PKG:18,91	
<hr/>									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
320038	LUBRICATE MAIN LANDING GEAR SIDESTAY SHIMS							Service	ATA:32
	MOS/MSC	08-Dec-23	A/R						
	HRS	8690.8							
WC#: 32.570	AFL	6072							
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11									
320039 <sup>S</sup>	INSPECTION OF LEFT SEQUENCING VALVES AND THEIR OPERATING MECHANISMS							Service	ATA:32
	MOS	08-Apr-05							
	HRS	0	800 (+40/-10)						
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
320039 <sup>S</sup>	INSPECTION OF RIGHT SEQUENCING VALVES AND THEIR OPERATING MECHANISMS							Service	ATA:32
	MOS	08-Apr-05							
	HRS	0	800 (+40/-10)						
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
321001	LEFT MAIN LEG							Component	ATA:32
PN:140-810044-17	MOS	28-Jan-16	144	TSO 0	28-Jan-28		1110 d	OVERHAUL	
SN:SAM/DHB/8P/444	HRS	6748.9		TSO 0					
WC#: 32.020	AFL	4775	5000	TSO 0	9775		3552		
321002	RIGHT MAIN LEG							Component	ATA:32
PN:140-810044-18	MOS	28-Jan-16	144	TSO 0	28-Jan-28		1110 d	OVERHAUL	
SN:SAM/DHB/8S/377	HRS	6748.9		TSN 1590, TSO 0					
WC#: 32.020	AFL	4775	5000	TSN 1223, TSO 0	9775		3552		
321013	LEFT SIDESTAY							Component	ATA:32
PN:140-810043-11	MOS	14-Jul-23	144	TSO 26	14-May-33		3043 d	OVERHAUL	
SN:SAM/DHB/8SSP/019	HRS	8575		TSO 0					
WC#: 32.025	AFL	5997	5000	TSO 0	10997		4774		

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
<b>321014 RIGHT SIDESTAY</b>								
PN:140-810043-12	MOS	14-Jul-23	144	TSO 41	14-Feb-32		2588 d	Component ATA:32 OVERHAUL
SN:SAM/DHB/8SSS/030	HRS	8575		TSO 0				
WC#: 32.030	AFL	5997	5000	TSN 4861, TSO 0	10997		4774	
<b>321015 LEFT MAIN LANDING GEAR SIDESTAY UPPER ARM</b>								
PN:140-810125-0001	MOS	14-Jul-23		TSN 0				Component ATA:32 LIFE LIMIT
SN:WAL60431	HRS	8575		TSN 0				
WC#: 32.025	AFL	5997	10000	TSN 0	15997		9774	
<b>321016 RIGHT MAIN LANDING GEAR SIDESTAY UPPER ARM</b>								
PN:140-810125-0002	MOS	14-Jul-23		TSN 0				Component ATA:32 LIFE LIMIT
SN:WAL61547	HRS	8575		TSN 0				
WC#: 32.030	AFL	5997	10000	TSN 0	15997		9774	
<b>321017 LEFT MAIN LANDING GEAR SIDESTAY LOWER ARM</b>								
PN:140-810064-0001	MOS	14-Jul-23		TSN 0				Component ATA:32 LIFE LIMIT
SN:WAL52269	HRS	8575		TSN 0				
WC#: 32.025	AFL	5997	12000	TSN 0	17997		11774	
<b>321018 RIGHT MAIN LANDING GEAR SIDESTAY LOWER ARM</b>								
PN:140-810064-0002	MOS	14-Jul-23		TSN 0				Component ATA:32 LIFE LIMIT
SN:WAL50989	HRS	8575		TSN 0				
WC#: 32.030	AFL	5997	12000	TSN 0	17997		11774	
<b>321050 LEFT MAIN LANDING GEAR UPPER CASING</b>								
PN:PN	MOS	08-Apr-05		TSN 0				Component ATA:32 LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.390	AFL	0	24000	TSN 0	24000		17777	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>321051 RIGHT MAIN LANDING GEAR UPPER CASING Component ATA:32</b>								
PN:PN	MOS	08-Apr-05		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.390	AFL	0	24000	TSN 0	24000		17777	
<b>321061 LEFT MAIN LANDING GEAR JACK PIVOT Component ATA:32</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.040	AFL	0		TSN 0				
<b>321062 RIGHT MAIN LANDING GEAR JACK PIVOT Component ATA:32</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.040	AFL	0		TSN 0				
<b>321065 LEFT MAIN LANDING GEAR UPPER TORQUE LINK PIN Component ATA:32</b>								
PN:PN	MOS	08-Apr-05		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.400	AFL	0	20000	TSN 0	20000		13777	
<b>321066 RIGHT MAIN LANDING GEAR UPPER TORQUE LINK PIN Component ATA:32</b>								
PN:PN	MOS	08-Apr-05		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.400	AFL	0	20000	TSN 0	20000		13777	
<b>321067 LEFT MAIN LANDING GEAR LOWER TORQUE LINK PIN Component ATA:32</b>								
PN:PN	MOS	08-Apr-05		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.495	AFL	0	20000	TSN 0	20000		13777	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>321068 RIGHT MAIN LANDING GEAR LOWER TORQUE LINK PIN</b>								
PN:PN	MOS	08-Apr-05		TSN 0				Component ATA:32 LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.495	AFL	0	20000	TSN 0	20000		13777	
<b>321071 LEFT MAIN LANDING GEAR JACK DISTANCE PIN</b>								
PN:25UM423	MOS	14-Jul-23		TSN 0				Component ATA:32 LIFE LIMIT
SN:N/A	HRS	8575		TSN 0				
WC#: 32.045	AFL	5997	24000	TSN 0	29997		23774	
<b>321072 RIGHT MAIN LANDING GEAR JACK DISTANCE PIN</b>								
PN:25UM423	MOS	14-Jul-23		TSN 0				Component ATA:32 LIFE LIMIT
SN:N/A	HRS	8575		TSN 0				
WC#: 32.045	AFL	5997	24000	TSN 0	29997		23774	
<b>321075 LEFT MAIN LANDING GEAR PLUNGER TUBE</b>								
PN:PN	MOS	08-Apr-05		TSN 0				Component ATA:32 LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.410	AFL	0	17000	TSN 0	17000		10777	
<b>321076 RIGHT MAIN LANDING GEAR PLUNGER TUBE</b>								
PN:PN	MOS	08-Apr-05		TSN 0				Component ATA:32 LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.410	AFL	0	17000	TSN 0	17000		10777	
<b>321081 LEFT MAIN LANDING GEAR UPPER TORQUE LINK</b>								
PN:PN	MOS	08-Apr-05		TSN 0				Component ATA:32 LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.550	AFL	0	20000	TSN 0	20000		13777	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



## Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>321082 RIGHT MAIN LANDING GEAR UPPER TORQUE LINK Component ATA:32</b>								
PN:PN	MOS	08-Apr-05		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.550	AFL	0	20000	TSN 0	20000		13777	
<b>321083 LEFT MAIN LANDING GEAR LOWER TORQUE LINK Component ATA:32</b>								
PN:PN	MOS	08-Apr-05		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.555	AFL	0	20000	TSN 0	20000		13777	
<b>321084 RIGHT MAIN LANDING GEAR LOWER TORQUE LINK Component ATA:32</b>								
PN:PN	MOS	08-Apr-05		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.555	AFL	0	20000	TSN 0	20000		13777	
<b>321087 LEFT MAIN LANDING GEAR AXLE ASSEMBLY Component ATA:32</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.571	AFL	0		TSN 0				
<b>321088 RIGHT MAIN LANDING GEAR AXLE ASSEMBLY Component ATA:32</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.572	AFL	0		TSN 0				
<b>322001 NOSE LEG ASSEMBLY Component ATA:32</b>								
PN:25-9UN1-407A	MOS	28-Jan-16	144	TSO 0	28-Jan-28		1110 d	OVERHAUL
SN:SAM/DHB/9N/479	HRS	6748.9		TSN 6086.6, TSO 0				
WC#: 32.050	AFL	4775	5000	TSN 3911, TSO 0	9775		3552	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>322003 NOSE LANDING GEAR PIVOT PIN</b>								
PN:PN	MOS	08-Apr-05		TSN 0				Component ATA:32 LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.055	AFL	0	16000	TSN 0	16000		9777	
<b>322007 NOSE LANDING GEAR DRAG STAY</b>								
PN:25-8UN3-179A	MOS	28-Jan-16	144	TSO 0	28-Jan-28		1110 d	Component ATA:32 OVERHAUL
SN:TA/DHB/002	HRS	6748.9		TSO 0				
WC#: 32.070	AFL	4775	5000	TSO 0	9775		3552	
<b>322009 NOSE LANDING GEAR JACK LOWER PIVOT PIN</b>								
PN:PN	MOS	08-Apr-05		TSN 0				Component ATA:32 LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.075	AFL	0	22000	TSN 0	22000		15777	
<b>322011 NOSE LANDING GEAR DRAG STAY BRIDGE CASTING</b>								
PN:PN	MOS	08-Apr-05		TSN 0				Component ATA:32 LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.075	AFL	0	33000	TSN 0	33000		26777	
<b>322015 NOSE LANDING GEAR UPPER TORQUE LINK</b>								
PN:PN	MOS	08-Apr-05		TSN 0				Component ATA:32 LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.080	AFL	0	32000	TSN 0	32000		25777	
<b>322016 NOSE LANDING GEAR LOWER TORQUE LINK</b>								
PN:PN	MOS	08-Apr-05		TSN 0				Component ATA:32 LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.080	AFL	0	32000	TSN 0	32000		25777	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>322017 NOSE LANDING GEAR DRAG STRUT PICK-UP</b>								
PN:PN	MOS	08-Apr-05		TSN 0				Component ATA:32 LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.560	AFL	0	13900	TSN 0	13900		7677	
<b>322025 NOSE GEAR MAIN PICK-UP TRUNNION ATTACHMENT BOLTS</b>								
PN:PN	MOS	08-Apr-05		TSN 0				Component ATA:32 LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.380	AFL	0	10000	TSN 0	10000		3777	
<b>322031 NOSE GEAR RADIUS ROD PICK-UP ATTACHMENT BOLTS</b>								
PN:PN	MOS	08-Apr-05		TSN 0				Component ATA:32 LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.085	AFL	0	10000	TSN 0	10000		3777	
<b>322045 NOSE LANDING GEAR PLUNGER TUBE</b>								
PN:25UN649	MOS	17-Jan-13		TSN 0				Component ATA:32 LIFE LIMIT
SN:BA466	HRS	5218.8		TSN 0				
WC#: 32.075	AFL	3617	20000	TSN 0	23617		17394	
	APH							
<b>323001 NOSE LANDING GEAR RETRACTION JACK</b>								
PN:AIR45404-1	MOS	28-Jan-16		TSO 0				Component ATA:32 OVERHAUL
SN:APB021678	HRS	6748.9		TSO 0				
WC#: 32.090	AFL	4775	5000	TSO 0	9775		3552	
<b>323007 LEFT MAIN LANDING GEAR RETRACTION JACK</b>								
PN:AIR48502-6	MOS	07-Nov-13		TSO 0				Component ATA:32 OVERHAUL
SN:LK8607307	HRS	5682.5		TSO 0				
WC#: 32.100	AFL	3972	5000	TSO 0	8972		2749	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>323008</b>		<b>RIGHT MAIN LANDING GEAR RETRACTION JACK</b>							<b>Component ATA:32</b>
PN: AIR48503-7	MOS	28-Jan-16		TSO 0				OVERHAUL	
SN: LK0849	HRS	6748.9		TSO 0					
WC#: 32.100	AFL	4775	5000	TSO 0	9775		3552		
<b>323019</b>		<b>LEFT MAIN LANDING GEAR DOOR JACK</b>							<b>Component ATA:32</b>
PN: AIR48485-3	MOS	06-Jul-12		TSO 0				OVERHAUL	
SN: APB050735	HRS	4925.3		TSO 0					
WC#: 32.105	AFL	3383	5000	TSO 0	8383		2160		
<b>323020</b>		<b>RIGHT MAIN LANDING GEAR DOOR JACK</b>							<b>Component ATA:32</b>
PN: AIR48484-3	MOS	28-Jan-16		TSO 0				OVERHAUL	
SN: APB962613	HRS	6748.9		TSO 0					
WC#: 32.105	AFL	4775	5000	TSO 0	9775		3552		
<b>323031</b>		<b>LEFT SEQUENCE VALVE</b>							<b>Component ATA:32</b>
PN: AIR48540-1	MOS/MSC	28-Jan-16	O/C	TSO 0					
SN: APB020951	HRS	6748.9		TSO 0					
WC#: 32.110	AFL	4775		TSO 0					
<b>323032</b>		<b>RIGHT SEQUENCE VALVE</b>							<b>Component ATA:32</b>
PN: AIR48540-1	MOS/MSC	28-Jan-16	O/C	TSO 0					
SN: APB041014	HRS	6748.9		TSO 0					
WC#: 32.110	AFL	4775		TSO 0					
<b>323043</b>		<b>LEFT REVERSING VALVE</b>							<b>Component ATA:32</b>
PN: AIR48542-1	MOS/MSC	28-Jan-16	O/C	TSO 0					
SN: APB011522	HRS	6748.9		TSO 0					
WC#: 32.115	AFL	4775		TSO 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>323044 RIGHT REVERSING VALVE</b>								Component ATA:32
PN: AIR48543-1	MOS/MSC	28-Jan-16	O/C	TSO	0			
SN: APB020132	HRS	6748.9		TSO	0			
WC#: 32.115	AFL	4775		TSO	0			
<hr/>								
<b>323079 LEFT MAIN LANDING GEAR EXTEND NONRETURN VALVE</b>								Component ATA:32
PN: PN	MOS/MSC	08-Apr-05	O/C	TSN	0			
SN: UNKNOWN	HRS	0		TSN	0			
WC#: 32.120	AFL	0		TSN	0			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<hr/>								
<b>323080 RIGHT MAIN LANDING GEAR EXTEND NONRETURN VALVE</b>								Component ATA:32
PN: AIR48026-0-1	MOS/MSC	01-May-13	O/C					
SN: APB051346	HRS	5360.8						
WC#: 32.120	AFL	3723						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<hr/>								
<b>323090 FRAME 15A NON-RETURN VALVE</b>								Component ATA:32
PN: PN	MOS/MSC	08-Apr-05	O/C	TSN	0			
SN: UNKNOWN	HRS	0		TSN	0			
WC#: 32.505	AFL	0		TSN	0			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<hr/>								
<b>323091 MAIN LANDING GEAR CENTER NONRETURN VALVE</b>								Component ATA:32
PN: AIR48026-0-1	MOS/MSC	08-Apr-05	O/C	TSN	0			
SN: APB041492	HRS	0		TSN	0			
WC#: 32.125	AFL	0		TSN	0			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<hr/>								
<b>323097 FRAME 14 NON-RETURN VALVE</b>								Component ATA:32
PN: AIR45420-0	MOS/MSC	08-Apr-05	O/C	TSN	0			
SN: APB041247	HRS	0		TSN	0			
WC#: 32.130	AFL	0		TSN	0			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>323098 FRAME 14A NONRETURN VALVE Component ATA:32</b>								
PN:AIR45420-0	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:APB041248	HRS	0		TSN 0				
WC#: 32.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>323099 FRAME 15A NONRETURN VALVE Component ATA:32</b>								
PN:AIR45420-0	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:APB041250	HRS	0		TSN 0				
WC#: 32.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>323103 LANDING GEAR SELECTOR/DUMP VALVE Component ATA:32</b>								
PN:AIR45406-1-2	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:APB041376	HRS	0		TSN 0				
WC#: 32.135	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>323115 LEFT MAIN LANDING GEAR RETRACT JACK RESTRICTOR VALVE Component ATA:32</b>								
PN:AIR45444-0	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:APB041280	HRS	0		TSN 0				
WC#: 32.140	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>323116 RIGHT MAIN LANDING GEAR RETRACT JACK RESTRICTOR VALVE Component ATA:32</b>								
PN:AIR45444-0	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:APB041000	HRS	0		TSN 0				
WC#: 32.140	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>323139 LEFT MAIN LANDING GEAR JACK PIVOT BOLT Component ATA:32</b>								
PN:25UM153A	MOS	14-Jul-23		TSN 0				LIFE LIMIT
SN:N/A	HRS	8575		TSN 0				
WC#: 32.150	AFL	5997	30000	TSN 0	35997		29774	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>323140 RIGHT MAIN LANDING GEAR JACK PIVOT BOLT</b>								
PN:25UM153A	MOS	14-Jul-23		TSN 0				Component ATA:32 LIFE LIMIT
SN:N/A	HRS	8575		TSN 0				
WC#: 32.150	AFL	5997	30000	TSN 0	35997		29774	
<b>323151 LEFT MAIN LANDING GEAR JACK CYLINDER HEAD</b>								
PN:AIR141082	MOS	08-Apr-05		TSN 0				Component ATA:32 LIFE LIMIT
SN:LK8607307	HRS	0		TSN 0				
WC#: 32.155	AFL	0	20000	TSN 0	20000		13777	
<b>323152 RIGHT MAIN LANDING GEAR JACK CYLINDER HEAD</b>								
PN:AIR141082	MOS	08-Apr-05		TSN 0				Component ATA:32 LIFE LIMIT
SN:LK0849	HRS	0		TSN 0				
WC#: 32.155	AFL	0	20000	TSN 0	20000		13777	
<b>323163 LEFT MAIN LANDING GEAR JACK EYE END</b>								
PN:PN	MOS	08-Apr-05		TSN 0				Component ATA:32 LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.160	AFL	0	10000	TSN 0	10000		3777	
<b>323164 RIGHT MAIN LANDING GEAR JACK EYE END</b>								
PN:PN	MOS	08-Apr-05		TSN 0				Component ATA:32 LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.160	AFL	0	10000	TSN 0	10000		3777	
<b>323175 LEFT MAIN LANDING GEAR RETRACTION ARM</b>								
PN:PN	MOS	08-Apr-05		TSN 0				Component ATA:32 LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.165	AFL	0	12000	TSN 0	12000		5777	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>323176 RIGHT MAIN LANDING GEAR RETRACTION ARM</b>								
PN:PN	MOS	08-Apr-05		TSN 0				Component ATA:32 LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.165	AFL	0	12000	TSN 0	12000		5777	
<b>323181 LEFT MAIN LANDING GEAR RETRACTION ARM PIN</b>								
PN:PN	MOS	08-Apr-05		TSN 0				Component ATA:32 LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.170	AFL	0	32000	TSN 0	32000		25777	
<b>323182 RIGHT MAIN LANDING GEAR RETRACTION ARM PIN</b>								
PN:PN	MOS	08-Apr-05		TSN 0				Component ATA:32 LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.170	AFL	0	32000	TSN 0	32000		25777	
<b>323187 LANDING GEAR LEVER LOCK SOLENOID</b>								
PN:D5327	MOS/MSC	08-Apr-05	O/C	TSN 0				Component ATA:32
SN:G2368	HRS	0		TSN 0				LIFE LIMIT
WC#: 32.175	AFL	0		TSN 0				
<b>324001 NOSE LANDING GEAR AXLE BARREL</b>								
PN:PN	MOS	08-Apr-05		TSN 0				Component ATA:32 LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.195	AFL	0	30000	TSN 0	30000		23777	
<b>324002 NOSE LANDING GEAR AXLE ASSEMBLY</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				Component ATA:32
SN:UNKNOWN	HRS	0		TSN 0				LIFE LIMIT
WC#: 32.573	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>324003 LEFT NOSE LANDING GEAR DOOR PIVOT BRACKET ASSEMBLY</b>								Component ATA:32
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.574	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>324004 RIGHT NOSE LANDING GEAR DOOR PIVOT BRACKET ASSEMBLY</b>								Component ATA:32
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.575	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>324006 NOSE LANDING GEAR OUTER CASING</b>								Component ATA:32
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.576	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>324007 LEFT NOSE WHEEL</b>								Component ATA:32
PN:AH52339	MOS/MSC	16-Aug-19	O/C					
SN:2755GB/2923FY	HRS	7617.9						
WC#: 32.200	AFL	5481						
<b>324008 RIGHT NOSE WHEEL</b>								Component ATA:32
PN:AH52339	MOS/MSC	16-Aug-19	O/C					
SN:2564EW/2663EW	HRS	7617.9						
WC#: 32.205	AFL	5481						
<b>324009 NOSE LANDING GEAR TOP LEVER ASSEMBLY</b>								Component ATA:32
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.577	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>324010 NOSE LANDING GEAR BOTTOM LEVER ASSEMBLY Component ATA:32</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.578	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>324019 LEFT NOSE TIRE Component ATA:32</b>								
PN:181K63-2	MOS/MSC	16-Aug-19	T/C	TSN 0				
SN:90452739	HRS	7617.9		TSN 0				
WC#: 32.200	AFL	5481		TSN 0				
<b>324020 RIGHT NOSE TIRE Component ATA:32</b>								
PN:181K63-2	MOS/MSC	16-Aug-19	T/C	TSN 0				
SN:90562742	HRS	7617.9		TSN 0				
WC#: 32.205	AFL	5481		TSN 0				
<b>324031 LEFT OUTBOARD MAIN WHEEL Component ATA:32</b>								
PN:AHA1814	MOS/MSC	21-Oct-24	O/C	TSO 18				
SN:5218FL	HRS	8941.2		TSO 456.1				
WC#: 32.210	AFL	6196		TSO 244				
<b>324032 RIGHT OUTBOARD MAIN WHEEL Component ATA:32</b>								
PN:AHA1814	MOS/MSC	21-Oct-24	O/C	TSO 0				
SN:GB117	HRS	8941.2		TSO 0				
WC#: 32.215	AFL	6196		TSO 0				
<b>324033 LEFT INBOARD MAIN WHEEL Component ATA:32</b>								
PN:AHA1814	MOS/MSC	21-Oct-24	O/C	TSO 18				
SN:5011JL	HRS	8941.2		TSO 456.1				
WC#: 32.220	AFL	6196		TSO 244				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>324034</b>		<b>RIGHT INBOARD MAIN WHEEL</b>					<b>Component</b>		<b>ATA:32</b>
PN: AHA1814	MOS/MSC	21-Oct-24	O/C	TSO 0					
SN: 234BD	HRS	8941.2		TSO 0					
WC#: 32.225	AFL	6196		TSO 0					
<b>324055</b>		<b>LEFT OUTBOARD MAIN TIRE</b>					<b>Component</b>		<b>ATA:32</b>
PN: DR14628T	MOS/MSC	19-Apr-23	T/C	TSN 0					
SN: 22195319	HRS	8485.1		TSN 0					
WC#: 32.210	AFL	5952		TSN 0					
<b>324056</b>		<b>RIGHT OUTBOARD MAIN TIRE</b>					<b>Component</b>		<b>ATA:32</b>
PN: 237K23-2	MOS/MSC	21-Oct-24	T/C	TSN 0					
SN: 32710385	HRS	8941.2		TSN 0					
WC#: 32.215	AFL	6196		TSN 0					
<b>324057</b>		<b>LEFT INBOARD MAIN TIRE</b>					<b>Component</b>		<b>ATA:32</b>
PN: DR14628T	MOS/MSC	19-Apr-23	T/C	TSN 0					
SN: 22195319	HRS	8485.1		TSN 0					
WC#: 32.220	AFL	5952		TSN 0					
<b>324058</b>		<b>RIGHT INBOARD MAIN TIRE</b>					<b>Component</b>		<b>ATA:32</b>
PN: 237K23-2	MOS/MSC	21-Oct-24	T/C	TSN 0					
SN: 40790913	HRS	8941.2		TSN 0					
WC#: 32.225	AFL	6196		TSN 0					
<b>324065</b>		<b>RIGHT WHEEL WELL FILTER</b>					<b>Component</b>		<b>ATA:32</b>
PN: AIR48538	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN: BF04/0171	HRS	0		TSN 0					
WC#: 32.230	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>324066</b>		<b>LEFT FRAME 14A FILTER</b>						<b>Component</b>	<b>ATA:32</b>
PN: AIR48538	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN: BF04/0200	HRS	0		TSN 0					
WC#: 32.235	AFL	0		TSN 0					
<hr/>									
<b>324067</b>		<b>RIGHT FRAME 14A FILTER</b>						<b>Component</b>	<b>ATA:32</b>
PN: AIR48538	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN: BF04/0176	HRS	0		TSN 0					
WC#: 32.235	AFL	0		TSN 0					
<hr/>									
<b>324068</b>		<b>FRAME 15 FILTER</b>						<b>Component</b>	<b>ATA:32</b>
PN: AIR48538	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN: BP04/0151	HRS	0		TSN 0					
WC#: 32.235	AFL	0		TSN 0					
<hr/>									
<b>324069</b>		<b>NOSE WHEEL STEERING FILTER</b>						<b>Component</b>	<b>ATA:32</b>
PN: AIR45412-0-1	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN: BF03/0406	HRS	0		TSN 0					
WC#: 32.240	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
<b>324077</b>		<b>PORT SHUTTLE VALVES</b>						<b>Component</b>	<b>ATA:32</b>
PN: AH081963	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN: 543CX	HRS	0		TSN 0					
WC#: 32.407	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
<b>324078</b>		<b>STARBOARD SHUTTLE VALVES</b>						<b>Component</b>	<b>ATA:32</b>
PN: AH081963	MOS/MSC	15-Sep-14	O/C	TSO 0					
SN: 5141EQ	HRS			TSO 0					
WC#: 32.407	AFL			TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>324079</b>		<b>PORT SHUTTLE VALVES</b>					<b>Component</b>		<b>ATA:32</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.407	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>324080</b>		<b>STARBOARD SHUTTLE VALVES</b>					<b>Component</b>		<b>ATA:32</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.407	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>324115</b>		<b>BRAKE CONTROL VALVE</b>					<b>Component</b>		<b>ATA:32</b>
PN:AC67732	MOS/MSC	01-May-13	O/C	TSO 0					
SN:FP005	HRS	5360.8		TSO 0					
WC#: 32.245	AFL	3723		TSO 0					
<b>324121</b>		<b>BRAKE CONTROL VALVE LEFT OUTER KNIFE EDGE</b>					<b>Component</b>		<b>ATA:32</b>
PN:PN	MOS	01-May-13		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	5360.8		TSN 0					
WC#: 32.245	AFL	3723	4500	TSN 0	8223		2000		
<b>324122</b>		<b>BRAKE CONTROL VALVE RIGHT OUTER KNIFE EDGE</b>					<b>Component</b>		<b>ATA:32</b>
PN:PN	MOS	01-May-13		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	5360.8		TSN 0					
WC#: 32.245	AFL	3723	4500	TSN 0	8223		2000		
<b>324123</b>		<b>BRAKE CONTROL VALVE INNER KNIFE EDGE</b>					<b>Component</b>		<b>ATA:32</b>
PN:PN	MOS	01-May-13		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	5360.8		TSN 0					
WC#: 32.245	AFL	3723	4500	TSN 0	8223		2000		

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>324145 MAIN REDUCING VALVE</b> <span style="float:right">Component ATA:32</span>								
PN:AC61518	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:013CL	HRS	0		TSN 0				
WC#: 32.250	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>324151 EMERGENCY REDUCING VALVE</b> <span style="float:right">Component ATA:32</span>								
PN:AC69764	MOS/MSC	05-Nov-12	O/C	TSO 3				
SN:NX738	HRS	5142		TSO 0				
WC#: 32.255	AFL	3559		TSO 0				
<b>324157 EMERGENCY REDUCING VALVE LEFT KNIFE EDGE</b> <span style="float:right">Component ATA:32</span>								
PN:PN	MOS	05-Nov-12		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	5142		TSN 0				
WC#: 32.255	AFL	3559	4500	TSN 0	8059		1836	
<b>324158 EMERGENCY REDUCING VALVE RIGHT KNIFE EDGE</b> <span style="float:right">Component ATA:32</span>								
PN:PN	MOS	05-Nov-12		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	5142		TSN 0				
WC#: 32.255	AFL	3559	4500	TSN 0	8059		1836	
<b>324169 EMERGENCY BRAKE PRESSURE NONRETURN VALVE</b> <span style="float:right">Component ATA:32</span>								
PN:AIR45420-0-1	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:APB041532	HRS	0		TSN 0				
WC#: 32.500	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>324175 LEFT OUTBOARD BRAKE UNIT</b> <span style="float:right">Component ATA:32</span>								
PN:AHA1897	MOS/MSC	21-Oct-24	O/C	TSO 0				
SN:LC358	HRS	8941.2		TSO 0				
WC#: 32.265	AFL	6196		TSO 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>324176</b>		<b>RIGHT OUTBOARD BRAKE UNIT</b>					<b>Component</b>		<b>ATA:32</b>
PN: AHA1897	MOS/MSC	12-Jul-24	O/C	TSO 0					
SN: 029BA	HRS			TSO 0					
WC#: 32.260	AFL			TSO 0					
<b>324177</b>		<b>LEFT INBOARD BRAKE UNIT</b>					<b>Component</b>		<b>ATA:32</b>
PN: AHA1897	MOS/MSC	21-Oct-24	O/C	TSO 0					
SN: NV130	HRS	8941.2		TSO 0					
WC#: 32.265	AFL	6196		TSO 0					
<b>324178</b>		<b>RIGHT INBOARD BRAKE UNIT</b>					<b>Component</b>		<b>ATA:32</b>
PN: AHA1897	MOS/MSC	21-Oct-24	O/C	TSO 0					
SN: 5142GA	HRS	8941.2		TSO 0					
WC#: 32.260	AFL	6196		TSO 0					
<b>324223</b>		<b>LEFT OUTBOARD MAXARET</b>					<b>Component</b>		<b>ATA:32</b>
PN: AC65218	MOS	29-Oct-21		TSO 0				OVERHAUL	
SN: 45K4	HRS	8008.7		TSO 0					
WC#: 32.270	AFL	5686	3000	TSO 0	8686		2463		
<b>324224</b>		<b>RIGHT OUTBOARD MAXARET</b>					<b>Component</b>		<b>ATA:32</b>
PN: AC65216	MOS	01-May-13		TSO 0				OVERHAUL	
SN: 71GP	HRS	5360.8		TSO 0					
WC#: 32.275	AFL	3723	3000	TSO 0	6723		500		
<b>324225</b>		<b>LEFT INBOARD MAXARET</b>					<b>Component</b>		<b>ATA:32</b>
PN: AC65216	MOS	13-May-13		TSO 0				OVERHAUL	
SN: 18KY	HRS	5389		TSO 0					
WC#: 32.270	AFL	3744	3000	TSO 0	6744		521		

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>324226</b>		<b>RIGHT INBOARD MAXARET</b>							<b>Component ATA:32</b>
PN:AC65218	MOS	29-Oct-21		TSO 0				OVERHAUL	
SN:ZR088	HRS	8008.7		TSO 0					
WC#: 32.275	AFL	5686	3000	TSO 0	8686		2463		
<b>324260 LEFT MAIN LANDING GEAR DOOR</b>									
PN:25-8UD505-235A	MOS/MSC	08-Apr-05	O/C	TSN 0				Component ATA:32	
SN:RG-8719	HRS	0		TSN 0					
WC#: 32.280	AFL	0		TSN 0					
<b>324261 RIGHT MAIN LANDING GEAR DOOR</b>									
PN:25-8UD505-236A	MOS/MSC	08-Apr-05	O/C	TSN 0				Component ATA:32	
SN:RG-8714	HRS	0		TSN 0					
WC#: 32.280	AFL	0		TSN 0					
<b>324262 LEFT NOSE GEAR DOOR</b>									
PN:25-8UD501-1A	MOS/MSC	08-Apr-05	O/C	TSN 0				Component ATA:32	
SN:RG-8717	HRS	0		TSN 0					
WC#: 32.285	AFL	0		TSN 0					
<b>324263 RIGHT NOSE GEAR DOOR</b>									
PN:25-8UD501-2A	MOS/MSC	08-Apr-05	O/C	TSN 0				Component ATA:32	
SN:RG8714	HRS	0		TSN 0					
WC#: 32.285	AFL	0		TSN 0					
<b>324264 NOSE GEAR DOOR (LEG FAIRING) ASSEMBLY</b>									
PN:25-8UD503-1A	MOS/MSC	08-Apr-05	O/C	TSN 0				Component ATA:32	
SN:13374	HRS	0		TSN 0					
WC#: 32.290	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>324265 LEFT MAIN LANDING GEAR FAIRING</b>								Component ATA:32
PN:S25-8UM50009A	MOS/MSC	13-Jan-16	O/C	TSO 0				
SN:258206	HRS	6727.2		TSO 0				
WC#: 32.295	AFL	4762		TSO 0				
<hr/>								
<b>324266 RIGHT MAIN LANDING GEAR FAIRING</b>								Component ATA:32
PN:25-8UD507-2A	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:RG-8716	HRS	0		TSN 0				
WC#: 32.295	AFL	0		TSN 0				
<hr/>								
<b>324267 VENTRAL FAIRING ASSEMBLY</b>								Component ATA:32
PN:259W03059-1A	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:AST05A065	HRS	0		TSN 0				
WC#: 32.295	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<hr/>								
<b>324271 LEFT BRAKE MODULATOR</b>								Component ATA:32
PN:ACM22740	MOS/MSC	29-Jan-16	O/C	TSO 0				
SN:UNKNOWN	HRS	6748.9		TSO 0				
WC#: 32.300	AFL	4775		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<hr/>								
<b>324272 RIGHT BRAKE MODULATOR</b>								Component ATA:32
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.300	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<hr/>								
<b>324301 PILOT LEFT BRAKE MASTER CYLINDER</b>								Component ATA:32
PN:ACM30946	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:014CK	HRS	0		TSN 0				
WC#: 32.310	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>324302</b>		<b>PILOT RIGHT BRAKE MASTER CYLINDER</b>					<b>Component</b>	<b>ATA:32</b>	
PN:ACM30946	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:021CK	HRS	0		TSN 0					
WC#: 32.310	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>324303</b>		<b>COPILOT LEFT BRAKE MASTER CYLINDER</b>					<b>Component</b>	<b>ATA:32</b>	
PN:ACM30946	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:010CK	HRS	0		TSN 0					
WC#: 32.315	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>324304</b>		<b>COPILOT RIGHT BRAKE MASTER CYLINDER</b>					<b>Component</b>	<b>ATA:32</b>	
PN:ACM30946	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:018CK	HRS	0		TSN 0					
WC#: 32.315	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>324325</b>		<b>LEFT EMERGENCY BRAKE PRESSURE WARNING SWITCH</b>					<b>Component</b>	<b>ATA:32</b>	
PN:TP42000	MOS	06-Jul-12		TSO 0				OVERHAUL	
SN:1246	HRS	4925.3	5000	TSO 0	9925.3		932.8		
WC#: 32.320	AFL	3383		TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>324326</b>		<b>RIGHT EMERGENCY BRAKE PRESSURE WARNING SWITCH</b>					<b>Component</b>	<b>ATA:32</b>	
PN:TP42000	MOS	06-Jul-12		TSO 0				OVERHAUL	
SN:1927	HRS	4925.3	5000	TSO 0	9925.3		932.8		
WC#: 32.320	AFL	3383		TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>324337</b>		<b>FORWARD HIGH PRESSURE TRANSDUCER</b>					<b>Component</b>	<b>ATA:32</b>	
PN:APTE-29-1000-2000SGMOS/MSC		08-Apr-05	O/C	TSN 0					
SN:6989-7-148	HRS	0		TSN 0					
WC#: 32.325	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>324338</b>		<b>AFT HIGH PRESSURE TRANSDUCER</b>						<b>Component</b>	<b>ATA:32</b>
PN:APTE-29-1000-2000SGMOS/MS		08-Apr-05	O/C	TSN 0					
SN:6895-5-296	HRS	0		TSN 0					
WC#: 32.325	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>325001</b>		<b>STEERING JACK</b>						<b>Component</b>	<b>ATA:32</b>
PN:AIR45396-7	MOS/MS	25-Sep-15	O/C	TSO 0					
SN:APB991480	HRS	6610.2		TSO 0					
WC#: 32.330	AFL	4677		TSO 0					
<b>325003</b>		<b>NOSE LANDING GEAR CONNECTING ROD</b>						<b>Component</b>	<b>ATA:32</b>
PN:PN	MOS	08-Apr-05		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.335	AFL	0	20000	TSN 0	20000		13777		
<b>325007</b>		<b>STEERING JACK EYE END</b>						<b>Component</b>	<b>ATA:32</b>
PN:PN	MOS	08-Apr-05		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.340	AFL	0	14400	TSN 0	14400		8177		
<b>325008</b>		<b>PORT WING TO FUSELAGE FAIRING</b>						<b>Component</b>	<b>ATA:32</b>
PN:25-6FC601	MOS/MS	08-Apr-05	O/C	TSN 0					
SN:DHP2375	HRS	0		TSN 0					
WC#: 32.295	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>325009</b>		<b>WING TO FUSELAGE FAIRING</b>						<b>Component</b>	<b>ATA:32</b>
PN:25FC5808A	MOS/MS	08-Apr-05	O/C	TSN 0					
SN:DHB2380	HRS	0		TSN 0					
WC#: 32.295	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>325010 UNDERCARRIAGE FAIRING</b>								Component ATA:32
PN:25-8FC307-155A	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:DHB-717	HRS	0		TSN 0				
WC#: 32.295	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>325011 NOSE LANDING GEAR TORQUE LINK PICK UP SLEEVE</b>								Component ATA:32
PN:PN	MOS	08-Apr-05		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.335	AFL	0	20000	TSN 0	20000		13777	
<b>325012 FAIRING SUB ASSEMBLY</b>								Component ATA:32
PN:25-8FC3603-603A	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:RG-8714	HRS	0		TSN 0				
WC#: 32.295	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>325013 COVER</b>								Component ATA:32
PN:25-8FR91-1A	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:1521119	HRS	0		TSN 0				
WC#: 32.303	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>325015 NOSE LANDING GEAR STEERING PIN</b>								Component ATA:32
PN:PN	MOS	08-Apr-05		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.345	AFL	0	25000	TSN 0	25000		18777	
<b>325021 NOSE LANDING GEAR MAIN CASING BOLT</b>								Component ATA:32
PN:PN	MOS	08-Apr-05		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.345	AFL	0	33000	TSN 0	33000		26777	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>325025 NOSE WHEEL STEERING ON/OFF VALVE</b>								Component ATA:32
PN: AIR45408-0	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN: APB040768	HRS	0		TSN 0				
WC#: 32.350	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>325031 NOSE WHEEL ANTI-SHIMMING VALVE</b>								Component ATA:32
PN: AIR48284-2	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN: APB041802	HRS	0		TSN 0				
WC#: 32.355	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>325041 NOSE LANDING GEAR UPPER STEERING MAIN MEMBER</b>								Component ATA:32
PN: PN	MOS	08-Apr-05		TSN 0				LIFE LIMIT
SN: UNKNOWN	HRS	0		TSN 0				
WC#: 32.360	AFL	0	35000	TSN 0	35000		28777	
<b>325042 NOSE LANDING GEAR LOWER STEERING MAIN MEMBER</b>								Component ATA:32
PN: PN	MOS	08-Apr-05		TSN 0				LIFE LIMIT
SN: UNKNOWN	HRS	0		TSN 0				
WC#: 32.360	AFL	0	35000	TSN 0	35000		28777	
<b>325051 NOSE LANDING GEAR STEERING JACK PICK-UP</b>								Component ATA:32
PN: PN	MOS	08-Apr-05		TSN 0				LIFE LIMIT
SN: UNKNOWN	HRS	0		TSN 0				
WC#: 32.365	AFL	0	18000	TSN 0	18000		11777	
<b>325058 NOSE LANDING GEAR STEERING SLEEVE</b>								Component ATA:32
PN: PN	MOS	08-Apr-05		TSN 0				LIFE LIMIT
SN: UNKNOWN	HRS	0		TSN 0				
WC#: 32.365	AFL	0	20000	TSN 0	20000		13777	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 33 - LIGHTS</b>									
330003 <sup>S</sup>	CLEAN/TEST/REPLACE ANTI-COLLISION LIGHT SYSTEM							Service	ATA:33
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 33.080	AFL	6072							
								PKG:7,91	
<hr/>									
330007	MAIN CG ILLUMINATED LABEL							Component	ATA:33
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 33.015	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
330008	FORWARD CG ILLUMINATED LABEL							Component	ATA:33
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 33.015	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
334001	TOP ANTI COLLISION BEACON							Component	ATA:33
PN:01-0790088-12	MOS/MSC	08-Sep-09	O/C	TSN 0					
SN:00294	HRS	3234.3		TSN 0					
WC#: 33.020	AFL	2176		TSN 0					
<hr/>									
334002	BOTTOM ANTI COLLISION BEACON							Component	ATA:33
PN:01-0790088-17	MOS/MSC	26-Apr-19	O/C						
SN:00220	HRS	7563.9							
WC#: 33.020	AFL	5451							
<hr/>									
334013	LEFT WING STROBE LIGHT							Component	ATA:33
PN:01-0771015-06	MOS/MSC	27-Jul-15	O/C	TSN 0					
SN:00770	HRS	6508.3		TSN 0					
WC#: 33.025	AFL	4591		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 33 - LIGHTS</b>									
<b>334014</b>		<b>RIGHT WING STROBE LIGHT</b>					<b>Component</b>		<b>ATA:33</b>
PN:PN-UNKNOWN	MOS/MSC	03-Feb-07	O/C						
SN:UNKNOWN	HRS	1374.7							
WC#: 33.025	AFL	915							
<hr/>									
<b>334016</b>		<b>TEST LEFT WING STROBE LIGHT INTENSITY</b>					<b>Service</b>		<b>ATA:33</b>
PN:01-0771015-06	MOS/MSC	27-Jul-15	O/C						
SN:00770	HRS	6508.3							
WC#: 33.025	AFL	4591							
<hr/>									
<b>334017</b>		<b>TEST RIGHT WING STROBE LIGHT INTENSITY</b>					<b>Service</b>		<b>ATA:33</b>
PN:PN-UNKNOWN	MOS/MSC	08-Apr-05	O/C						
SN:UNKNOWN	HRS	0							
WC#: 33.025	AFL	0							
<hr/>									
<b>334021</b>		<b>NO. 1 POWER CONVERTER</b>					<b>Component</b>		<b>ATA:33</b>
PN:LT-55	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:2100	HRS	0		TSN 0					
WC#: 33.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
<b>334022</b>		<b>NO. 2 POWER CONVERTER</b>					<b>Component</b>		<b>ATA:33</b>
PN:LT-55	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:2109	HRS	0		TSN 0					
WC#: 33.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
<b>334032</b>		<b>LEFT STROBE LIGHT POWER SUPPLY</b>					<b>Component</b>		<b>ATA:33</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 33.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 33 - LIGHTS</b>								
<b>334033 RIGHT STROBE LIGHT POWER SUPPLY</b>								Component ATA:33
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>334044 TAIL STROBE LIGHT</b>								Component ATA:33
PN:30-0531-1	MOS/MSC	12-Dec-22	O/C	TSN 0				
SN:10089	HRS	8303.6		TSN 0				
WC#: 33.040	AFL	5861		TSN 0				
<b>334045 TAIL STROBE LIGHT POWER SUPPLY</b>								Component ATA:33
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.035	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>334047 TEST TAIL STROBE LIGHT INTENSITY</b>								Service ATA:33
PN:30-0531-1	MOS/MSC	12-Dec-22	O/C					
SN:10089	HRS	8303.6						
WC#: 33.040	AFL	5861						
<b>334061 STROBE LIGHTS POWER SUPPLY</b>								Component ATA:33
PN:701571	MOS/MSC	03-Feb-07	O/C	TSN 0				
SN:AD5161	HRS	1374.7		TSN 0				
WC#: 33.045	AFL	915		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>335001 EMERGENCY LIGHTING INERTIA SWITCH</b>								Component ATA:33
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.050	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 33 - LIGHTS</b>								
<b>335009 FORWARD EMERGENCY LIGHTING POWER SUPPLY</b>								Component ATA:33
PN:60-1321-1	MOS/MSC	11-Mar-15	O/C					
SN:22967	HRS	6400.6						
WC#: 33.090	AFL	4498						
<hr/>								
<b>335011 AFT EMERGENCY LIGHTING POWER SUPPLY</b>								Component ATA:33
PN:60-1321-1	MOS/MSC	11-Mar-15	O/C	TSR 0				
SN:22985	HRS	6400.6		TSR 0				
WC#: 33.095	AFL	4498		TSR 0				
<hr/>								
<b>335025 NO. 1 (AA PNL) DIMMER</b>								Component ATA:33
PN:LT52A	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:17159	HRS	0		TSN 0				
WC#: 33.055	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<hr/>								
<b>335027 NO. 2 (AA PNL) DIMMER</b>								Component ATA:33
PN:LT52A	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:17161	HRS	0		TSN 0				
WC#: 33.055	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<hr/>								
<b>335029 NO. 1 (AB PNL) DIMMER</b>								Component ATA:33
PN:LT52A	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:17171	HRS	0		TSN 0				
WC#: 33.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<hr/>								
<b>335031 NO. 2 (AB PNL) DIMMER</b>								Component ATA:33
PN:LT52A	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:17212	HRS	0		TSN 0				
WC#: 33.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 33 - LIGHTS</b>									
<b>335200</b>		<b>PULSELIGHT CONTROL UNIT</b>					<b>Component</b>		<b>ATA:33</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 33.085	AFL	0		TSN 0					
<hr/>									
<b>336027</b>		<b>NO. 5 POWER CONVERTER</b>					<b>Component</b>		<b>ATA:33</b>
PN:LT52A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:17114	HRS	0		TSN 0					
WC#: 33.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
<b>336028</b>		<b>NO. 6 POWER CONVERTER</b>					<b>Component</b>		<b>ATA:33</b>
PN:LT52A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:17123	HRS	0		TSN 0					
WC#: 33.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
<b>336029</b>		<b>NO. 7 POWER CONVERTER</b>					<b>Component</b>		<b>ATA:33</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 33.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
<b>336030</b>		<b>NO. 8 POWER CONVERTER</b>					<b>Component</b>		<b>ATA:33</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 33.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
<b>336040</b>		<b>ESCAPE HATCH BETALIGHT "EXIT" SIGN</b>					<b>Component</b>		<b>ATA:33</b>
PN:132848-11	MOS	08-May-20	72 (+24m)	TSN 0	01-Jan-26	01-Jan-28	353 d (+730)	REPLACE	
SN:41362	HRS	7778.6		TSN 0					
	AFL	5556		TSN 0					
Manufacture Date:: 01-Jan-20									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 33 - LIGHTS</b>									
33R799A <sup>U</sup>	INSPECT MECHANICAL AND ELECTRICAL INTEGRITY OF LOPRESTI BOOM BEAM LANDING/TAXI LIGHTS (IAW INSTRUCTIONS FOR CONTINUED AIRWORTHINESS DOCUMENT) (900 HRS / 1 YR)							Service	ATA:33
	MOS	13-Dec-24	12 (+1m)		13-Dec-25	13-Jan-26	334 d (+31)		
	HRS	8992.5	900 (+40)		9892.5	9932.5	900 (+40)		
	AFL	6223							
<b>ATA 33 - LIGHTS</b>									
33R799B <sup>U</sup>	INSPECT MECHANICAL AND ELECTRICAL INTEGRITY OF LOPRESTI BOOM BEAM LANDING/TAXI LIGHTS (IAW INSTRUCTIONS FOR CONTINUED AIRWORTHINESS DOCUMENT) (1800 HRS/ 2 YRS)							Service	ATA:33
	MOS	08-Dec-23	24 (+2m)		08-Dec-25	08-Feb-26	329 d (+62)		
	HRS	8690.8	1800 (+50)		10490.8	10540.8	1498.3 (+50)		
	AFL	6072							
<b>ATA 34 - NAVIGATION</b>									
340002	DRAIN PITOT/STATIC DRAIN TRAPS							Service	ATA:34
	MOS	30-Mar-23	24 (+2m)		30-Mar-25	30-May-25	76 d (+61)		
	HRS	8451.3							
WC#: 34.025	AFL	5934							
<b>ATA 34 - NAVIGATION</b>									
340003 <sup>S</sup>	INSPECT AUTOPILOT AILERON SERVO UNIT AND MOUNT							Service	ATA:34
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 34.405	AFL	5686							
PKG:22,92									
<b>ATA 34 - NAVIGATION</b>									
340004 <sup>S</sup>	INSPECT AUTOPILOT SERVO UNITS, RUDDER AND ELEVATOR							Service	ATA:34
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 34.410	AFL	5686							
PKG:25,92									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
340005 <sup>S</sup>	INSPECT AUTOPILOT ELEVATOR TRIM SERVO UNIT AND MOUNT							Service	ATA:34
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 34.415	AFL	5686						PKG:25,92	
<b>340006 PRESSURE/SUCTION TEST PITOT/STATIC AND STALL WARNING SYSTEMS</b>									
	MOS	30-Mar-23	24 (+2m)		30-Mar-25	30-May-25	76 d (+61)	Service ATA:34	
	HRS	8451.3							
WC#: 34.015	AFL	5934							
<b>340007 CHECK PITOT SYSTEM ISOLATION VALVES</b>									
	MOS	30-Mar-23	24 (+2m)		30-Mar-25	30-May-25	76 d (+61)	Service ATA:34	
	HRS	8451.3							
WC#: 34.290	AFL	5934							
<b>340008 <sup>S</sup> TEST MACH TRIM SYSTEM</b>									
	MOS	11-Mar-15						Service ATA:34	
	HRS	6400.6	3200 (+150/-50)						
WC#: 34.270	AFL	4498						PKG:31,93	
<b>340010 TEST AUTOTRIM COMMAND ISOLATION RELAY AND AUTOTRIM SWITCHING RELAY</b>									
	MOS/MSC	08-Sep-09	N/R					Service ATA:34	
	HRS	3234.3							
WC#: 34.425	AFL	2176							
<b>340012 SWING CHECK NO. 1 COMPASS</b>									
	MOS	06-Jan-23	36 (+2m)		06-Jan-26	06-Mar-26	358 d (+59)	Service ATA:34	
	HRS	8347.6							
WC#: 34.095	AFL	5884							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
<b>340012 SWING CHECK NO. 2 COMPASS Service ATA:34</b>								
	MOS	06-Jan-23	36 (+2m)		06-Jan-26	06-Mar-26	358 d (+59)	
	HRS	8347.6						
WC#: 34.095	AFL	5884						
<b>340012 SWING CHECK STANDBY COMPASS Service ATA:34</b>								
	MOS	06-Jan-23	36 (+2m)		06-Jan-26	06-Mar-26	358 d (+59)	
	HRS	8347.6						
WC#: 34.095	AFL	5884						
<b>340013 COMPLY WITH RVSM REQUIREMENTS FOR THE STATIC PLATES AND AIRFRAME Service ATA:34</b>								
	MOS/MSC	11-May-17	A/R					
	HRS	7023.3						
WC#: 34.020	AFL	4966						
<b>341001 LEFT PITOT PRESSURE HEAD Component ATA:34</b>								
PN:853JF1	MOS/MSC	25-May-11	O/C	TSN 0				
SN:12486	HRS	4223.8		TSN 0				
WC#: 34.010	AFL	2865		TSN 0				
<b>341002 RIGHT PITOT PRESSURE HEAD Component ATA:34</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.010	AFL	0		TSN 0				
<b>341097 STANDBY ALTIMETER Component ATA:34</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.040	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>341103</b>		<b>TEST STANDBY ALTIMETER (FAR 91.411)</b>							Service ATA:34
PN:27101-01-01	MOS	27-Mar-23	24		27-Mar-25		73 d	MANDATORY	
SN:M015157	HRS								
WC#: 34.040	AFL								
Test Date: : 27-Mar-23									
PROC. REF: FAR FAR PART 91PROC. REF: FAR FAR PART 91									
<b>341109</b>		<b>LEFT AIRSPEED INDICATOR</b>							Component ATA:34
PN:PN	MOS/MSC	08-Apr-05	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.050	AFL	0			TSN 0				
<b>341110</b>		<b>RIGHT AIRSPEED INDICATOR</b>							Component ATA:34
PN:PN	MOS/MSC	08-Apr-05	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.055	AFL	0			TSN 0				
<b>341111</b>		<b>NO. 1 AIRSPEED REFERENCE PANEL</b>							Component ATA:34
PN:PN	MOS/MSC	08-Apr-05	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.315	AFL	0			TSN 0				
<b>341112</b>		<b>NO. 2 AIRSPEED REFERENCE PANEL</b>							Component ATA:34
PN:PN	MOS/MSC	08-Apr-05	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.315	AFL	0			TSN 0				
<b>341115</b>		<b>STANDBY AIRSPEED INDICATOR</b>							Component ATA:34
PN:PN	MOS/MSC	08-Apr-05	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.045	AFL	0			TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>341163</b>		<b>LEFT SAT/TAS INDICATOR</b>					<b>Component ATA:34</b>		
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.320	AFL	0		TSN 0					
<hr/>									
<b>341164</b>		<b>RIGHT SAT/TAS INDICATOR</b>					<b>Component ATA:34</b>		
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.320	AFL	0		TSN 0					
<hr/>									
<b>341195</b>		<b>VOICE ADVISORY</b>					<b>Component ATA:34</b>		
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.060	AFL	0		TSN 0					
<hr/>									
<b>341228</b>		<b>NO. 1 AIR DATA COMPUTER</b>					<b>Component ATA:34</b>		
PN:822-1109-501	MOS/MSC	29-Mar-21	O/C						
SN:23TTW	HRS	7907.9							
WC#: 34.065	AFL	5641							
<hr/>									
<b>341229</b>		<b>NO. 2 AIR DATA COMPUTER</b>					<b>Component ATA:34</b>		
PN:822-1109-501	MOS/MSC	29-Mar-21	O/C						
SN:1KPRC	HRS	7907.9							
WC#: 34.066	AFL	5641							
<hr/>									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
<b>341230</b>		<b>NO. 1 AIR DATA MODULE</b>					<b>Component ATA:34</b>		
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.325	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
341231	NO. 2 AIR DATA MODULE							Component	ATA:34
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.325	AFL	0		TSN 0					
<hr/>									
341234	SIGNAL INTERFERENCE ADAPTER							Component	ATA:34
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.330	AFL	0		TSN 0					
<hr/>									
341235	(ESIS) MAGNETOMETER							Component	ATA:34
PN:19004-00-01	MOS/MSC	20-Nov-20	O/C						
SN:M028050	HRS	7845.7							
WC#: 34.485	AFL	5603							
<hr/>									
341237	AIR DATA ESIS UNIT							Component	ATA:34
PN:27101-01-01	MOS/MSC	19-Sep-17	O/C						
SN:M015157	HRS	7023.3							
WC#: 34.435	AFL	4966							
<hr/>									
341238	TEST AIR DATA ESIS UNIT (FAA 91.411)							Service	ATA:34
PN:27101-01-01	MOS	27-Mar-23	24		27-Mar-25		73 d	MANDATORY	
SN:M015157	HRS								
WC#: 34.435	AFL								
				Test Date: : 27-Mar-23					
PROC. REF: FAR FAR PART 91PROC. REF: FAR FAR PART 91									
<hr/>									
341240	TEST NO.1 AIR DATA COMPUTER (FAA 91.411)							Service	ATA:34
PN:822-1109-501	MOS	27-Mar-23	24		27-Mar-25		73 d	MANDATORY	
SN:23TTW	HRS								
WC#: 34.065	AFL								
				Test Date: : 27-Mar-23					
PROC. REF: FAR FAR PART 91PROC. REF: FAR FAR PART 91									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>341241</b>		<b>TEST NO.2 AIR DATA COMPUTER (FAA 91.411)</b>						Service	ATA:34
PN:822-1109-501	MOS	27-Mar-23	24		27-Mar-25		73 d	MANDATORY	
SN:1KPRC	HRS								
WC#: 34.066	AFL								
Test Date: : 27-Mar-23									
PROC. REF: FAR FAR PART 91PROC. REF: FAR FAR PART 91									
<b>341276</b>		<b>RADIO ALTIMETER UNIT</b>						Component	ATA:34
PN:822-0615-206	MOS/MSC	05-Nov-21	O/C	TSO 0					
SN:12YVB	HRS	8015.1		TSO 0					
WC#: 34.070	AFL	5691		TSO 0					
<b>341279</b>		<b>LEFT RADIO ALTIMETER ANTENNA</b>						Component	ATA:34
PN:S67-2002	MOS/MSC	05-Nov-21	O/C	TSN 0					
SN:543-105060	HRS	8015.1		TSN 0					
WC#: 34.075	AFL	5691		TSN 0					
<b>341281</b>		<b>RIGHT RADIO ALTIMETER ANTENNA</b>						Component	ATA:34
PN:S67-2002	MOS/MSC	05-Nov-21	O/C	TSN 0					
SN:543-105056	HRS	8015.1		TSN 0					
WC#: 34.080	AFL	5691		TSN 0					
<b>342013</b>		<b>EMERGENCY GYRO HORIZON INDICATOR</b>						Component	ATA:34
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.090	AFL	0		TSN 0					
<b>342014</b>		<b>SECONDARY FLIGHT DISPLAY</b>						Component	ATA:34
PN:39213-00-01	MOS/MSC	15-Apr-15	O/C	TSO 0					
SN:M018191	HRS	6403.7		TSO 0					
WC#: 34.490	AFL	4502		TSO 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
342097	<b>STANDBY COMPASS (E2B) INDICATOR</b>							Component	ATA:34
PN:KCA0104W	MOS/MSC	19-Sep-17	O/C	TSN 0					
SN:BP3930516	HRS	7023.3		TSN 0					
WC#: 34.106	AFL	4966		TSN 0					
<hr/>									
342141	<b>NO. 1 VLF/OMEGA SENSOR</b>							Component	ATA:34
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.105	AFL	0		TSN 0					
<hr/>									
342142	<b>NO. 2 VLF/OMEGA SENSOR</b>							Component	ATA:34
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.105	AFL	0		TSN 0					
<hr/>									
342143	<b>H FIELD (TOP) ANTENNA</b>							Component	ATA:34
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.110	AFL	0		TSN 0					
<hr/>									
342144	<b>H FIELD ( BOTTOM) ANTENNA</b>							Component	ATA:34
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.110	AFL	0		TSN 0					
<hr/>									
342145	<b>NO. 1 DATA LOADER</b>							Component	ATA:34
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.115	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>342220</b>		<b>NO. 1 FLIGHT MANAGEMENT COMPUTER</b>					<b>Component</b>		<b>ATA:34</b>
PN:822-0868-083	MOS/MSC	19-Sep-17	O/C	TSO	0				
SN:1L7GD	HRS	7023.3		TSO	0				
WC#: 34.350	AFL	4966		TSO	0				
<b>342221</b>		<b>NO. 2 FLIGHT MANAGEMENT COMPUTER</b>					<b>Component</b>		<b>ATA:34</b>
PN:822-0868-083	MOS/MSC	04-Aug-11	O/C	TSR	0				
SN:22G4R	HRS	4368.6		TSR	0				
WC#: 34.350	AFL	2977		TSR	0				
<b>342240</b>		<b>REMOTE TUNING UNIT</b>					<b>Component</b>		<b>ATA:34</b>
PN:AI-RC5-170677	MOS/MSC	26-May-05	O/C						
SN:030500325	HRS	7.1							
WC#: 34.340	AFL	8							
<b>342253</b>		<b>NO. 1 COMPASS FLUX VALVE</b>					<b>Component</b>		<b>ATA:34</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN	0				
SN:UNKNOWN	HRS	0		TSN	0				
WC#: 34.120	AFL	0		TSN	0				
<b>342254</b>		<b>NO. 2 COMPASS FLUX VALVE</b>					<b>Component</b>		<b>ATA:34</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN	0				
SN:UNKNOWN	HRS	0		TSN	0				
WC#: 34.120	AFL	0		TSN	0				
<b>342265</b>		<b>NO. 1 AHRS COMPUTER</b>					<b>Component</b>		<b>ATA:34</b>
PN:822-1110-002	MOS/MSC	06-Jul-12	O/C	TSO	0				
SN:2V1YF	HRS	4925.3		TSO	0				
WC#: 34.125	AFL	3383		TSO	0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>342266</b>		<b>NO. 2 AHRS COMPUTER</b>					<b>Component</b>		<b>ATA:34</b>
PN:822-1110-002	MOS/MSC	17-Jul-12	O/C	TSO 0					
SN:2B56Y	HRS	4940.6		TSO 0					
WC#: 34.125	AFL	3394		TSO 0					
<b>342289</b>		<b>NO. 1 AHRS CONTROLLER</b>					<b>Component</b>		<b>ATA:34</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.140	AFL	0		TSN 0					
<b>342290</b>		<b>NO. 2 AHRS CONTROLLER</b>					<b>Component</b>		<b>ATA:34</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.140	AFL	0		TSN 0					
<b>342501</b>		<b>NO. 1 MULTIFUNCTION DISPLAY</b>					<b>Component</b>		<b>ATA:34</b>
PN:822-1084-306	MOS/MSC	04-Aug-11	O/C	TSO 0					
SN:1C85Y	HRS	4368.6		TSO 0					
WC#: 34.130	AFL	2977		TSO 0					
<b>342502</b>		<b>NO. 2 MULTIFUNCTION DISPLAY</b>					<b>Component</b>		<b>ATA:34</b>
PN:822-1084-306	MOS/MSC	28-Mar-16	O/C						
SN:1L3TL	HRS	6837.5							
WC#: 34.135	AFL	4836							
<b>342513</b>		<b>NO. 1 PRIMARY FLIGHT DISPLAY</b>					<b>Component</b>		<b>ATA:34</b>
PN:822-1084-306	MOS/MSC	21-Nov-06	O/C	TSO 0					
SN:1KPGF	HRS	1218.2		TSO 0					
WC#: 34.130	AFL	821		TSO 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>342514</b>		<b>NO. 2 PRIMARY FLIGHT DISPLAY</b>					<b>Component</b>		<b>ATA:34</b>
PN:822-1084-306	MOS/MSC	28-Mar-16	O/C						
SN:1G9RC	HRS	6837.5							
WC#: 34.135	AFL	4836							
<hr/>									
<b>342515</b>		<b>EFIS MULTIFUNCTION ELECTRONIC DISPLAY</b>					<b>Component</b>		<b>ATA:34</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.140	AFL	0		TSN 0					
<hr/>									
<b>342516</b>		<b>NO. 1 REMOTE INSTRUMENT CONTROL</b>					<b>Component</b>		<b>ATA:34</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.145	AFL	0		TSN 0					
<hr/>									
<b>342517</b>		<b>NO. 2 REMOTE INSTRUMENT CONTROL</b>					<b>Component</b>		<b>ATA:34</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.145	AFL	0		TSN 0					
<hr/>									
<b>342523</b>		<b>MULTIFUNCTION PROCESS UNIT</b>					<b>Component</b>		<b>ATA:34</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.335	AFL	0		TSN 0					
<hr/>									
<b>342525</b>		<b>NO. 1 EFIS DISPLAY PROCESSOR</b>					<b>Component</b>		<b>ATA:34</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.335	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>342526</b>		<b>NO. 2 EFIS DISPLAY PROCESSOR</b>					<b>Component</b>		<b>ATA:34</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.335	AFL	0		TSN 0					
<hr/>									
<b>342527</b>		<b>NO. 1 EFIS SYMBOL GENERATOR</b>					<b>Component</b>		<b>ATA:34</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.150	AFL	0		TSN 0					
<hr/>									
<b>342528</b>		<b>NO. 2 EFIS SYMBOL GENERATOR</b>					<b>Component</b>		<b>ATA:34</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.150	AFL	0		TSN 0					
<hr/>									
<b>342530</b>		<b>MULTIFUNCTION SYMBOL GENERATOR</b>					<b>Component</b>		<b>ATA:34</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.150	AFL	0		TSN 0					
<hr/>									
<b>342537</b>		<b>NO. 1 DISPLAY CONTROL PANEL</b>					<b>Component</b>		<b>ATA:34</b>
PN:822-1476-002	MOS/MSC	06-Sep-12	O/C						
SN:1KV5V	HRS	5020							
WC#: 34.155	AFL	3465							
<hr/>									
<b>342538</b>		<b>NO. 2 DISPLAY CONTROL PANEL</b>					<b>Component</b>		<b>ATA:34</b>
PN:822-1476-002	MOS/MSC	06-Sep-12	O/C						
SN:1MD64	HRS	5020							
WC#: 34.155	AFL	3465							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
<b>342539 MULTI FUNCTION EFIS CONTROL Component ATA:34</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.160	AFL	0		TSN 0				
<b>342540 FLIGHT GUIDANCE PANEL Component ATA:34</b>								
PN:822-1107-102	MOS/MSC	24-Jun-23	O/C	TSO 8				
SN:2D12R	HRS	8549.7		TSO 0				
WC#: 34.440	AFL	5985		TSO 0				
<b>342541 NO. 1 CONSOLE CONTROL DISPLAY UNIT Component ATA:34</b>								
PN:822-1485-038	MOS/MSC	10-Jul-09	O/C	TSO 0				
SN:1YWGV	HRS	3139.9		TSO 0				
WC#: 34.445	AFL	2105		TSO 0				
<b>342542 NO. 2 CONSOLE CONTROL DISPLAY UNIT Component ATA:34</b>								
PN:822-1485-038	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:1NRPJ	HRS	0		TSN 0				
WC#: 34.450	AFL	0		TSN 0				
<b>342543 PILOT OPTIONAL CONTROL MODULE Component ATA:34</b>								
PN:822-1484-201	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:1NVKH	HRS	0		TSN 0				
WC#: 34.495	AFL	0		TSN 0				
<b>342544 COPILOT OPTIONAL CONTROL MODULE Component ATA:34</b>								
PN:822-1484-201	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:1NVKJ	HRS	0		TSN 0				
WC#: 34.495	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>342545</b>		<b>NO. 1 FLUX DETECTOR</b>					<b>Component</b>		<b>ATA:34</b>
PN:822-1193-001	MOS/MSC	07-Nov-13	O/C	TSN 0					
SN:301947	HRS	5682.5		TSN 0					
WC#: 34.500	AFL	3972		TSN 0					
<b>342547</b>		<b>NO. 2 FLUX DETECTOR</b>					<b>Component</b>		<b>ATA:34</b>
PN:822-1193-001	MOS/MSC	13-May-08	O/C	TSN 0					
SN:39278	HRS	2378.3		TSN 0					
WC#: 34.500	AFL	1598		TSN 0					
<b>342550</b>		<b>IAPS ENVIROMENTAL CONTROLLER</b>					<b>Component</b>		<b>ATA:34</b>
PN:822-1167-001	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:1NTNV	HRS	0		TSN 0					
WC#: 34.505	AFL	0		TSN 0					
<b>342561</b>		<b>TCAS COMPUTER</b>					<b>Component</b>		<b>ATA:34</b>
PN:822-1294-032	MOS/MSC	15-Dec-17	O/C	TSO 28					
SN:139934	HRS	7124.1		TSO 585.6					
WC#: 34.175	AFL	5027		TSO 418					
<b>342562</b>		<b>TCAS (TOP) ANTENNA</b>					<b>Component</b>		<b>ATA:34</b>
PN:622-8973-001	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:1R58C	HRS	0		TSN 0					
WC#: 34.180	AFL	0		TSN 0					
<b>342563</b>		<b>TCAS (BOTTOM) ANTENNA</b>					<b>Component</b>		<b>ATA:34</b>
PN:622-8973-001	MOS/MSC	21-Mar-11	O/C	TSN 0					
SN:3TK9V	HRS	4076.5		TSN 0					
WC#: 34.180	AFL	2764		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
342601	NO. 1 INTEGRATED NAVIGATION (RNZ-850/-851) UNIT							Component	ATA:34
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.185	AFL	0		TSN 0					
<hr/>									
342602	NO. 2 INTEGRATED NAVIGATION (RNZ-850/-851) UNIT							Component	ATA:34
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.185	AFL	0		TSN 0					
<hr/>									
342624	NO. 1 ADF ANTENNA							Component	ATA:34
PN:622-7384-001	MOS/MSC	06-Jul-12	O/C	TSN 0					
SN:4CGWC	HRS	4925.3		TSN 0					
WC#: 34.190	AFL	3383		TSN 0					
<hr/>									
342625	NO. 2 ADF ANTENNA							Component	ATA:34
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.190	AFL	0		TSN 0					
<hr/>									
342640	EGPWS COMPUTER							Component	ATA:34
PN:965-0976-040-212	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:20640	HRS	0		TSN 0					
WC#: 34.455	AFL	0		TSN 0					
<hr/>									
342701	NO. 1 DATA CONCENTRATOR UNIT							Component	ATA:34
PN:822-1483-002	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:INNRR	HRS	0		TSN 0					
WC#: 34.515	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>342703</b>		<b>NO. 2 DATA CONCENTRATOR UNIT</b>					<b>Component</b>		<b>ATA:34</b>
PN:822-1483-002	MOS/MSC	26-May-05	O/C	TSN 0					
SN:1W1LY	HRS	7.1		TSN 0					
WC#: 34.515	AFL	8		TSN 0					
<b>342705</b>		<b>NO. 3 DATA CONCENTRATOR UNIT</b>					<b>Component</b>		<b>ATA:34</b>
PN:822-1483-002	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:1NRIN	HRS	0		TSN 0					
WC#: 34.520	AFL	0		TSN 0					
<b>342707</b>		<b>NO. 4 DATA CONCENTRATOR UNIT</b>					<b>Component</b>		<b>ATA:34</b>
PN:822-1483-002	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:1NRLR	HRS	0		TSN 0					
WC#: 34.520	AFL	0		TSN 0					
<b>342709</b>		<b>DA PANEL ASSEMBLY</b>					<b>Component</b>		<b>ATA:34</b>
PN:25-8NF4033-6589	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:RG8714	HRS	0		TSN 0					
WC#: 34.525	AFL	0		TSN 0					
<b>342801</b>		<b>NO. 1 INPUT / OUTPUT CONCENTRATOR MODULE</b>					<b>Component</b>		<b>ATA:34</b>
PN:822-1361-103	MOS/MSC	19-Jul-19	O/C	TSO 0					
SN:398MN	HRS	7601.6		TSO 0					
WC#: 34.530	AFL	5472		TSO 0					
<b>342802</b>		<b>NO. 2 INPUT / OUTPUT CONCENTRATOR MODULE</b>					<b>Component</b>		<b>ATA:34</b>
PN:822-1361-103	MOS/MSC	19-Jul-19	O/C	TSO 0					
SN:398TB	HRS	7601.6		TSO 0					
WC#: 34.530	AFL	5472		TSO 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>342805</b>		<b>NO. 1 IAPS POWER SUPPLY</b>							<b>Component ATA:34</b>
PN:822-1137-001	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:1NGM	HRS	0		TSN 0					
WC#: 34.535	AFL	0		TSN 0					
<b>342806</b>		<b>NO. 2 IAPS POWER SUPPLY</b>							<b>Component ATA:34</b>
PN:822-1137-001	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:1NTGN	HRS	0		TSN 0					
WC#: 34.535	AFL	0		TSN 0					
<b>342809</b>		<b>AURAL WARNING GENERATOR</b>							<b>Component ATA:34</b>
PN:MODEL 630-003	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:719	HRS	0		TSN 0					
WC#: 34.540	AFL	0		TSN 0					
<b>342810</b>		<b>NO. 1 CURSOR CONTROL PANEL</b>							<b>Component ATA:34</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.545	AFL	0		TSN 0					
<b>342811</b>		<b>NO. 2 CURSOR CONTROL PANEL</b>							<b>Component ATA:34</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.545	AFL	0		TSN 0					
<b>342812</b>		<b>NO. 1 FILE SERVER UNIT</b>							<b>Component ATA:34</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.550	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>342813</b>		<b>NO. 2 FILE SERVER UNIT</b>							<b>Component ATA:34</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.550	AFL	0		TSN 0					
<hr/>									
<b>342815</b>		<b>FSU (MMT-5000) MOUNT</b>							<b>Component ATA:34</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.600	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
<b>343001</b>		<b>GLIDE SLOPE AERIAL</b>							<b>Component ATA:34</b>
PN:17-21F6	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:7559	HRS	0		TSN 0					
WC#: 34.195	AFL	0		TSN 0					
<hr/>									
<b>343013</b>		<b>MARKER AERIAL</b>							<b>Component ATA:34</b>
PN:17-5C	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:7324	HRS	0		TSN 0					
WC#: 34.200	AFL	0		TSN 0					
<hr/>									
<b>344001</b>		<b>NO. 1 WEATHER RADAR CONTROL PANEL</b>							<b>Component ATA:34</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.205	AFL	0		TSN 0					
<hr/>									
<b>344002</b>		<b>NO. 2 WEATHER RADAR CONTROL PANEL</b>							<b>Component ATA:34</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.205	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>344005</b>		<b>WEATHER RADAR TRANSCEIVER</b>					<b>Component</b>		<b>ATA:34</b>
PN:622-8441-004	MOS/MSC	09-Jul-22	O/C	TSO 0					
SN:27BBG	HRS	8149.4		TSO 0					
WC#: 34.210	AFL	5775		TSO 0					
<hr/>									
<b>344016</b>		<b>RADAR CHECKLIST MODULE</b>					<b>Component</b>		<b>ATA:34</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.215	AFL	0		TSN 0					
<hr/>									
<b>344036</b>		<b>ISOLATION VALVE</b>					<b>Component</b>		<b>ATA:34</b>
PN:A1R48026-0-1	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:APB031685	HRS	0		TSN 0					
WC#: 34.220	AFL	0		TSN 0					
<hr/>									
<b>345001</b>		<b>NO. 1 VHF NAVIGATION RECEIVER</b>					<b>Component</b>		<b>ATA:34</b>
PN:622-7194-201	MOS/MSC	10-Sep-15	O/C	TSO 0					
SN:1NV2M	HRS	6574.5		TSO 0					
WC#: 34.300	AFL	4645		TSO 0					
<hr/>									
<b>345002</b>		<b>NO. 2 VHF NAVIGATION RECEIVER</b>					<b>Component</b>		<b>ATA:34</b>
PN:622-7194-201	MOS/MSC	26-May-05	O/C						
SN:1N56P	HRS	7.1							
WC#: 34.300	AFL	8							
<hr/>									
<b>345003</b>		<b>DATA BASE UNIT</b>					<b>Component</b>		<b>ATA:34</b>
PN:822-2215-302	MOS/MSC	15-Feb-09	O/C	TSN 0					
SN:353FW	HRS	2921.7		TSN 0					
WC#: 34.503	AFL	1969		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>345008</b>		<b>SENSOR UNIT DISPLAY</b>					<b>Component</b>		<b>ATA:34</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.295	AFL	0		TSN 0					
<b>345009</b>		<b>SENSOR DRIVER DISPLAY</b>					<b>Component</b>		<b>ATA:34</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.295	AFL	0		TSN 0					
<b>345015</b>		<b>ILS CONVERTER</b>					<b>Component</b>		<b>ATA:34</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.300	AFL	0		TSN 0					
<b>345019</b>		<b>NO. 1 ADF RECEIVER</b>					<b>Component</b>		<b>ATA:34</b>
PN:622-7382-101	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:1NLFC	HRS	0		TSN 0					
WC#: 34.310	AFL	0		TSN 0					
<b>345020</b>		<b>NO. 2 ADF RECEIVER</b>					<b>Component</b>		<b>ATA:34</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.310	AFL	0		TSN 0					
<b>345037</b>		<b>LEFT VOR/LOC AERIAL</b>					<b>Component</b>		<b>ATA:34</b>
PN:S65-247-12	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:5572	HRS	0		TSN 0					
WC#: 34.230	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>345038</b>		<b>RIGHT VOR/LOC AERIAL</b>						<b>Component</b>	<b>ATA:34</b>
PN:S65-247-12	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:5573	HRS	0		TSN 0					
WC#: 34.230	AFL	0		TSN 0					
<hr/>									
<b>345049</b>		<b>NO. 1 ADF LOOP ANTENNA</b>						<b>Component</b>	<b>ATA:34</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.235	AFL	0		TSN 0					
<hr/>									
<b>345097</b>		<b>PHASING COUPLER</b>						<b>Component</b>	<b>ATA:34</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.240	AFL	0		TSN 0					
<hr/>									
<b>345098</b>		<b>COUPLER ANTENNA</b>						<b>Component</b>	<b>ATA:34</b>
PN:SSPD113-13	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:903	HRS	0		TSN 0					
WC#: 34.245	AFL	0		TSN 0					
<hr/>									
<b>345109</b>		<b>NO. 1 DME AERIAL</b>						<b>Component</b>	<b>ATA:34</b>
PN:565-5366-10L	MOS/MSC	26-Apr-22	O/C	TSN 0					
SN:185-18086	HRS	8091.8		TSN 0					
WC#: 34.250	AFL	5744		TSN 0					
<hr/>									
<b>345110</b>		<b>NO. 2 DME AERIAL</b>						<b>Component</b>	<b>ATA:34</b>
PN:S65-5366-10L	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:5243	HRS	0		TSN 0					
WC#: 34.250	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
<b>345133 NO. 1 ATC TRANSPONDER AERIAL Component ATA:34</b>								
PN:S65-5366-10L	MOS/MSC	16-Feb-16	O/C	TSN 0				
SN:11284	HRS	6769.2		TSN 0				
WC#: 34.255	AFL	4792		TSN 0				
<b>345134 NO. 2 ATC TRANSPONDER AERIAL Component ATA:34</b>								
PN:S65-5366-10L	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:5232	HRS	0		TSN 0				
WC#: 34.255	AFL	0		TSN 0				
<b>345135 FORWARD TRANSPONDER ANTENNA Component ATA:34</b>								
PN:S65-5366-102	MOS/MSC	29-Oct-21	O/C	TSN 0				
SN:185-17341	HRS	8008.7		TSN 0				
WC#: 34.460	AFL	5686		TSN 0				
<b>345136 AFT TRANSPONDER ANTENNA Component ATA:34</b>								
PN:S65-5366-102	MOS/MSC	29-Oct-21	O/C	TSN 0				
SN:185-17336	HRS	8008.7		TSN 0				
WC#: 34.465	AFL	5686		TSN 0				
<b>345205 NO. 1 DME TRANSCEIVER Component ATA:34</b>								
PN:622-7309-101	MOS/MSC	05-Sep-12	O/C					
SN:1NT7G	HRS	5020						
WC#: 34.305	AFL	3465						
<b>345206 NO. 2 DME TRANSCEIVER Component ATA:34</b>								
PN:622-7309-101	MOS/MSC	05-Aug-13	O/C	TSO 0				
SN:12VHP	HRS	5604.7		TSO 0				
WC#: 34.305	AFL	3914		TSO 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>345217</b>		<b>NO. 1 ATC TRANSPONDER</b>						<b>Component</b>	<b>ATA:34</b>
PN:622-9210-501	MOS/MSC	03-Feb-20	O/C						
SN:3564	HRS	7750.6							
WC#: 34.260	AFL	5540							
<b>345218</b>		<b>NO. 2 ATC TRANSPONDER</b>						<b>Component</b>	<b>ATA:34</b>
PN:622-9210-501	MOS/MSC	29-Mar-21	O/C						
SN:7553	HRS	7907.9							
WC#: 34.260	AFL	5641							
<b>345229</b>		<b>SYSTEM TEST NO.1 ATC TRANSPONDER (FAA 91.413)</b>						<b>Service</b>	<b>ATA:34</b>
PN:622-9210-501	MOS	27-Mar-23	24		27-Mar-25		73 d	MANDATORY	
SN:3564	HRS								
WC#: 34.260	AFL								
Test Date: : 27-Mar-23									
PROC. REF: FAR FAR PART 91PROC. REF: FAR FAR PART 91									
<b>345230</b>		<b>SYSTEM TEST NO.2 ATC TRANSPONDER (FAA 91.413)</b>						<b>Service</b>	<b>ATA:34</b>
PN:622-9210-501	MOS	27-Mar-23	24		27-Mar-25		73 d	MANDATORY	
SN:7553	HRS								
WC#: 34.260	AFL								
Test Date: : 27-Mar-23									
PROC. REF: FAR FAR PART 91PROC. REF: FAR FAR PART 91									
<b>345305</b>		<b>MACH TRIM COMPUTER</b>						<b>Component</b>	<b>ATA:34</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.270	AFL	0		TSN 0					
<b>345306 <sup>U</sup></b>		<b>MACH TRIM TRANSDUCER</b>						<b>Component</b>	<b>ATA:34</b>
PN:3E1500A	MOS/MSC	26-Jun-20	O/C	TSO 0					
SN:A0861	HRS	7780.3		TSO 0					
	AFL	5559		TSO 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
<b>345309 AFIS DMU Component ATA:34</b>								
PN:400-045500-0005	MOS/MSC	26-May-05	O/C					
SN:3899	HRS	7.1						
WC#: 34.470	AFL	8						
<b>345310 AFIS CONFIGURATION MODULE Component ATA:34</b>								
PN:31990-1	MOS/MSC	26-May-05	O/C					
SN:11271	HRS	7.1						
WC#: 34.475	AFL	8						
<b>345404 NO. 1 GPS SENSOR UNIT Component ATA:34</b>								
PN:822-2189-101	MOS/MSC	08-Jun-21	O/C	TSO 0				
SN:2X1VN	HRS	7944.6		TSO 0				
WC#: 34.275	AFL	5659		TSO 0				
<b>345405 NO. 2 GPS SENSOR UNIT Component ATA:34</b>								
PN:822-2189-101	MOS/MSC	08-Jun-21	O/C	TSO 0				
SN:109BN	HRS	7944.6		TSO 0				
WC#: 34.275	AFL	5659		TSO 0				
<b>345406 NO. 1 GPS ANTENNA Component ATA:34</b>								
PN:C1401-220	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:4090517	HRS	0		TSN 0				
WC#: 34.280	AFL	0		TSN 0				
<b>345407 NO. 2 GPS ANTENNA Component ATA:34</b>								
PN:CI 429-200	MOS/MSC	01-Nov-20	O/C	TSN 0				
SN:617118	HRS	7842.4		TSN 0				
WC#: 34.280	AFL	5600		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
345413	NO. 1 CONFIGURATION STRAPPING UNIT							Component	ATA:34
PN:822-1363-002	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:1RVHP	HRS	0		TSN 0					
WC#: 34.285	AFL	0		TSN 0					
<hr/>									
345414	NO. 2 CONFIGURATION STRAPPING UNIT							Component	ATA:34
PN:822-1363-002	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:1RVHR	HRS	0		TSN 0					
WC#: 34.285	AFL	0		TSN 0					
<hr/>									
345513	NO. 1 (AHRS) EXTERNAL COMPENSATION UNIT							Component	ATA:34
PN:822-1200-002	MOS/MSC	07-Nov-13	O/C						
SN:ILX5R	HRS	5682.5							
WC#: 34.480	AFL	3972							
<hr/>									
345514	NO. 2 (AHRS) EXTERNAL COMPENSATION UNIT							Component	ATA:34
PN:822-1200-002	MOS/MSC	07-Nov-13	O/C						
SN:ILX5L	HRS	5682.5							
WC#: 34.480	AFL	3972							
<hr/>									
345515	NO. 1 (IFIS) EXTERNAL COMPENSATION UNIT							Component	ATA:34
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.555	AFL	0		TSN 0					
<hr/>									
345516	NO. 2 (IFIS) EXTERNAL COMPENSATION UNIT							Component	ATA:34
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.602	AFL	0		TSN 0					
<hr/>									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
345517	NO. 3 (IFIS) EXTERNAL COMPENSATION UNIT							Component	ATA:34
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.603	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
346810	OBSERVERS AMPLIFER							Component	ATA:34
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.601	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
348001	ACSS TAWS COMPUTER							Component	ATA:34
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.604	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
348002	AP-950 CONFIGURATION MODULE							Component	ATA:34
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.605	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
349001 <sup>U</sup>	NAVIGATION DATA BASE UPDATE							Service	ATA:34
	DAYS/MSC	23-Oct-24	DUE		27-Nov-24 (M)		OVD		
	HRS	8941.2							
	AFL	6196							
	Expiry Date: : 27-Nov-24								
<hr/>									
349101	PASSENGER SPEAKER AMPLIFIER							Component	ATA:34
PN:MODEL 240	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:3054	HRS	0		TSN 0					
WC#: 34.606	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
349998	ADJUSTMENT/TEST COLLINS AIR DATA SYSTEM (FOR RVSM CAPABLE AIRPLANES )							Service	ATA:34
	MOS/MSC	08-Apr-05	O/C						
	HRS	0							
WC#: 34.T04	AFL	0							
<b>ATA 349999</b>									
349999	ADJUSTMENT/TEST HONEYWELL ADZ-810 AIR DATA SYSTEM (FOR RVSM CAPABLE AIRPLANES)							Service	ATA:34
	MOS/MSC	08-Apr-05	O/C						
	HRS	0							
WC#: 34.T05	AFL	0							
<b>ATA 35 - OXYGEN</b>									
350001 <sup>S</sup>	CHECK OXYGEN SYSTEM MASTER SUPPLY VALVE							Service	ATA:35
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 35.110	AFL	6072						PKG:10,91	
<b>ATA 350002 <sup>S</sup></b>									
350002 <sup>S</sup>	FUNCTIONAL TEST AUTOMATIC SHUT-OFF VALVE							Service	ATA:35
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 35.035	AFL	4498						PKG:32,93	
<b>ATA 350004 <sup>S</sup></b>									
350004 <sup>S</sup>	TEST/INSPECT PASSENGER OXYGEN SYSTEM							Service	ATA:35
	MOS	13-Dec-24	12 (+1m/-1m)						
	HRS	8992.5							
WC#: 35.075	AFL	6223						PKG:44,94	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 35 - OXYGEN</b>									
350005 <sup>S</sup>	CHECK BAROMATIC CONTROL VALVE							Service	ATA:35
	MOS	13-Dec-24	12 (+1m/-1m)						
	HRS	8992.5							
WC#: 35.100	AFL	6223						PKG:44,94	
<hr/>									
350006 <sup>S</sup>	INSPECT CREW MASKS, SMOKE SET MASK (IF FITTED) AND HOSES							Service	ATA:35
	MOS	13-Dec-24	12 (+1m/-1m)						
	HRS	8992.5							
WC#: 35.115	AFL	6223						PKG:46,94	
<hr/>									
350007 <sup>S</sup>	INSPECT PORTABLE BREATHING EQUIPMENT							Service	ATA:35
	MOS	13-Dec-24	12 (+1m/-1m)						
	HRS	8992.5							
WC#: 35.120	AFL	6223						PKG:46,94	
<hr/>									
350008 <sup>S</sup>	INSPECT OXYGEN CYLINDERS							Service	ATA:35
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 35.105	AFL	5686						PKG:25,92	
<hr/>									
351001	MASTER OXYGEN SUPPLY VALVE							Component	ATA:35
PN:PN	MOS/MSC	08-Apr-05	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 35.030	AFL	0			TSN 0				
<hr/>									
351002 <sup>U</sup>	OXYGEN FILLER VALVE							Component	ATA:35
PN:DC550	MOS/MSC	29-Oct-21	O/C		TSN 0				
SN:UNKNOWN	HRS	8008.7			TSN 0				
	AFL	5686			TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
<b>351013 OXYGEN PRESSURE GAUGE</b>								
PN:18430901-1	MOS/MSC	25-May-11	O/C	TSN 0				Component ATA:35
SN:063010	HRS	4223.8		TSN 0				
WC#: 35.040	AFL	2865		TSN 0				
<b>351014 ALTERNATIVE OXYGEN PRESSURE GAUGE</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				Component ATA:35
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 35.040	AFL	0		TSN 0				
<b>351015 OXYGEN CHARGING FILTER ASSEMBLY</b>								
PN:WKA27942-2	MOS/MSC	08-Apr-05	O/C	TSN 0				Component ATA:35
SN:1641	HRS	0		TSN 0				
WC#: 35.215	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>351025 OXYGEN REDUCING VALVE</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				Component ATA:35
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 35.045	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>351031 PILOT OXYGEN MASK</b>								
PN:MF10-03-02	MOS	29-Oct-21	72	TSO 0	29-Oct-27		1019 d	Component ATA:35 OVERHAUL
SN:79047	HRS	8008.7		TSO 0				
WC#: 35.050	AFL	5686		TSO 0				
<b>351032 COPILOT OXYGEN MASK</b>								
PN:MF10-03-02	MOS	29-Oct-21	72	TSO 0	29-Oct-27		1019 d	Component ATA:35 OVERHAUL
SN:28265	HRS	8008.7		TSO 0				
WC#: 35.050	AFL	5686		TSO 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
351035 <sup>S</sup>		PASSENGER OXYGEN MASKS						Component	ATA:35
PN:289-601	MOS	11-Mar-15	72	TSN 0				OVERHAUL	
SN:UNKNOWN	HRS	6400.6		TSN 0					
WC#: 35.140	AFL	4498		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
351043		LEFT OXYGEN OUTLET VALVE						Component	ATA:35
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 35.055	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
351044		RIGHT OXYGEN OUTLET VALVE						Component	ATA:35
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 35.055	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
351051		NO. 1 PASSENGER OXYGEN MASK						Component	ATA:35
PN:289-601-228	MOS	29-Mar-21	72	TSN 0	29-Mar-27		805 d	OVERHAUL	
SN:N/A	HRS	7907.9		TSN 0					
WC#: 35.150	AFL	5641		TSN 0					
		Manufacture Date:: 29-Mar-21							
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM									
351052		NO. 2 PASSENGER OXYGEN MASK						Component	ATA:35
PN:289-601-228	MOS	29-Mar-21	72	TSN 0	29-Mar-27		805 d	OVERHAUL	
SN:N/A	HRS	7907.9		TSN 0					
WC#: 35.150	AFL	5641		TSN 0					
		Manufacture Date:: 29-Mar-21							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 35 - OXYGEN</b>									
<b>351053</b>		<b>NO. 3 PASSENGER OXYGEN MASK</b>						<b>Component</b>	<b>ATA:35</b>
PN:289-601-228	MOS	29-Mar-21	72	TSN 0	29-Mar-27		805 d	OVERHAUL	
SN:N/A	HRS	7907.9		TSN 0					
WC#: 35.155	AFL	5641		TSN 0					
Manufacture Date:: 29-Mar-21									
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM									
<hr/>									
<b>351054</b>		<b>NO. 4 PASSENGER OXYGEN MASK</b>						<b>Component</b>	<b>ATA:35</b>
PN:289-601-228	MOS	29-Mar-21	72	TSN 0	29-Mar-27		805 d	OVERHAUL	
SN:N/A	HRS	7907.9		TSN 0					
WC#: 35.155	AFL	5641		TSN 0					
Manufacture Date:: 29-Mar-21									
<hr/>									
<b>351055</b>		<b>NO. 5 PASSENGER OXYGEN MASK</b>						<b>Component</b>	<b>ATA:35</b>
PN:289-601-228	MOS	29-Mar-21	72	TSN 0	29-Mar-27		805 d	OVERHAUL	
SN:N/A	HRS	7907.9		TSN 0					
WC#: 35.160	AFL	5641		TSN 0					
Manufacture Date:: 29-Mar-21									
<hr/>									
<b>351056</b>		<b>NO. 6 PASSENGER OXYGEN MASK</b>						<b>Component</b>	<b>ATA:35</b>
PN:289-601-228	MOS	29-Mar-21	72	TSN 0	29-Mar-27		805 d	OVERHAUL	
SN:N/A	HRS	7907.9		TSN 0					
WC#: 35.160	AFL	5641		TSN 0					
Manufacture Date:: 29-Mar-21									
<hr/>									
<b>351057</b>		<b>NO. 7 PASSENGER OXYGEN MASK</b>						<b>Component</b>	<b>ATA:35</b>
PN:289-601-228	MOS	29-Mar-21	72	TSN 0	29-Mar-27		805 d	OVERHAUL	
SN:N/A	HRS	7907.9		TSN 0					
WC#: 35.170	AFL	5641		TSN 0					
Manufacture Date:: 29-Mar-21									
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 35 - OXYGEN</b>									
<b>351058</b>	<b>NO. 8 PASSENGER OXYGEN MASK</b>							<b>Component</b>	<b>ATA:35</b>
PN:289-601-228	MOS	29-Mar-21	72	TSN 0	29-Mar-27		805 d	OVERHAUL	
SN:N/A	HRS	7907.9		TSN 0					
WC#: 35.170	AFL	5641		TSN 0					
Manufacture Date:: 29-Mar-21									
<hr/>									
<b>351059</b>	<b>NO. 9 PASSENGER OXYGEN MASK</b>							<b>Component</b>	<b>ATA:35</b>
PN:289-601-228	MOS	29-Mar-21	72	TSN 0	29-Mar-27		805 d	OVERHAUL	
SN:N/A	HRS	7907.9		TSN 0					
WC#: 35.180	AFL	5641		TSN 0					
Manufacture Date:: 29-Mar-21									
<hr/>									
<b>351060</b>	<b>NO. 10 PASSENGER OXYGEN MASK</b>							<b>Component</b>	<b>ATA:35</b>
PN:289-601-228	MOS	29-Mar-21	72	TSN 0	29-Mar-27		805 d	OVERHAUL	
SN:N/A	HRS	7907.9		TSN 0					
WC#: 35.180	AFL	5641		TSN 0					
Manufacture Date:: 29-Mar-21									
<hr/>									
<b>351061</b>	<b>NO. 11 PASSENGER OXYGEN MASK</b>							<b>Component</b>	<b>ATA:35</b>
PN:289-601-228	MOS	29-Mar-21	72	TSN 0	29-Mar-27		805 d	OVERHAUL	
SN:N/A	HRS	7907.9		TSN 0					
WC#: 35.190	AFL	5641		TSN 0					
Manufacture Date:: 29-Mar-21									
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM									
<hr/>									
<b>351062</b>	<b>NO. 12 PASSENGER OXYGEN MASK</b>							<b>Component</b>	<b>ATA:35</b>
PN:289-601-228	MOS	29-Mar-21	72	TSN 0	29-Mar-27		805 d	OVERHAUL	
SN:N/A	HRS	7907.9		TSN 0					
WC#: 35.190	AFL	5641		TSN 0					
Manufacture Date:: 29-Mar-21									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
351080	NO. 1 MASK DEPLOYMENT CONTAINER							Component	ATA:35
PN:833-649-01	MOS/MSC	26-May-05	O/C						
SN:0507	HRS	7.1							
WC#: 35.195	AFL	8							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
351081	NO. 2 MASK DEPLOYMENT CONTAINER							Component	ATA:35
PN:833-648-01	MOS/MSC	26-May-05	O/C						
SN:2421	HRS	7.1							
WC#: 35.195	AFL	8							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
351082	NO. 3 MASK DEPLOYMENT CONTAINER							Component	ATA:35
PN:833-648-01	MOS/MSC	26-May-05	O/C						
SN:2422	HRS	7.1							
WC#: 35.200	AFL	8							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
351083	NO. 4 MASK DEPLOYMENT CONTAINER							Component	ATA:35
PN:833-648-01	MOS/MSC	26-May-05	O/C						
SN:2444	HRS	7.1							
WC#: 35.200	AFL	8							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
351084	NO. 5 MASK DEPLOYMENT CONTAINER							Component	ATA:35
PN:833-648-01	MOS/MSC	26-May-05	O/C						
SN:2446	HRS	7.1							
WC#: 35.205	AFL	8							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
351085	NO. 6 MASK DEPLOYMENT CONTAINER							Component	ATA:35
PN:833-648-01	MOS/MSC	26-May-05	O/C						
SN:2449	HRS	7.1							
WC#: 35.205	AFL	8							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 35 - OXYGEN</b>								
<b>351086 NO. 7 MASK DEPLOYMENT CONTAINER</b>								Component ATA:35
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 35.210	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<hr/>								
<b>351093 OXYGEN PRESSURE SWITCH</b>								Component ATA:35
PN:1106P76-1	MOS/MSC	11-Apr-07	O/C	TSN 0				
SN:1210	HRS	1471.6		TSN 0				
WC#: 35.125	AFL	979		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<hr/>								
<b>351101 NO. 1 OXYGEN CYLINDER</b>								Component ATA:35
PN:WKA37447	MOS/MSC	12-Apr-24	O/C	TSO 4				
SN:13700-4540	HRS	8799.2		TSO 0				
WC#: 35.010	AFL	6119		TSO 0				
<hr/>								
<b>351102 NO. 2 OXYGEN CYLINDER</b>								Component ATA:35
PN:WKA37447	MOS/MSC	12-Apr-24	O/C	TSO 4				
SN:13764-4570	HRS	8799.2		TSO 0				
WC#: 35.015	AFL	6119		TSO 0				
<hr/>								
<b>351103 NO. 3 OXYGEN CYLINDER</b>								Component ATA:35
PN:WKA37447	MOS/MSC	05-Feb-24	O/C	TSO 0				
SN:9196/4228	HRS	8732.6		TSO 0				
WC#: 35.020	AFL	6090		TSO 0				
<hr/>								
<b>351104 NO. 4 OXYGEN CYLINDER</b>								Component ATA:35
PN:WKA37447	MOS/MSC	12-Apr-24	O/C	TSO 5				
SN:9245-4309	HRS	8799.2		TSO 0				
WC#: 35.025	AFL	6119		TSO 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 35 - OXYGEN</b>								
<b>351110 HYDROSTATIC TEST NO. 1 OXYGEN CYLINDER Service ATA:35</b>								
PN:WKA37447	MOS	27-Dec-23	60		27-Dec-28		1444 d	
SN:13700-4540	HRS							
WC#: 35.010	AFL							
HydroCheck Date: : 27-Dec-23								
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM								
<b>351110 HYDROSTATIC TEST NO. 2 OXYGEN CYLINDER Service ATA:35</b>								
PN:WKA37447	MOS	27-Dec-23	60		27-Dec-28		1444 d	
SN:13764-4570	HRS							
WC#: 35.015	AFL							
HydroCheck Date: : 27-Dec-23								
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM								
<b>351110 HYDROSTATIC TEST NO. 3 OXYGEN CYLINDER Service ATA:35</b>								
PN:WKA37447	MOS	06-Dec-23	60		01-Dec-27 (M)		1052 d	
SN:9196/4228	HRS							
WC#: 35.020	AFL							
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM								
<b>351110 HYDROSTATIC TEST NO. 4 OXYGEN CYLINDER Service ATA:35</b>								
PN:WKA37447	MOS	28-Nov-23	60		01-Oct-28 (M)		1357 d	
SN:9245-4309	HRS							
WC#: 35.025	AFL							
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM								
<b>352001 ON/OFF OXYGEN VALVE Component ATA:35</b>								
PN:SDV1012	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:13386	HRS	0		TSN 0				
WC#: 35.065	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>352007 BAROMATIC VALVE Component ATA:35</b>								
PN:K39117/3	MOS/MSC	19-Sep-17	O/C	TSN 0				
SN:190	HRS	7023.3		TSN 0				
WC#: 35.070	AFL	4966		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
353001	PORTABLE OXYGEN BOTTLE							Component	ATA:35
PN:176960-7SM2A2430	MOS/MSC	08-May-20	O/C	TSN 264, TSO 62					
SN:685623	HRS	7778.6		TSO 1378					
WC#: 35.080	AFL	5556		TSO 1058					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
353007	HYDROSTATIC TEST PORTABLE OXYGEN BOTTLE							Service	ATA:35
PN:176960-7SM2A2430	MOS	30-Apr-20	60		30-Apr-25		107 d	MANDATORY	
SN:685623	HRS								
WC#: 35.080	AFL								
HydroCheck Date: : 30-Apr-20									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
353031	(PBE) PROTECTIVE BREATHING EQUIPMENT							Component	ATA:35
PN:802300-14	MOS	29-Nov-16	120		01-Sep-26		596 d	LIFE LIMIT	
SN:E16090258	HRS			TSN 0					
WC#: 35.085	AFL			TSN 0					
Manufacture Date:: 01-Sep-16									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
354000	AUTOMATIC SHUT OFF VALVE							Component	ATA:35
PN:WKA35964-1	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:1228	HRS	0		TSN 0					
WC#: 35.130	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 38 - WATER/WASTE</b>									
380001 <sup>S</sup>	INSPECT TOILET AND GALLEY WATER SYSTEMS							Service	ATA:38
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 38.010	AFL	6072							
								PKG:12,91	
<b>381001 <sup>U</sup> LAV SINK WATER PUMP</b>									
PN:9168	MOS/MSC	26-Jun-20	O/C	TSO 0				Component ATA:38	
SN:880989001/89041	HRS	7780.3		TSO 0					
	AFL	5559		TSO 0					
<b>381090 CLEAN GALLEY WATER SYSTEM</b>									
	DAYS/MSC	07-Apr-22	A/R					Service ATA:38	
	HRS								
WC#: 38.020	AFL								
<b>381091 CLEAN LAVATORY WATER SYSTEM</b>									
	DAYS/MSC	07-Apr-22	A/R					Service ATA:38	
	HRS								
WC#: 38.030	AFL								
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>									
490001	INSPECT PATS APU GTCP36-150W							Service	ATA:49
	MOS	10-Jul-24	12 (+1m)		10-Jul-25	10-Aug-25	178 d (+31)		
	HRS	8892.1	1000 (+10%)		9892.1	9992.1	899.6 (+100)		
WC#: 49.205	AFL	6160							
<b>490002 REMOVE/CLEAN/INSPECT APU IGNITER PLUG</b>									
	MOS	13-Jun-23						Service ATA:49	
	HRS	8549							
WC#: 49.210	AFL	5984							
	APH	6992	750		7742		692.5		

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 49 - AIRBORNE AUXILIARY POWER									
490003	ACCOMPLISH APU (OPTION 1) OIL AND FILTER CHANGE AND MAGNETIC DRAIN PLUG INSPECTION							Service	ATA:49
	MOS	10-Jul-24	12 (+1m)		10-Jul-25	10-Aug-25	178 d (+31)		
	HRS	8892.1	1000 (+10%)		9892.1	9992.1	899.6 (+100)		
WC#: 49.220	AFL	6160							
490003	ACCOMPLISH APU (OPTION 2) S.O.A.P CHECK							Service	ATA:49
	MOS/MSC	05-Oct-22	N/R						
	HRS	8257.4							
WC#: 49.221	AFL	5837							
490004	REMOVE AND REPLACE APU FUEL FILTER ELEMENT							Service	ATA:49
	MOS	13-Jun-23							
	HRS	8549							
WC#: 49.230	AFL	5984							
	APH	6992	1000		7992		942.5		
490005	FLOW CHECK APU FUEL NOZZLE ASSEMBLIES							Service	ATA:49
	MOS	13-Jun-23							
	HRS	8549							
WC#: 49.240	AFL	5984							
	APH	6992	4500		11492		4442.5		
490006	ACCOMPLISH APU DETAILED HOT SECTION INSPECTION							Service	ATA:49
	MOS	24-Apr-11							
	HRS								
WC#: 49.250	AFL								
	APH	4262	4500		8762		1712.5		

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>									
490007	VISUALLY CHECK APU COMPRESSOR ROTOR							Service	ATA:49
	MOS	13-Jun-23							
	HRS	8549							
WC#: 49.260	AFL	5984							
	APH	6992	4500		11492		4442.5		
<hr/>									
491005	APU BLEED AIR CHECK VALVE							Component	ATA:49
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
491010	APU - TURBINE ROTOR							Component	ATA:49
PN:3615880-1	MOS	11-May-11						LIFE LIMIT	
SN:040134513226	HRS	4262	10000	TSN 4262	10000		3057.5		
WC#: 49.010	APUS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
491020	APU - COMPRESSOR ROTOR							Component	ATA:49
PN:3822101-1	MOS	14-May-11		TSR 0				LIFE LIMIT	
SN:040350105693	HRS	4262	100000	TSN 4262, TSR 0	100000		93057.5		
WC#: 49.015	APUS			TSR 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
491025	APU - INSPECT COMPRESSOR ROTOR							Service	ATA:49
PN:3822101-1	MOS	05-May-23							
SN:040350105693	HRS	6885	4500		11385		4442.5		
WC#: 49.020	APUS								
PROC. REF: MM 49-20-00PROC. REF: MM 49-20-00									
<hr/>									
491030	APU - INSPECT HOT SECTION							Service	ATA:49
	MOS	24-Apr-11							
	HRS	4262	4500		8762		1819.5		
WC#: 49.025	APUS								
PROC. REF: MM 49-20-00PROC. REF: MM 49-20-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>									
491035	APU - FLOW CONTROL VALVE							Component	ATA:49
PN:PN	MOS/MSC	16-Dec-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 49.135	APUS	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
491038	APU - FIRE LOOP DETECTOR							Component	ATA:49
PN:PN	MOS/MSC	16-Dec-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 49.140	APUS	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
491042	APU - VOLTAGE REGULATOR							Component	ATA:49
PN:PN	MOS/MSC	16-Dec-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 49.145	APUS	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
493010	APU - FUEL CONTROL							Component	ATA:49
PN:3882730-9	MOS/MSC	14-May-11	O/C						
SN:28800	HRS	4262							
WC#: 49.030	APUS								
PROC. REF: MM 49-30-52PROC. REF: MM 49-30-52									
493020	APU - REMOVE AND REPLACE FUEL FILTER ELEMENT							Service	ATA:49
	MOS	13-Jun-23							
	HRS	6885	1000		7885		942.5		
WC#: 49.035	APUS	0							
PROC. REF: MM 49-30-52PROC. REF: MM 49-30-52									
493030	APU - ORIFICE FITTING							Component	ATA:49
PN:PN	MOS/MSC	16-Dec-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 49.040	APUS	0		TSN 0					
PROC. REF: MM 49-30-56PROC. REF: MM 49-30-56									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>									
493040	APU - FUEL SHUTOFF VALVE							Component	ATA:49
PN:PN	MOS/MSC	16-Dec-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 49.045	APUS	0		TSN 0					
PROC. REF: MM 49-30-54PROC. REF: MM 49-30-54									
493050	APU - CHECK FUEL NOZZLE FLOW RATE							Service	ATA:49
	MOS	05-May-23							
	HRS	6885	4500		11385		4442.5		
WC#: 49.050	APUS								
PROC. REF: MM 49-20-00PROC. REF: MM 49-20-00									
493060	APU - CONTROLLER							Component	ATA:49
PN:2118330-2	MOS/MSC	16-Dec-04	O/C	TSN 0					
SN:114-B0641	HRS	0		TSN 0					
WC#: 49.055	APUS	0		TSN 0					
PROC. REF: MM 49-60-46PROC. REF: MM 49-60-46									
493070	APU - LOAD CONTROL VALVE							Component	ATA:49
PN:109812	MOS/MSC	14-May-11	O/C						
SN:UNKNOWN	HRS	4262							
WC#: 49.060	APUS								
PROC. REF: MM 49-50-33PROC. REF: MM 49-50-33									
494010	APU - IGNITION UNIT							Component	ATA:49
PN:3888000-2	MOS/MSC	14-May-11	O/C						
SN:040218048571	HRS	4262							
WC#: 49.065	APUS								
PROC. REF: MM 49-40-32PROC. REF: MM 49-40-32									
494020	APU - IGNITER PLUG							Component	ATA:49
PN:3888002-2	MOS/MSC	18-Jan-19	O/C	TSN 0					
SN:NSN	HRS	6333		TSN 0					
WC#: 49.070	APUS			TSN 0					
PROC. REF: MM 49-40-33PROC. REF: MM 49-40-33									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>								
<b>494025 APU - IGNITER PLUG LEAD Component ATA:49</b>								
PN:PN	MOS/MSC	16-Dec-04	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.150	APUS	0		TSN 0				
PROC. REF: MM 49-40-33PROC. REF: MM 49-40-33								
<b>494030 APU - REMOVE AND INSPECT IGNITER PLUG Service ATA:49</b>								
PN:3888002-2	MOS	13-Jun-23						
SN:NSN	HRS	6885	750		7635		692.5	
WC#: 49.075	APUS	0						
PROC. REF: MM 49-40-33PROC. REF: MM 49-40-33								
<b>497010 APU - MOTION PICK UP TRANSDUCER Component ATA:49</b>								
PN:PN	MOS/MSC	16-Dec-04	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.080	APUS	0		TSN 0				
PROC. REF: MM 49-60-43PROC. REF: MM 49-60-43								
<b>497020 APU - IMMERSION THERMOCOUPLE Component ATA:49</b>								
PN:PN	MOS/MSC	16-Dec-04	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.085	APUS	0		TSN 0				
PROC. REF: MM 49-60-45PROC. REF: MM 49-60-45								
<b>497030 APU - HOURMETER Component ATA:49</b>								
PN:3888126-1	MOS/MSC	14-May-11	O/C					
SN:NSN	HRS	4262						
WC#: 49.090	APUS							
PROC. REF: MM 49-70-41PROC. REF: MM 49-70-41								
<b>499010 APU - ROTARY OIL PUMP Component ATA:49</b>								
PN:PN	MOS/MSC	16-Dec-04	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.095	APUS	0		TSN 0				
PROC. REF: MM 49-90-51PROC. REF: MM 49-90-51								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 49 - AIRBORNE AUXILIARY POWER									
499020	APU - INSPECT MAGNETIC DRAIN PLUG							Service	ATA:49
	MOS	10-Jul-24	12		10-Jul-25		178 d		
	HRS	6942.5	750		7692.5		750		
WC#: 49.100	APUS								
PROC. REF: MM 49-90-46PROC. REF: MM 49-90-46									
499030	APU - CHANGE OIL							Service	ATA:49
	MOS	10-Jul-24	12		10-Jul-25		178 d		
	HRS	6942.5	750		7692.5		750		
WC#: 49.105	APUS								
PROC. REF: MM 49-20-00PROC. REF: MM 49-20-00									
499040	APU - REMOVE AND REPLACE OIL FILTER ELEMENT							Service	ATA:49
	MOS	10-Jul-24	12		10-Jul-25		178 d		
	HRS	6942.5	750		7692.5		750		
WC#: 49.110	APUS								
PROC. REF: MM 49-90-47PROC. REF: MM 49-90-47									
499050	APU - PRESSURE REGULATOR VALVE							Component	ATA:49
PN:PN	MOS/MSC	16-Dec-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 49.115	APUS								
PROC. REF: MM 49-90-52PROC. REF: MM 49-90-52									
499060	APU - HIGH OIL TEMPERATURE SWITCH							Component	ATA:49
PN:1173T159-1	MOS/MSC	06-Jan-23	O/C	TSN 0					
SN:000922706009	HRS	6885		TSN 0					
WC#: 49.120	APUS								
PROC. REF: MM 49-60-46PROC. REF: MM 49-60-46									
499070	APU - LOW OIL PRESSURE SWITCH							Component	ATA:49
PN:PN	MOS/MSC	16-Dec-04	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 49.125	APUS								
PROC. REF: MM 49-60-43PROC. REF: MM 49-60-43									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>									
499110	APU - SOAP CHECK OIL							Service	ATA:49
	MOS/MSC	05-Oct-22	O/C						
	HRS	6790							
WC#: 49.130	APUS	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
49APU1	APU							Component	ATA:49
PN:3800304-1	MOS/MSC	13-Jun-23	E/C						
SN:P-825	HRS	8546							
WC#: 49.APU1	AFL	5982							
	APH	6992							
<hr/>									
<b>ATA 51 - STD PRACTICES AND STRUCT-GENRL</b>									
510001	INSPECT/NDT NOSE LANDING GEAR BAY SIDEWALLS							Service	ATA:51
	MOS	28-Jan-16	144 (+3m)		28-Jan-28	28-Apr-28	1110 d (+91)		
	HRS	6748.9							
WC#: 51.100	AFL	4775	5000 (+10%)		9775	10275	3552 (+500)		
PROC. REF: NTM 53-10-10PROC. REF: NTM 53-10-10									
<hr/>									
510002	DETAIL INSPECT FRONT PRESSURE BULKHEAD							Service	ATA:51
	MOS	29-Oct-21							
	HRS	8008.7							
WC#: 51.010	AFL	5686	1000 (+10%)		6686	6786	463 (+100)		
<hr/>									
510003	INSPECT/NDT FLIGHT COMPARTMENT SKIN AND WINDOW STRUCTURE ABOVE WINDSHIELDS							Service	ATA:51
	MOS	29-Oct-21	48 (+3m)		29-Oct-25	29-Jan-26	289 d (+92)		
	HRS	8008.7							
WC#: 51.020	AFL	5686							
PROC. REF: NTM 53-10-30, NTM 53-10-35PROC. REF: NTM 53-10-30, NTM 53-10-35									
<hr/>									
510004	DETAIL INSPECT UPPER CANOPY RAIL AT INTERSECTION WITH THE CANOPY POSTS							Service	ATA:51
	MOS	11-Jun-05							
	HRS	0							
WC#: 51.030	AFL	0	20000 (+500)		20000	20500	13777 (+500)		

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 51 - STD PRACTICES AND STRUCT-GENRL									
510005	INSPECT/NDT CENTER FUSELAGE STRUCTURE BELOW THE FLOOR, NOSE LANDING GEAR BAY TO FRAME 13 AND FRAMES 16 TO 19							Service	ATA:51
	MOS	29-Oct-21	96 (+3m)		29-Oct-29	29-Jan-30	1750 d (+92)		
	HRS	8008.7							
WC#: 51.040	AFL	5686							
PROC. REF: NTM 53-10-45PROC. REF: NTM 53-10-45									
510006	DETAIL INSPECT STRUCTURE BELOW ESCAPE HATCH, FRAMES 13 TO 14							Service	ATA:51
	MOS	29-Oct-21	96 (+3m)		29-Oct-29	29-Jan-30	1750 d (+92)		
	HRS	8008.7							
WC#: 51.050	AFL	5686							
PROC. REF: NTM 53-10-45PROC. REF: NTM 53-10-45									
510007	INSPECT/NDT CENTER FUSELAGE STRUCTURE BELOW THE FLOOR, FRAMES 8 TO 17							Service	ATA:51
	MOS	29-Oct-21	96 (+3m)		29-Oct-29	29-Jan-30	1750 d (+92)		
	HRS	8008.7							
WC#: 51.060	AFL	5686							
PROC. REF: NTM 53-10-45PROC. REF: NTM 53-10-45									
510008	X-RAY CENTER FUSELAGE STRUCTURE BELOW THE FLOOR, FRAMES 13 TO 16							Service	ATA:51
	MOS	29-Oct-21	96 (+3m)		29-Oct-29	29-Jan-30	1750 d (+92)		
	HRS	8008.7							
WC#: 51.070	AFL	5686							
PROC. REF: NTM 53-10-45PROC. REF: NTM 53-10-45									
510009	DETAIL INSPECT ENTRY DOOR SURROUND							Service	ATA:51
	MOS	29-Oct-21	48 (+3m)		29-Oct-25	29-Jan-26	289 d (+92)		
	HRS	8008.7							
WC#: 51.080	AFL	5686							
PROC. REF: NTM 53-10-45PROC. REF: NTM 53-10-45									
510010	INSPECT/NDT CENTER FUSELAGE STRUCTURE, ABOVE THE FLOOR							Service	ATA:51
	MOS	29-Oct-21	96 (+3m)		29-Oct-29	29-Jan-30	1750 d (+92)		
	HRS	8008.7							
WC#: 51.090	AFL	5686							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 51 - STD PRACTICES AND STRUCT-GENRL									
PROC. REF: NTM 53-10-40PROC. REF: NTM 53-10-40									
ATA 52 - DOORS									
520002	OPERATIONAL TEST BAGGAGE PANNIER LOADING DOOR/UPPER HATCH WARNING SYSTEM (IF FITTED)OR EXTERNAL BAGGAGE UNIT (EBU) (750 AIRPLANES ONLY)							Service	ATA:52
	MOS/MSC	06-Jul-12	N/R						
	HRS	4925.2							
WC#: 52.020	AFL	3383							
520003	INSPECT BAGGAGE PANNIER DOOR (IF FITTED) OR EXTERNAL BAGGAGE UNIT (EBU) (750 AIRPLANES ONLY)							Service	ATA:52
	MOS/MSC	06-Jul-12	N/R						
	HRS	4925.2							
WC#: 52.040	AFL	3383							
520004 <sup>S</sup>	CHECK MAIN ENTRY DOOR "NOT LOCKED" WARNING MICROSWITCHES							Service	ATA:52
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 52.025	AFL	5686						PKG:24,92	
520005 <sup>S</sup>	CHECK ESCAPE HATCH RELEASE MECHANISM							Service	ATA:52
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 52.015	AFL	6072						PKG:12,91	
520006 <sup>S</sup>	INSPECT ESCAPE HATCH SEALS							Service	ATA:52
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 52.035	AFL	6072						PKG:12,91	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 52 - DOORS</b>									
520007 <sup>S</sup>	INSPECT/CHECK ENTRY DOOR							Service	ATA:52
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 52.010	AFL	5686						PKG:24,92	
<b>520008 INSPECT/NDT MAIN ENTRY DOOR Service ATA:52</b>									
	MOS	19-Sep-17	96 (+3m)		19-Sep-25	19-Dec-25	249 d (+91)		
	HRS	7023.3							
WC#: 52.010	AFL	4966							
PROC. REF: NTM 52-80-10PROC. REF: NTM 52-80-10									
<b>520009 DETAIL INSPECT ESCAPE HATCH Service ATA:52</b>									
	MOS	29-Oct-21	96 (+3m)		29-Oct-29	29-Jan-30	1750 d (+92)		
	HRS	8008.7							
WC#: 52.015	AFL	5686							
<b>520010 <sup>S</sup> INSPECT MAIN ENTRY DOOR - FOLDING HANDRAIL (IF FITTED) Service ATA:52</b>									
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 52.050	AFL	5686						PKG:24,92	
<b>520011 DETAILED VISUAL INSPECTION EXTERNAL BAGGAGE UNIT (EBU) LOADING DOOR LATCH AND PINASSEMBLIES Service ATA:52</b>									
	MOS/MSC	07-Nov-13	N/A						
	HRS	5682.5							
WC#: 52.060	AFL	3972							
<b>521001 MAIN ENTRY DOOR ASSEMBLY Component ATA:52</b>									
PN:259W03838-1A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:SD-DH-600	HRS	0		TSN 0					
WC#: 52.010	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 52 - DOORS</b>									
521016	LONG RANGE TANK DOOR							Component	ATA:52
PN:25-8PT111-87A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:PZL-DH-595	HRS	0		TSN 0					
WC#: 52.055	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>ATA 52 - DOORS</b>									
522001	ESCAPE HATCH							Component	ATA:52
PN:25-8FC3601-147A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:RG8715	HRS	0		TSN 0					
WC#: 52.015	AFL	0		TSN 0					
<b>ATA 53 - FUSELAGE</b>									
530001	DETAIL INSPECT SKIN EXTERIOR UNDER THE DORSAL INTAKE, FORWARD OF FRAME 19							Service	ATA:53
	MOS	29-Oct-21	48 (+3m)		29-Oct-25	29-Jan-26	289 d (+92)		
	HRS	8008.7							
WC#: 53.115	AFL	5686							
<b>ATA 53 - FUSELAGE</b>									
530002	INSPECT FUSELAGE SKIN UNDER WING-TO-FUSELAGE FAIRINGS							Service	ATA:53
	MOS	29-Oct-21	48 (+3m)		29-Oct-25	29-Jan-26	289 d (+92)		
	HRS	8008.7							
WC#: 53.040	AFL	5686							
<b>ATA 53 - FUSELAGE</b>									
530003	DETAIL INSPECT FUSELAGE SKIN COVERED BY THE VENTRAL FUEL TANK (IF FITTED).							Service	ATA:53
	MOS	29-Oct-21	96 (+3m)		29-Oct-29	29-Jan-30	1750 d (+92)		
	HRS	8008.7							
WC#: 53.110	AFL	5686							
<b>ATA 53 - FUSELAGE</b>									
530004	DETAIL INSPECT VENTRAL FUEL TANK AND ATTACHMENTS, (IF FITTED)							Service	ATA:53
	MOS	29-Oct-21	96 (+3m)		29-Oct-29	29-Jan-30	1750 d (+92)		
	HRS	8008.7							
WC#: 28.015	AFL	5686							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 53 - FUSELAGE</b>									
530005	DETAIL INSPECT FUSELAGE SKIN COVERED BY THE VENTRAL BAGGAGE PANNIER OR EBU (750AIRPLANES) (IF FITTED).							Service	ATA:53
	MOS/MSC	11-Jun-05	N/R						
	HRS	0							
WC#: 53.180	AFL	0							
<hr/>									
530006	DETAIL INSPECT VENTRAL BAGGAGE PANNIER (IF FITTED) INTERNAL STRUCTURE							Service	ATA:53
	MOS/MSC	11-Jun-05	N/R						
	HRS	0							
WC#: 53.180	AFL	0							
<hr/>									
530007	DETAIL INSPECT WING TO FUSELAGE ATTACHMENT LINKS, BRACKETS AND BOLTS							Service	ATA:53
	MOS	19-Sep-17	96 (+3m)		19-Sep-25	19-Dec-25	249 d (+91)		
	HRS	7023.3							
WC#: 53.105	AFL	4966							
<hr/>									
530009	INSPECT/NDT FUSELAGE LAP JOINTS							Service	ATA:53
	MOS	11-Jun-05							
	HRS	0							
WC#: 53.125	AFL	0	T:27000 (+500)		27000	27500	20777 (+500)		
PROC. REF: NTM 53-10-25PROC. REF: NTM 53-10-25									
<hr/>									
530010	DETAIL INSPECT SKIN OF THE FUSELAGE, WING ATTACHMENT BRACKETS, DRAG SPIGOT BEARING AND DRAG SPIGOT HOUSING							Service	ATA:53
	MOS/MSC	11-Jun-05	A/R						
	HRS	0							
WC#: 53.020	AFL	0							
<hr/>									
530011	INSPECT LEFT-HAND SIDE FRONT FACE OF REAR PRESSURE BULKHEAD (FRAME 19)							Service	ATA:53
	MOS	29-Oct-21	48 (+3m)		29-Oct-25	29-Jan-26	289 d (+92)		
	HRS	8008.7							
WC#: 53.175	AFL	5686							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
530012	INSPECT RIGHT- HAND SIDE FRONT FACE OF REAR PRESSURE BULKHEAD (FRAME 19)							Service	ATA:53
	MOS	29-Oct-21	96 (+3m)		29-Oct-29	29-Jan-30	1750 d (+92)		
	HRS	8008.7							
WC#: 53.070	AFL	5686							
530013 INSPECT/NDT NO. 1 ENGINE MOUNTING PYLON ENGINE MAIN MOUNTING ATTACHMENT FITTINGS Service ATA:53									
	MOS	11-Jun-05							
	HRS	0	10000 (+500)		10000	10500	1007.5 (+500)		
WC#: 53.030	AFL	0							
PROC. REF: NTM 53-10-05PROC. REF: NTM 53-10-05									
530014 INSPECT/NDT REAR ENGINE MOUNT FITTINGS Service ATA:53									
	MOS	11-Jun-05							
	HRS	0	20000 (+500)		20000	20500	11007.5 (+500)		
WC#: 53.035	AFL	0							
PROC. REF: NTM 53-10-05PROC. REF: NTM 53-10-05									
530015 INSPECT/NDT VERTICAL STABILIZER ROOT ATTACHMENT TO FUSELAGE Service ATA:53									
	MOS	11-Jun-05							
	HRS	0	30000 (+500)		30000	30500	21007.5 (+500)		
WC#: 53.015	AFL	0							
PROC. REF: NTM 55-30-20PROC. REF: NTM 55-30-20									
530016 DETAIL INSPECT NO. 1 ENGINE MOUNTING ENGINE BEAM Service ATA:53									
	MOS	11-Jun-05							
	HRS	0	10000 (+500)		10000	10500	1007.5 (+500)		
WC#: 53.080	AFL	0							
530017 INSPECT NO. 1 ENGINE MOUNTING BRACKETS Service ATA:53									
	MOS/MSC	14-May-15	E/C					PART OF MPI	
	HRS	6409.8							
WC#: 53.200	AFL	4510							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
530017	INSPECT NO. 2 ENGINE MOUNTING BRACKETS							Service	ATA:53
	MOS/MSC	10-Jul-24	E/C					PART OF MPI	
	HRS	8892.1							
WC#: 53.200	AFL	6160							
530018	DETAIL INSPECT FUSELAGE SKIN ADJACENT TO CABIN WINDOW CUTOUTS							Service	ATA:53
	MOS	18-Jan-19							
	HRS	7507	2400 (+10%)		9907	10147	914.5 (+240)		
WC#: 53.205	AFL	5419							
530019	DETAIL INSPECT APU SUPPORT STRUCTURE EXTERNAL TO THE FIRE ENCLOSURE							Service	ATA:53
	MOS	13-Dec-24	12 (+1m)		13-Dec-25	13-Jan-26	334 d (+31)		
	HRS	8992.5							
WC#: 53.210	AFL	6223							
530021	DETAIL INSPECT APU SUPPORT STRUCTURE							Service	ATA:53
	MOS	06-Jul-12							
	HRS	4925.3							
WC#: 53.010	AFL	3383							
	APH	4262	3000		7262		212.5		
530022	DETAIL INSPECT APU MOUNTING HARDWARE							Service	ATA:53
	MOS	06-Jul-12							
	HRS	4925.3							
WC#: 53.215	AFL	3383							
	APH	4262	4500	Adj 5679	14441		7391.5		
PROC. REF: AMS 5-20-09PROC. REF: AMS 5-20-09									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
530023	DETAIL INSPECT FUSELAGE STRUCTURE FOR CRACKS							Service	ATA:53
	MOS	06-Jul-12							
	HRS	4925.3							
WC#: 53.220	AFL	3383							
	APH	4262	4500	Adj 5679	14441		7391.5		
530024 FLUORESCENT PENETRANT INSPECT APU SUPPORT HARDWARE Service ATA:53									
	MOS	11-Jun-05							
	HRS	0							
WC#: 53.225	AFL	0							
	APH	0	22500	Adj -107	22393		15343.5		
PROC. REF: AMS 5-20-09PROC. REF: AMS 5-20-09									
530025 DETAIL INSPECT APU EXHAUST AND INLET DOUBLER FRAMES AND STRINGERS Service ATA:53									
	MOS	11-Jun-05							
	HRS	0							
WC#: 53.170	AFL	0	10000 (+500)		10000	10500	3777 (+500)		
530026 DETAILED VISUAL INSPECTION EXTERNAL BAGGAGE UNIT (EBU) FORWARD AND AFT ATTACHMENT FITTINGS (750 AIRPLANES ONLY) Service ATA:53									
	MOS/MSC	11-Jun-05	N/R						
	HRS	0							
WC#: 53.230	AFL	0							
530027 <sup>S</sup> VISUAL INSPECTION FUSELAGE SKIN Service ATA:53									
	MOS	29-Oct-21	48 (+2m/-2m)						
	HRS	8008.7							
WC#: 53.235	AFL	5686							
PKG:96									
531146 RADOME Component ATA:53									
PN:DOIW00019-1A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:C151107	HRS	0		TSN 0					
WC#: 53.135	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
531152	TAIL CONE FAIRING							Component	ATA:53
PN:25.8GF/Z27-1A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:AST05B009	HRS	0		TSN 0					
WC#: 53.140	AFL	0		TSN 0					
531154	FUSELAGE							Component	ATA:53
PN:25-8FA1-1A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:RG-8714	HRS	0		TSN 0					
WC#: 53.145	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 55 - STABILIZERS									
550001	DETAIL INSPECT ELEVATORS AND TABS							Service	ATA:55
	MOS	29-Oct-21	48 (+3m)		29-Oct-25	29-Jan-26	289 d (+92)		
	HRS	8008.7							
WC#: 27.070	AFL	5686							
550002	LUBRICATE/REPLACE ELEVATOR TRIM TABS, CONNECTING RODS							Service	ATA:55
	MOS	29-Oct-21	48 (+3m)		29-Oct-25	29-Jan-26	289 d (+92)		
	HRS	8008.7							
WC#: 55.075	AFL	5686							
550003	XRAY ELEVATORS							Service	ATA:55
	MOS	29-Oct-21	48 (+3m)		29-Oct-25	29-Jan-26	289 d (+92)		
	HRS	8008.7							
WC#: 55.055	AFL	5686							
PROC. REF: NTM 55-20-10PROC. REF: NTM 55-20-10									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 55 - STABILIZERS</b>									
550004	DETAIL INSPECT RUDDER AND TAB							Service	ATA:55
	MOS	29-Oct-21	48 (+3m)		29-Oct-25	29-Jan-26	289 d (+92)		
	HRS	8008.7							
WC#: 27.045	AFL	5686							
<hr/>									
550005	INSPECT RUDDER CONNECTING RODS, RUDDER TRIM TAB AND ANTI-SERVO TAB							Service	ATA:55
	MOS	29-Oct-21	48 (+3m)		29-Oct-25	29-Jan-26	289 d (+92)		
	HRS	8008.7							
WC#: 55.065	AFL	5686							
<hr/>									
550006	X-RAY RUDDER (IN-SITU)							Service	ATA:55
	MOS	29-Oct-21	48 (+3m)		29-Oct-25	29-Jan-26	289 d (+92)		
	HRS	8008.7							
WC#: 27.045	AFL	5686							
PROC. REF: NTM 55-40-05PROC. REF: NTM 55-40-05									
<hr/>									
550007	DETAIL INSPECT RUDDER HINGE BRACKETS AND ATTACHMENTS							Service	ATA:55
	MOS	29-Oct-21	96 (+3m)		29-Oct-29	29-Jan-30	1750 d (+92)		
	HRS	8008.7							
WC#: 27.045	AFL	5686							
<hr/>									
550008 <sup>S</sup>	INSPECT HORIZONTAL STABILIZER TO VERTICAL STABILIZER REAR ATTACHMENT FITTING							Service	ATA:55
	MOS	08-Dec-23	24 (+2m/-2m)						
	HRS	8690.8							
WC#: 55.010	AFL	6072							
PKG:62,95									
<hr/>									
550009	DETAIL INSPECT HORIZONTAL STABILIZER							Service	ATA:55
	MOS	29-Oct-21	96 (+3m)		29-Oct-29	29-Jan-30	1750 d (+92)		
	HRS	8008.7							
WC#: 55.040	AFL	5686							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 55 - STABILIZERS</b>									
550010	INSPECT/NDT VERTICAL STABILIZER							Service	ATA:55
	MOS	29-Oct-21	96 (+3m)		29-Oct-29	29-Jan-30	1750 d (+92)		
	HRS	8008.7							
WC#: 55.050	AFL	5686							
PROC. REF: NTM 55-30-05, NTM 55-30-10, NTM 55-30-15PROC. REF: NTM 55-30-05, NTM 55-30-10, NTM 55-30-15									
550011	INSPECT HORIZONTAL STABILIZER TO VERTICAL STABILIZER ATTACHMENTS							Service	ATA:55
	MOS	29-Oct-21	96 (+3m)		29-Oct-29	29-Jan-30	1750 d (+92)		
	HRS	8008.7							
WC#: 55.025	AFL	5686							
550012	INSPECT/NDT HORIZONTAL STABILIZER							Service	ATA:55
	MOS	11-Jun-05	T:288 (+3m)		11-Jun-29	11-Sep-29	1610 d (+92)		
	HRS	0							
WC#: 55.045	AFL	0							
PROC. REF: NTM 55-10-05, NTM 55-10-10, NTM 55-10-15PROC. REF: NTM 55-10-05, NTM 55-10-10, NTM 55-10-15									
550013	X-RAY HORIZONTAL STABILIZER							Service	ATA:55
	MOS	29-Oct-21	96 (+3m)		29-Oct-29	29-Jan-30	1750 d (+92)		
	HRS	8008.7							
WC#: 55.035	AFL	5686							
PROC. REF: NTM 55-10-05, NTM 55-10-10, NTM 55-10-15, NTM 55-10-20PROC. REF: NTM 55-10-05, NTM 55-10-10, NTM 55-10-15, NTM 55-10-20									
550014	DETAIL INSPECT HORIZONTAL STABILIZER TOP SKIN 'T' FITTING AND JOINT STRAP AT THE CENTER LINE OF THE STABILIZER							Service	ATA:55
	MOS	11-Jun-05							
	HRS	0							
WC#: 55.060	AFL	0	T:15000 (+500)		15000	15500	8777 (+500)		
550015	INSPECT ELEVATOR MASS BALANCE WEIGHTS AND SPIGOTS							Service	ATA:55
	MOS	08-Dec-23	24 (+2m)		08-Dec-25	08-Feb-26	329 d (+62)		
	HRS	8690.8							
WC#: 55.070	AFL	6072							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 55 - STABILIZERS</b>									
<b>551004</b>		<b>UPPER VERTICAL STABILIZER</b>					<b>Component</b>		<b>ATA:55</b>
PN:25-8TF513-1A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:AST04L388	HRS	0		TSN 0					
WC#: 55.015	AFL	0		TSN 0					
<hr/>									
<b>551006</b>		<b>TAILPLANE</b>					<b>Component</b>		<b>ATA:55</b>
PN:25-8TP509-1A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:FL-MM-8691	HRS	0		TSN 0					
WC#: 55.020	AFL	0		TSN 0					
<hr/>									
<b>551010</b>		<b>BULLET FAIRING</b>					<b>Component</b>		<b>ATA:55</b>
PN:25-8GF501-135A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:RG8714	HRS	0		TSN 0					
WC#: 55.030	AFL	0		TSN 0					
<hr/>									
<b>553005</b>		<b>FIN LEADING EDGE</b>					<b>Component</b>		<b>ATA:55</b>
PN:25-8TF133-3A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:AST04W879	HRS	0		TSN 0					
WC#: 55.305	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
<b>ATA 56 - WINDOWS</b>									
<b>560004 <sup>S</sup></b>		<b>INSPECT WINDOWS DRY-AIR SYSTEM FILTER ELEMENT (IF FITTED)</b>					<b>Service</b>		<b>ATA:56</b>
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 56.065	AFL	5686							
PKG:24,92									
<hr/>									
<b>560005 <sup>S</sup></b>		<b>CHECK PASSENGER CABIN WINDOWS</b>					<b>Service</b>		<b>ATA:56</b>
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 56.090	AFL	6072							
PKG:9,91									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
560006 <sup>S</sup>	INSPECT WINDSHIELD PANEL 'C' SILICA GEL CONTAINER							Service	ATA:56
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 56.070	AFL	6072							
								PKG:10,91	
560007 <sup>S</sup>	SCREEN HEAT CIRCUIT BREAKERS - DO A VISUAL INSPECTION FOR HEAT DISTRESS, DISCOLORATION AND DEFORMATION							Service	ATA:56
	MOS	08-Dec-23	24 (+2m/-2m)						
	HRS	8690.8							
	AFL	6072							
								PKG:60,95	
561001	LEFT (PANEL A) HEATED WINDSCREEN							Component	ATA:56
PN:NF24016-415	MOS/MSC	13-Dec-22	O/C		TSR 1				
SN:L449548	HRS	8303.6			TSR 0				
WC#: 56.010	AFL	5861			TSR 0				
561002	RIGHT (PANEL A) HEATED WINDSCREEN							Component	ATA:56
PN:NF24016-416	MOS/MSC	08-Dec-23	O/C		TSN 1				
SN:L589920	HRS	8690.8			TSN 0				
WC#: 56.010	AFL	6072			TSN 0				
561003	LEFT DIRECT VIEW B WINDOW							Component	ATA:56
PN:NH24016-91	MOS/MSC	13-Feb-13	O/C		TSN 0				
SN:L397464	HRS	5264.9			TSN 0				
WC#: 56.015	AFL	3653			TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 56 - WINDOWS</b>								
<b>561004 RIGHT DIRECT VIEW B WINDOW Component ATA:56</b>								
PN:LANH24016-092	MOS/MSC	19-Oct-22	O/C	TSN 0				
SN:10053	HRS	8257.4		TSN 0				
WC#: 56.015	AFL	5837		TSN 0				
<b>561005 LEFT C WINDOW Component ATA:56</b>								
PN:259W03925-1A	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:CW0187	HRS	0		TSN 0				
WC#: 56.020	AFL	0		TSN 0				
<b>561006 RIGHT C WINDOW Component ATA:56</b>								
PN:259W03925-2A	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:CW0182	HRS	0		TSN 0				
WC#: 56.020	AFL	0		TSN 0				
<b>562001 NO. 1 LEFT CABIN WINDOW Component ATA:56</b>								
PN:25FC7881-53A	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:PPA5052	HRS	0		TSN 0				
WC#: 56.025	AFL	0		TSN 0				
<b>562002 NO. 1 RIGHT CABIN WINDOW Component ATA:56</b>								
PN:25FC7881-53A	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:PPA5015	HRS	0		TSN 0				
WC#: 56.025	AFL	0		TSN 0				
<b>562003 NO. 2 LEFT CABIN WINDOW Component ATA:56</b>								
PN:25FC7881-53A	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:PPA5047	HRS	0		TSN 0				
WC#: 56.030	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 56 - WINDOWS</b>									
<b>562004</b>		<b>NO. 2 RIGHT CABIN WINDOW</b>					<b>Component ATA:56</b>		
PN:25FC7881-53A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:PPA5004	HRS	0		TSN 0					
WC#: 56.030	AFL	0		TSN 0					
<hr/>									
<b>562005</b>		<b>NO. 3 LEFT CABIN WINDOW</b>					<b>Component ATA:56</b>		
PN:25FC7881-53A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:PPA5057	HRS	0		TSN 0					
WC#: 56.035	AFL	0		TSN 0					
<hr/>									
<b>562006</b>		<b>NO. 3 RIGHT CABIN WINDOW</b>					<b>Component ATA:56</b>		
PN:25FC7881-53A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:PPA5033	HRS	0		TSN 0					
WC#: 56.035	AFL	0		TSN 0					
<hr/>									
<b>562007</b>		<b>NO. 4 LEFT CABIN WINDOW</b>					<b>Component ATA:56</b>		
PN:25FC7881-53A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:PPA5062	HRS	0		TSN 0					
WC#: 56.040	AFL	0		TSN 0					
<hr/>									
<b>562008</b>		<b>NO. 4 RIGHT CABIN WINDOW</b>					<b>Component ATA:56</b>		
PN:25FC7881-53A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:PPA4996	HRS	0		TSN 0					
WC#: 56.040	AFL	0		TSN 0					
<hr/>									
<b>562009</b>		<b>NO. 5 LEFT CABIN WINDOW</b>					<b>Component ATA:56</b>		
PN:25FC7881-53A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:PPA5050	HRS	0		TSN 0					
WC#: 56.045	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 56 - WINDOWS</b>									
562010	NO. 5 RIGHT CABIN WINDOW							Component	ATA:56
PN:25FC7881-53A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:PPA5038	HRS	0		TSN 0					
WC#: 56.045	AFL	0		TSN 0					
<b>562011 NO. 6 LEFT CABIN WINDOW Component ATA:56</b>									
PN:25FC7881-53A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:PPA5039	HRS	0		TSN 0					
WC#: 56.050	AFL	0		TSN 0					
<b>562012 NO. 6 RIGHT CABIN WINDOW Component ATA:56</b>									
PN:25FC7881-53A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:PPA5045	HRS	0		TSN 0					
WC#: 56.050	AFL	0		TSN 0					
<b>ATA 57 - WINGS</b>									
570001 <sup>S</sup>	INSPECT LEFT FLAP HINGE FITTINGS							Service	ATA:57
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 57.095	AFL	6072						PKG:15,91	
<b>570002 <sup>S</sup> INSPECT RIGHT FLAP HINGE FITTINGS Service ATA:57</b>									
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 57.095	AFL	6072						PKG:16,91	
<b>570003 <sup>S</sup> DETAIL INSPECT LEFT WING INTERNAL STRUCTURE OF THE WING IN THE AREA OF RIBS 0 TO 4 Service ATA:57</b>									
	MOS	08-Dec-23	24 (+2m/-2m)						
	HRS	8690.8							
WC#: 57.090	AFL	6072							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
PKG:63,95									
570004 <sup>S</sup>	INSPECT LEFT FLAP SKIN PROTECTION PANELS (IF FITTED)							Service	ATA:57
	MOS	08-Dec-23	24 (+2m/-2m)						
	HRS	8690.8							
WC#: 57.140	AFL	6072							
PKG:63,95									
570005 <sup>S</sup>	DETAIL INSPECT RIGHT WING INTERNAL STRUCTURE OF THE WING IN THE AREA OF RIBS 0 TO 4							Service	ATA:57
	MOS	08-Dec-23	24 (+2m/-2m)						
	HRS	8690.8							
WC#: 57.090	AFL	6072							
PKG:64,95									
570006 <sup>S</sup>	INSPECT RIGHT FLAP SKIN PROTECTION PANELS (IF FITTED)							Service	ATA:57
	MOS	08-Dec-23	24 (+2m/-2m)						
	HRS	8690.8							
WC#: 57.140	AFL	6072							
PKG:64,95									
570007	X-RAY WING BOTTOM SKINS AND STRINGERS BETWEEN THE FRONT AND REAR SPARS, RIB 0 TO RIB 1 AND BETWEEN THE CENTER SPAR AND REAR SPAR FROM RIB 1 TO RIB 4							Service	ATA:57
	MOS	29-Oct-21	48 (+3m)		29-Oct-25	29-Jan-26	289 d (+92)		
	HRS	8008.7							
WC#: 57.040	AFL	5686							
PROC. REF: NTM 57-30-05PROC. REF: NTM 57-30-05									
570008	DETAIL INSPECT MAIN LANDING GEAR AND SIDESTAY ATTACHMENT FITTINGS							Service	ATA:57
	MOS	29-Oct-21	48 (+3m)		29-Oct-25	29-Jan-26	289 d (+92)		
	HRS	8008.7							
WC#: 57.035	AFL	5686							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
570009	DETAIL INSPECT WING BOTTOM SKIN (LH AND RH) ADJACENT TO FLAP OUTBOARD HINGE AT RIB 8							Service	ATA:57
	MOS	12-Jul-24							
	HRS	8882.6	1200 (+10%)		10082.6	10202.6	1090.1 (+120)		
WC#: 57.070	AFL								
570010	DETAIL INSPECT WING FRONT SPAR, FORWARD FACE							Service	ATA:57
	MOS	29-Oct-21	96 (+3m)		29-Oct-29	29-Jan-30	1750 d (+92)		
	HRS	8008.7	4800 (+10%)		12808.7	13288.7	3816.2 (+480)		
WC#: 57.020	AFL	5686							
PROC. REF: MMS 57-00-00, MMS 57-00-00PROC. REF: MMS 57-00-00, MMS 57-00-00									
570011	INSPECT WING REAR SPAR, REAR FACE							Service	ATA:57
	MOS	29-Oct-21	48 (+3m)		29-Oct-25	29-Jan-26	289 d (+92)		
	HRS	8008.7	2400 (+10%)		10408.7	10648.7	1416.2 (+240)		
WC#: 57.030	AFL	5686							
570012	DETAIL INSPECT LEFT LOWER AIRBRAKE							Service	ATA:57
	MOS	29-Oct-21	48 (+3m)		29-Oct-25	29-Jan-26	289 d (+92)		
	HRS	8008.7	2400 (+10%)		10408.7	10648.7	1416.2 (+240)		
WC#: 27.240	AFL	5686							
570012	DETAIL INSPECT LEFT UPPER AIRBRAKE							Service	ATA:57
	MOS	29-Oct-21	48 (+3m)		29-Oct-25	29-Jan-26	289 d (+92)		
	HRS	8008.7	2400 (+10%)		10408.7	10648.7	1416.2 (+240)		
WC#: 27.240	AFL	5686							
570012	DETAIL INSPECT RIGHT LOWER AIRBRAKE							Service	ATA:57
	MOS	29-Oct-21	48 (+3m)		29-Oct-25	29-Jan-26	289 d (+92)		
	HRS	8008.7	2400 (+10%)		10408.7	10648.7	1416.2 (+240)		
WC#: 27.245	AFL	5686							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
570012	DETAIL INSPECT RIGHT UPPER AIRBRAKE							Service	ATA:57
	MOS	29-Oct-21	48 (+3m)		29-Oct-25	29-Jan-26	289 d (+92)		
	HRS	8008.7	2400 (+10%)		10408.7	10648.7	1416.2 (+240)		
WC#: 27.245	AFL	5686							
570013									
	DETAIL INSPECT AILERONS							Service	ATA:57
	MOS	29-Oct-21	48 (+3m)		29-Oct-25	29-Jan-26	289 d (+92)		
	HRS	8008.7	2400 (+10%)		10408.7	10648.7	1416.2 (+240)		
WC#: 27.020	AFL	5686							
570014									
	LUBRICATE CONNECTING RODS, AILERON TRIM AND SERVO TABS							Service	ATA:57
	MOS	29-Oct-21	48 (+3m)		29-Oct-25	29-Jan-26	289 d (+92)		
	HRS	8008.7	2400 (+10%)		10408.7	10648.7	1416.2 (+240)		
WC#: 57.145	AFL	5686							
570015									
	INSPECT/X RAY AILERONS							Service	ATA:57
	MOS	29-Oct-21	48 (+3m)		29-Oct-25	29-Jan-26	289 d (+92)		
	HRS	8008.7	2400 (+10%)		10408.7	10648.7	1416.2 (+240)		
WC#: 57.100	AFL	5686							
PROC. REF: NTM 57-50-25PROC. REF: NTM 57-50-25									
570016									
	INSPECT/X RAY FLAPS AND FLAP VANES							Service	ATA:57
	MOS	29-Oct-21	48 (+3m)		29-Oct-25	29-Jan-26	289 d (+92)		
	HRS	8008.7	2400 (+10%)		10408.7	10648.7	1416.2 (+240)		
WC#: 57.130	AFL	5686							
PROC. REF: NTM 57-50-15, NTM 57-50-20PROC. REF: NTM 57-50-15, NTM 57-50-20									
570017									
	DETAIL INSPECT WING BOTTOM SKIN AT ATTACHMENT TO FRONT SPAR, BETWEEN RIBS 1 AND 7							Service	ATA:57
	MOS	11-Jun-05							
	HRS	0	T:24000 (+500)		24000	24500	15007.5 (+500)		
WC#: 57.055	AFL	0							
PROC. REF: MMS 57-00-00PROC. REF: MMS 57-00-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
570018	DETAIL INSPECT WING BOTTOM SKIN CENTERLINE JOINT STRAP							Service	ATA:57
	MOS	11-Jun-05							
	HRS	0	T:24000 (+500)		24000	24500	15007.5 (+500)		
WC#: 57.080	AFL	0							
PROC. REF: MMS 57-00-00PROC. REF: MMS 57-00-00									
570019	INSPECT/NDT UPPER SURFACE OF THE WING BOTTOM SKIN AT THE ATTACHMENT TO THE CENTERLINE JOINT ADJACENT TO RIB 0							Service	ATA:57
	MOS	11-Jun-05							
	HRS	0	T:24000 (+500)		24000	24500	15007.5 (+500)		
WC#: 57.060	AFL	0							
PROC. REF: NTM 57-30-15, MMS 57-00-00PROC. REF: NTM 57-30-15, MMS 57-00-00									
570020	INSPECT/NDT WING BOTTOM SKIN CENTERLINE BUTT STRAP AND CENTER SECTION BEAMS (24 POSITIONS)							Service	ATA:57
	MOS	11-Jun-05							
	HRS	0	T:24000 (+500)		24000	24500	15007.5 (+500)		
WC#: 57.075	AFL	0							
PROC. REF: NTM 57-00-10PROC. REF: NTM 57-00-10									
570021	DETAIL INSPECT WING TOP SKIN IN THE AREA THAT IS COVERED BY THE FUSELAGE STRUCTURE AND MAIN ATTACHMENT BRACKETS.							Service	ATA:57
	MOS/MSC	11-Jun-05	A/R						
	HRS	0							
WC#: 57.010	AFL	0							
570022	DETAIL INSPECT REAR SPAR, REAR FACE BETWEEN RIB 1 LH AND RIB 1 RH							Service	ATA:57
	MOS	07-Nov-13							
	HRS	5682.5	4800 (+10%)		10482.5	10962.5	1490 (+480)		
WC#: 57.050	AFL	3972							
PROC. REF: MMS 57-00-00PROC. REF: MMS 57-00-00									
570023	INSPECT/NDT AILERON HORN BALANCE WEIGHT							Service	ATA:57
	MOS	29-Oct-21	48 (+3m)		29-Oct-25	29-Jan-26	289 d (+92)		
	HRS	8008.7							
WC#: 57.135	AFL	5686							
PROC. REF: NTM 57-50-25, MMS 57-00-00PROC. REF: NTM 57-50-25, MMS 57-00-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 57 - WINGS</b>									
570024	DETAIL INSPECT WING BOTTOM SKIN AT ATTACHMENT TO RIB 1 LH AND RH							Service	ATA:57
	MOS	11-Jun-05							
	HRS	0	T:12000 (+500)		12000	12500	3007.5 (+500)		
WC#: 57.065	AFL	0							
PROC. REF: MMS 57-00-00PROC. REF: MMS 57-00-00									
570025	DETAIL INSPECT WING BOTTOM SKIN AT ATTACHMENT TO THE REAR SPAR, BETWEEN RIB 1 LH AND RIB 1 RH							Service	ATA:57
	MOS	29-Oct-21							
	HRS	8008.7	4800 (+10%)		12808.7	13288.7	3816.2 (+480)		
WC#: 57.050	AFL	5686							
PROC. REF: MMS 57-00-00PROC. REF: MMS 57-00-00									
570026	INSPECT WING LEADING EDGES							Service	ATA:57
	MOS	29-Oct-21	48 (+3m)		29-Oct-25	29-Jan-26	289 d (+92)		
	HRS	8008.7							
WC#: 57.025	AFL	5686							
570027	DETAIL INSPECT WING INTERNAL STRUCTURE FORWARD OF THE CENTER SPAR INCLUDING THE FRONT AND CENTER SPARS FROM RIBS 0 TO 4, AND BETWEEN AND INCLUDING THE FRONT AND REAR SPARS FROM RIB 4 TO THE WING TIP							Service	ATA:57
	MOS	29-Oct-21	96 (+3m)		29-Oct-29	29-Jan-30	1750 d (+92)		
	HRS	8008.7	4800 (+10%)		12808.7	13288.7	3816.2 (+480)		
WC#: 57.045	AFL	5686							
570028	INSPECT AILERON AT OUTBOARD HINGE CASTING							Service	ATA:57
	MOS	29-Oct-21	48 (+3m)		29-Oct-25	29-Jan-26	289 d (+92)		
	HRS	8008.7							
WC#: 57.125	AFL	5686							
570029	VISUALLY INSPECT WING OUTER, UPPER AND LOWER SKINS							Service	ATA:57
	MOS/MSC	08-Apr-05	N/R						
	HRS	0							
WC#: 57.155	AFL	0							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 57 - WINGS</b>									
570030	INSPECT LEFT WING RIB 16 AND SPAR FITTING WHERE THE WINGLET IS ATTACHED TO THE WING							Service	ATA:57
	MOS/MSC	07-Nov-13	N/R						
	HRS	5682.5							
	AFL	3972							
<hr/>									
570031	INSPECT RIGHT WING RIB 16 AND SPAR FITTING WHERE THE WINGLET IS ATTACHED TO THE WING							Service	ATA:57
	MOS/MSC	07-Nov-13	N/R						
	HRS	5682.5							
	AFL	3972							
<hr/>									
571010	WING							Component	ATA:57
PN:25-8WS1-5A	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:258716	HRS	0		TSN 0					
WC#: 57.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
571109	REPLACE LEFT FLAP HINGE ATTACHMENT ANGLES TO MAIN LANDING GEAR MOUNTING FITTING BOLTS							Service	ATA:57
	MOS	08-Apr-05						LIFE LIMIT	
	HRS	0							
WC#: 57.150	AFL	0	14600		14600		8377		
<hr/>									
571110	REPLACE RIGHT FLAP HINGE ATTACHMENT ANGLES TO MAIN LANDING GEAR MOUNTING FITTING BOLTS							Service	ATA:57
	MOS	08-Apr-05						LIFE LIMIT	
	HRS	0							
WC#: 57.150	AFL	0	14600		14600		8377		
<hr/>									
574001	LEFT LEADING EDGE ASSEMBLY							Component	ATA:57
PN:25-8WS3299-3A	MOS/MSC	26-May-05	O/C						
SN:AST04M767	HRS	7.1							
WC#: 57.085	AFL	8							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 57 - WINGS</b>									
574002	RIGHT LEADING EDGE ASSEMBLY							Component	ATA:57
PN:25-8WS3299-4A	MOS/MSC	26-May-05	O/C						
SN:AST04M794	HRS	7.1							
WC#: 57.085	AFL	8							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>ATA 71 - POWER PLANT</b>									
710049	COMPRESSOR WASH NO. 1 ENGINE							Service	ATA:71
	MOS/MSC	08-Apr-05	O/C						
	HRS	0							
WC#: 71.025	AFL	0							
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM									
710050	COMPRESSOR WASH NO. 2 ENGINE							Service	ATA:71
	MOS/MSC	07-Nov-13	O/C						
	HRS	5682.5							
WC#: 71.025	AFL	3972							
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM									
710081	NO. 1 ENGINE INLET COWL							Component	ATA:71
PN:C46B-11000-21	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:B-556	HRS	0		TSN 0					
WC#: 71.055	AFL	0		TSN 0					
710082	NO. 2 ENGINE INLET COWL							Component	ATA:71
PN:C46B-11000-22	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:B-556	HRS	0		TSN 0					
WC#: 71.055	AFL	0		TSN 0					
710083	NO. 1 ENGINE UPPER FAN COWL DOOR							Component	ATA:71
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 71.060	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 71 - POWER PLANT</b>									
710084	NO. 2 ENGINE UPPER FAN COWL DOOR							Component	ATA:71
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 71.060	AFL	0		TSN 0					
710089	NO. 1 ENGINE LOWER FAN COWL DOOR							Component	ATA:71
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 71.070	AFL	0		TSN 0					
710090	NO. 2 ENGINE LOWER FAN COWL DOOR							Component	ATA:71
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 71.070	AFL	0		TSN 0					
712001	NO. 1 ENGINE MOUNTING							Component	ATA:71
PN:3071070-4	MOS/MSC	11-Apr-07	O/C						
SN:04P11308	HRS	1471.6							
WC#: 71.075	AFL	979							
712002	NO. 2 ENGINE MOUNTING							Component	ATA:71
PN:3071070-4	MOS/MSC	08-Aug-08	O/C						
SN:05P11502	HRS								
WC#: 71.080	AFL								
714010 <sup>S</sup>	NO. 1 ENGINE - CHECK ELECTRICAL WIRING AND CONNECTIONS							Service	ATA:71
	MOS	07-Aug-23							
	HRS	8403.8	800						
WC#: 71.030	ENC	5653							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:3

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 71 - POWER PLANT</b>									
714010 <sup>S</sup>	NO. 2 ENGINE - CHECK ELECTRICAL WIRING AND CONNECTIONS							Service	ATA:71
	MOS	07-Jun-24							
	HRS	8130.1	800						
WC#: 71.030	ENC	5496							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:4									
715010 <sup>S</sup>	NO. 1 ENGINE - CHECK PLUMBING LINES AND CONNECTIONS							Service	ATA:71
	MOS	07-Aug-23							
	HRS	8403.8	800						
WC#: 71.040	ENC	5653							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:3									
715010 <sup>S</sup>	NO. 2 ENGINE - CHECK PLUMBING LINES AND CONNECTIONS							Service	ATA:71
	MOS	07-Jun-24							
	HRS	8130.1	800						
WC#: 71.040	ENC	5496							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:4									
71EN1	NO. 1 ENGINE							Component	ATA:71
PN:3075160-4	MOS/MSC	19-Sep-17	E/C						
SN:P-107422	HRS	7023.3		TSN 6814.1					
WC#: 71.EN1	AFL	4966							
71EN2	NO. 2 ENGINE							Component	ATA:71
PN:3075160-4	MOS/MSC	10-Jul-24	E/C						
SN:P-107862	HRS	8892.1							
WC#: 71.EN2	AFL	6160							
<b>ATA 72 - ENGINE</b>									
720002	INSPECT NO. 1 ENGINE AFT COWLING/INNER FAN DUCT AND EXHAUST DUCT							Service	ATA:72
	MOS	14-May-15						PART OF MPI	
	HRS	6409.8	2500 (+10%)		8909.8	9159.8	TOL (+167.3)		

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
WC#: 72.030	AFL	4510							
720002	INSPECT NO. 2 ENGINE AFT COWLING/INNER FAN DUCT AND EXHAUST DUCT							Service	ATA:72
	MOS	10-Jul-24						PART OF MPI	
	HRS	8892.1	2500 (+10%)		11392.1	11642.1	2399.6 (+250)		
WC#: 72.030	AFL	6160							
720003	DETAIL INSPECT NO. 1 ENGINE EXHAUST NOZZLE/EXHAUST PIPE V CLAMP							Service	ATA:72
	MOS	14-May-15						PART OF MPI	
	HRS	6409.8	2500 (+10%)		8909.8	9159.8	TOL (+167.3)		
WC#: 72.040	AFL	4510							
720003	DETAIL INSPECT NO. 2 ENGINE EXHAUST NOZZLE/EXHAUST PIPE V CLAMP							Service	ATA:72
	MOS	10-Jul-24						PART OF MPI	
	HRS	8892.1	2500 (+10%)		11392.1	11642.1	2399.6 (+250)		
WC#: 72.040	AFL	6160							
720120	NO. 1 ENGINE - MAJOR PERIODIC INSPECTION (MPI)							Service	ATA:72
	MOS	29-Jan-16							
	HRS	6309.5	2500 (+100)		(8809.5) 9018.4	8909.5	25.9 (+100)		
WC#: 71.010	ENC	4434							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
720120	NO. 2 ENGINE - MAJOR PERIODIC INSPECTION (MPI)							Service	ATA:72
	MOS	07-Jun-24							
	HRS	8130.1	2500 (+100)		(10630.1) 11392.1	10730.1	2399.6 (+100)		
WC#: 71.010	ENC	5496							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 72 - ENGINE</b>								
720130 <sup>S</sup>	NO. 1 ENGINE - INSPECT FAN ROTOR ASSEMBLY BLADES							Service ATA:72
	MOS		07-Aug-23					
	HRS		8403.8	800				
WC#: 71.020	ENC		5653					
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
PKG:3								
720130 <sup>S</sup>	NO. 2 ENGINE - INSPECT FAN ROTOR ASSEMBLY BLADES							Service ATA:72
	MOS		07-Jun-24					
	HRS		8130.1	800				
WC#: 71.020	ENC		5496					
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
PKG:4								
721001	NO. 1 ENGINE - PRESERVATION OF ENGINE							Service ATA:72
	MOS/MSC		14-Mar-13	O/C				
	HRS		5847.7					
WC#: 72.001	ENC		4085					
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
721001	NO. 2 ENGINE - PRESERVATION OF ENGINE							Service ATA:72
	MOS/MSC		21-Jun-13	O/C				
	HRS		5561.1					
WC#: 72.001	ENC		3831					
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
721002	NO. 1 ENGINE - PERFORM ENGINE PRESERVATION CHECK							Service ATA:72
	MOS/MSC		23-Aug-17	O/C				
	HRS		6814.1					
WC#: 72.001	ENC		4800					
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								
721002	NO. 2 ENGINE - PERFORM ENGINE PRESERVATION CHECK							Service ATA:72
	MOS/MSC		21-Jun-13	O/C				
	HRS		5561.1					
WC#: 72.001	ENC		3831					
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
721003	NO. 1 ENGINE - DE-PRESERVATION OF ENGINE							Service	ATA:72
	MOS/MSC	21-Dec-12	O/C						
	HRS	5817.5							
WC#: 72.001	ENC	4065							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
721003	NO. 2 ENGINE - DE-PRESERVATION OF ENGINE							Service	ATA:72
	MOS/MSC	10-Dec-03	O/C						
	HRS	0							
WC#: 72.001	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
723110	NO. 1 ENGINE - COMPRESSOR ZONE INSPECTION (CZI)							Service	ATA:72
	MOS	29-Apr-08							
	HRS	4179.1	5000 (+200)		(9179.1) 9388	9379.1	395.5 (+200)		
WC#: 72.010	ENC	2974							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
723110	NO. 2 ENGINE - COMPRESSOR ZONE INSPECTION (CZI)							Service	ATA:72
	MOS	07-Jun-24							
	HRS	8130.1	5000 (+200)		(13130.1) 13892.1	13330.1	4899.6 (+200)		
WC#: 72.010	ENC	5496							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
724110	NO. 1 ENGINE - COMBUSTION CHAMBER PLENUM CASE							Component	ATA:72
PN:3072443-5	MOS/MSC	19-Nov-15	O/C						
SN:99P10840	HRS	6309.5		TSN 6309.5					
WC#: 72.020	ENC	4434		TSN 4434					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
724110	NO. 2 ENGINE - COMBUSTION CHAMBER PLENUM CASE							Component	ATA:72
PN:3075749-2	MOS/MSC	07-Jun-24	O/C	TSO 0					
SN:10-3300-00302	HRS	8130.1		TSO 0					
WC#: 72.020	ENC	5496		TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
724120	NO. 1 ENGINE - INSPECT COMBUSTION CHAMBER PLENUM CASE							Service	ATA:72
PN:3072443-5	MOS	19-Nov-15							
SN:99P10840	HRS	6309.5	2500 (+100)		(8809.5) 9018.4	8909.5	25.9 (+100)		
	ENC	4434							
PROC. REF: LMM 72-40-04PROC. REF: LMM 72-40-04									
724120	NO. 2 ENGINE - INSPECT COMBUSTION CHAMBER PLENUM CASE							Service	ATA:72
PN:3075749-2	MOS	07-Jun-24							
SN:10-3300-00302	HRS	8130.1	2500 (+100)		(10630.1) 11392.1	10730.1	2399.6 (+100)		
WC#: 72.030	ENC	5496							
PROC. REF: LMM 72-40-04PROC. REF: LMM 72-40-04									
725010	NO. 1 ENGINE - STAGE 1 LOW PRESSURE TURBINE DISC							Component	ATA:72
PN:70080020-2	MOS	19-Nov-15		TSN 0				LIFE LIMIT	
SN:13-156103-00620	HRS	6309.5		TSN 0					
WC#: 72.040	ENC	4434	10000	TSN 0	(14434) 14801		8578		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - STAGE 1 LOW PRESSURE TURBINE DISC							Component	ATA:72
PN:70080020-2	MOS	21-Jun-13		TSN 0				LIFE LIMIT	
SN:12-156103-00513	HRS	5561.1		TSN 0					
WC#: 72.040	ENC	3831	10000	TSN 0	(13831) 14495		8272		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725020	NO. 1 ENGINE - STAGE 2 LOW PRESSURE TURBINE DISC							Component	ATA:72
PN:3075425-1	MOS	19-Nov-15						LIFE LIMIT	
SN:980322904044	HRS	6309.5		TSN 6309.5					
WC#: 72.050	ENC	4434	10000	TSN 4434	(10000) 10367		4144		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
725020	NO. 2 ENGINE - STAGE 2 LOW PRESSURE TURBINE DISC							Component	ATA:72
PN:3075425-1	MOS	10-Dec-03						LIFE LIMIT	
SN:020322902720	HRS	0							
WC#: 72.050	ENC	0	10000	TSN 0	(10000) 10664		4441		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
725030	NO. 1 ENGINE - STAGE 3 LOW PRESSURE TURBINE DISC							Component	ATA:72
PN:3075436-1	MOS	19-Nov-15						LIFE LIMIT	
SN:981217200427	HRS	6309.5		TSN 6309.5					
WC#: 72.060	ENC	4434	10000	TSN 4434	(10000) 10367		4144		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
725030	NO. 2 ENGINE - STAGE 3 LOW PRESSURE TURBINE DISC							Component	ATA:72
PN:3075573-1	MOS	10-Dec-03						LIFE LIMIT	
SN:030322901433	HRS	0							
WC#: 72.060	ENC	0	12000	TSN 0	(12000) 12664		6441		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
725040	NO. 1 ENGINE - HIGH PRESSURE TURBINE DISC							Component	ATA:72
PN:3075227-2	MOS	19-Nov-15						LIFE LIMIT	
SN:991217200123	HRS	6309.5		TSN 6309.5					
WC#: 72.070	ENC	4434	10000	TSN 4434	(10000) 10367		4144		
PROC. REF: LMM 72-50-06PROC. REF: LMM 72-50-06									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725040	NO. 2 ENGINE - HIGH PRESSURE TURBINE DISC							Component	ATA:72
PN:3075772-1	MOS	01-Dec-03						LIFE LIMIT	
SN:031217200198	HRS	0							
WC#: 72.070	ENC	0	10000	TSN 0	(10000) 10664		4441		
PROC. REF: LMM 72-50-06PROC. REF: LMM 72-50-06									
<hr/>									
725050	NO. 1 ENGINE - FAN DISC							Component	ATA:72
PN:3074621-4	MOS	19-Nov-15						LIFE LIMIT	
SN:980322904875	HRS	6309.5		TSN 6309.5					
WC#: 72.080	ENC	4434	10000	TSN 4434	(10000) 10367		4144		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
725050	NO. 2 ENGINE - FAN DISC							Component	ATA:72
PN:3074621-4	MOS	10-Dec-03						LIFE LIMIT	
SN:030322901225	HRS	0							
WC#: 72.080	ENC	0	10000	TSN 0	(10000) 10664		4441		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
725060	NO. 1 ENGINE - STAGE 1 LOW PRESSURE COMPRESSOR DISC							Component	ATA:72
PN:3072395-2	MOS	19-Nov-15						LIFE LIMIT	
SN:990316000761	HRS	6309.5		TSN 6309.5					
WC#: 72.090	ENC	4434	10000	TSN 4434	(10000) 10367		4144		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
725060	NO. 2 ENGINE - STAGE 1 LOW PRESSURE COMPRESSOR DISC							Component	ATA:72
PN:3072395-2	MOS	07-Jun-24		TSN 0				LIFE LIMIT	
SN:22-127865-00073	HRS	8130.1		TSN 0					
WC#: 72.090	ENC	5496	10000	TSN 0	(15496) 16160		9937		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725070	NO. 1 ENGINE - STAGE 2 LOW PRESSURE COMPRESSOR DISC							Component	ATA:72
PN:3072396-3	MOS	19-Nov-15						LIFE LIMIT	
SN:980316005429	HRS	6309.5		TSN 6309.5					
WC#: 72.100	ENC	4434	10000	TSN 4434	(10000) 10367		4144		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
725070	NO. 2 ENGINE - STAGE 2 LOW PRESSURE COMPRESSOR DISC							Component	ATA:72
PN:3072396-3	MOS	10-Dec-03						LIFE LIMIT	
SN:030316001799	HRS	0							
WC#: 72.100	ENC	0	10000	TSN 0	(10000) 10664		4441		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
725080	NO. 1 ENGINE - STAGE 3 LOW PRESSURE COMPRESSOR DISC							Component	ATA:72
PN:3072397-3	MOS	19-Nov-15						LIFE LIMIT	
SN:990316000833	HRS	6309.5		TSN 6309.5					
WC#: 72.110	ENC	4434	10000	TSN 4434	(10000) 10367		4144		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
725080	NO. 2 ENGINE - STAGE 3 LOW PRESSURE COMPRESSOR DISC							Component	ATA:72
PN:3072397-3	MOS	10-Dec-03						LIFE LIMIT	
SN:030316002359	HRS	0							
WC#: 72.110	ENC	0	10000	TSN 0	(10000) 10664		4441		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
725090	NO. 1 ENGINE - STAGE 4 LOW PRESSURE COMPRESSOR DISC							Component	ATA:72
PN:3075326-3	MOS	19-Nov-15						LIFE LIMIT	
SN:990350101154	HRS	6309.5		TSN 6309.5					
WC#: 72.120	ENC	4434	20000	TSN 4434	(20000) 20367		14144		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725090	NO. 2 ENGINE - STAGE 4 LOW PRESSURE COMPRESSOR DISC							Component	ATA:72
PN:3075326-3	MOS	10-Dec-03						LIFE LIMIT	
SN:031365103199	HRS	0							
WC#: 72.120	ENC	0	20000	TSN 0	(20000) 20664		14441		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>725091 NO. 1 ENGINE - LOW PRESSURE COMPRESSOR TIE ROD Component ATA:72</b>									
PN:3074744-1	MOS/MSC	19-Nov-15	O/C						
SN:991119500104	HRS	6309.5		TSN 6309.5					
WC#: 72.130	ENC	4434		TSN 4434					
PROC. REF: LMM 72-30-10PROC. REF: LMM 72-30-10									
<b>725091 NO. 2 ENGINE - LOW PRESSURE COMPRESSOR TIE ROD Component ATA:72</b>									
PN:3074744-1	MOS/MSC	07-Jun-24	O/C	TSO 0					
SN:1P-13117	HRS	8130.1		TSO 0					
WC#: 72.130	ENC	5496		TSO 0					
PROC. REF: LMM 72-30-10PROC. REF: LMM 72-30-10									
<b>725110 NO. 1 ENGINE - HIGH PRESSURE COMPRESSOR IMPELLER Component ATA:72</b>									
PN:3073398-3	MOS	19-Nov-15						LIFE LIMIT	
SN:995332200533	HRS	6309.5		TSN 6309.5					
WC#: 72.140	ENC	4434	10000	TSN 4434	(10000) 10367		4144		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<b>725110 NO. 2 ENGINE - HIGH PRESSURE COMPRESSOR IMPELLER Component ATA:72</b>									
PN:3075765-1	MOS	10-Dec-03						LIFE LIMIT	
SN:030322901372	HRS	0							
WC#: 72.140	ENC	0	10000	TSN 0	(10000) 10664		4441		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725120	NO. 1 ENGINE - ROTATING AIR SEAL							Component	ATA:72
PN:PN	MOS/MSC	23-Jul-99	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 72.260	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725120	NO. 2 ENGINE - ROTATING AIR SEAL							Component	ATA:72
PN:PN	MOS/MSC	10-Dec-03	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 72.260	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725130	NO. 1 ENGINE - HIGH PRESSURE COMPRESSOR SHOULDERED SHAFT							Component	ATA:72
PN:3072545-1	MOS	19-Nov-15						LIFE LIMIT	
SN:99P11663	HRS	6309.5		TSN 6309.5					
WC#: 72.150	ENC	4434	12000	TSN 4434	(12000) 12367		6144		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725130	NO. 2 ENGINE - HIGH PRESSURE COMPRESSOR SHOULDERED SHAFT							Component	ATA:72
PN:3072545-1	MOS	10-Dec-03						LIFE LIMIT	
SN:03P19570	HRS	0							
WC#: 72.150	ENC	0	12000	TSN 0	(12000) 12664		6441		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725140	NO. 1 ENGINE - HIGH PRESSURE TURBINE ROTOR SEAL PLATE							Component	ATA:72
PN:3075579-1	MOS	19-Nov-15						LIFE LIMIT	
SN:990316000591	HRS	6309.5		TSN 6309.5					
WC#: 72.160	ENC	4434	30000	TSN 4434	(30000) 30367		24144		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725140	NO. 2 ENGINE - HIGH PRESSURE TURBINE ROTOR SEAL PLATE							Component	ATA:72
PN:3075579-1	MOS	10-Dec-03						LIFE LIMIT	
SN:030316001460	HRS	0							
WC#: 72.160	ENC	0	30000	TSN 0	(30000) 30664		24441		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
725150	NO. 1 ENGINE - FAN DRIVE SHAFT							Component	ATA:72
PN:3074641-4	MOS/MSC	19-Nov-15	O/C						
SN:99P13350	HRS	6309.5		TSN 6309.5					
WC#: 72.170	ENC	4434		TSN 4434					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
725150	NO. 2 ENGINE - FAN DRIVE SHAFT							Component	ATA:72
PN:3074641-4	MOS/MSC	10-Dec-03	O/C	TSN 0					
SN:03P19546	HRS	0		TSN 0					
WC#: 72.170	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
725160	NO. 1 ENGINE - TURBINE INTERSTAGE TRANSITION DUCT							Component	ATA:72
PN:3075292-4	MOS/MSC	19-Nov-15	O/C	TSN 0					
SN:1P-6300	HRS	6309.5		TSN 0					
WC#: 72.180	ENC	4434		TSN 0					
PROC. REF: LMM 72-50-05PROC. REF: LMM 72-50-05									
<hr/>									
725160	NO. 2 ENGINE - TURBINE INTERSTAGE TRANSITION DUCT							Component	ATA:72
PN:3075292-4	MOS/MSC	07-Jun-24	O/C	TSO 0					
SN:04P01378	HRS	8130.1		TSO 0					
WC#: 72.180	ENC	5496		TSO 0					
PROC. REF: LMM 72-50-05PROC. REF: LMM 72-50-05									
<hr/>									
725180	NO. 1 ENGINE - STAGE 1 LOW PRESSURE TURBINE NOZZLE							Component	ATA:72
PN:3075406-8	MOS/MSC	19-Nov-15	O/C						
SN:99P09800	HRS	6309.5							
WC#: 72.190	ENC	4434							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725180	NO. 2 ENGINE - STAGE 1 LOW PRESSURE TURBINE NOZZLE							Component	ATA:72
PN:3075406-8	MOS/MSC	07-Jun-24	O/C	TSN 0					
SN:23-3300-04472	HRS	8130.1		TSN 0					
WC#: 72.190	ENC	5496		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725190	NO. 1 ENGINE - LOW PRESSURE TURBINE ROTATING AIR SEAL							Component	ATA:72
PN:3073765-9	MOS/MSC	19-Nov-15	O/C						
SN:99P12387	HRS	6309.5		TSN 6309.5					
WC#: 72.200	ENC	4434		TSN 4434					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725190	NO. 2 ENGINE - LOW PRESSURE TURBINE ROTATING AIR SEAL							Component	ATA:72
PN:3073765-9	MOS/MSC	10-Dec-03	O/C	TSN 0					
SN:03P17085	HRS	0		TSN 0					
WC#: 72.200	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725191	NO. 1 ENGINE - LOW PRESSURE TURBINE ROTATING AIR SEAL SUPPORT							Component	ATA:72
PN:3074052-2	MOS/MSC	19-Nov-15	O/C						
SN:99P12642	HRS	6309.5		TSN 6309.5					
WC#: 72.210	ENC	4434		TSN 4434					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725191	NO. 2 ENGINE - LOW PRESSURE TURBINE ROTATING AIR SEAL SUPPORT							Component	ATA:72
PN:3074052-2	MOS/MSC	10-Dec-03	O/C	TSN 0					
SN:03P14456	HRS	0		TSN 0					
WC#: 72.210	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725230	NO. 1 ENGINE - FAN SPINNER							Component	ATA:72
PN:3074623-3	MOS/MSC	19-Nov-15	O/C	TSN 0					
SN:14-5060-00137	HRS	6309.5		TSN 0					
WC#: 72.220	ENC	4434		TSN 0					
PROC. REF: GENERIC NO REF, LMM 72-70-01PROC. REF: GENERIC NO REF, LMM 72-70-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725230	NO. 2 ENGINE - FAN SPINNER							Component	ATA:72
PN:3074623-3	MOS/MSC	07-Jun-24	O/C	TSN 0					
SN:22-1034-35871	HRS	8130.1		TSN 0					
WC#: 72.220	ENC	5496		TSN 0					
PROC. REF: GENERIC NO REF, LMM 72-70-01PROC. REF: GENERIC NO REF, LMM 72-70-01									
<hr/>									
726110	NO. 1 ENGINE - ACCESSORY GEARBOX							Component	ATA:72
PN:3070003-29	MOS/MSC	19-Nov-15	O/C						
SN:S1121	HRS	6309.5		TSN 6309.5					
WC#: 72.230	ENC	4434		TSN 4434					
PROC. REF: LMM 72-60-02PROC. REF: LMM 72-60-02									
<hr/>									
726110	NO. 2 ENGINE - ACCESSORY GEARBOX							Component	ATA:72
PN:3070003-29	MOS/MSC	21-Jun-13	O/C						
SN:S-2000	HRS	5561.1		TSN 5561					
WC#: 72.230	ENC	3831							
PROC. REF: LMM 72-60-02PROC. REF: LMM 72-60-02									
<hr/>									
726120	NO. 1 ENGINE - INSPECT ACCESSORY GEARBOX							Service	ATA:72
PN:3070003-29	MOS	29-Apr-08							
SN:S1121	HRS	4179.1	5000 (+200)		(9179.1) 9388	9379.1	395.5 (+200)		
WC#: 72.240	ENC	2974							
PROC. REF: LMM 72-60-02PROC. REF: LMM 72-60-02									
<hr/>									
726120	NO. 2 ENGINE - INSPECT ACCESSORY GEARBOX							Service	ATA:72
PN:3070003-29	MOS	07-Jun-24							
SN:S-2000	HRS	8130.1	5000 (+200)		(13130.1) 13892.1	13330.1	4899.6 (+200)		
WC#: 72.240	ENC	5496							
PROC. REF: LMM 72-60-02PROC. REF: LMM 72-60-02									
<hr/>									
726130	NO. 1 ENGINE - TRANSFER GEARBOX							Component	ATA:72
PN:3070093-12	MOS/MSC	19-Nov-15	O/C						
SN:P9321	HRS	6309.5		TSN 6309.5					
WC#: 72.250	ENC	4434		TSN 4434					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
PROC. REF: LMM 72-60-01PROC. REF: LMM 72-60-01									
726130	NO. 2 ENGINE - TRANSFER GEARBOX							Component	ATA:72
PN:3070093-12	MOS/MSC	21-Jun-13	O/C						
SN:03P11015	HRS	5561.1		TSN 5561					
WC#: 72.250	ENC	3831							
PROC. REF: LMM 72-60-01PROC. REF: LMM 72-60-01									
726140	NO. 1 ENGINE - INSPECT TRANSFER GEARBOX							Service	ATA:72
PN:3070093-12	MOS/MSC	23-Jul-99	O/C						
SN:P9321	HRS	0							
WC#: 72.280	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
726140	NO. 2 ENGINE - INSPECT TRANSFER GEARBOX							Service	ATA:72
PN:3070093-12	MOS/MSC	10-Dec-03	O/C						
SN:03P11015	HRS	0							
WC#: 72.280	ENC	0							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
727110	NO. 1 ENGINE - INSPECT FAN SUPPORT ASSEMBLY							Service	ATA:72
	MOS	29-Apr-08							
	HRS	4179.1	5000 (+200)		(9179.1) 9388	9379.1	395.5 (+200)		
WC#: 72.270	ENC	2974							
PROC. REF: LMM 72-70-06PROC. REF: LMM 72-70-06									
727110	NO. 2 ENGINE - INSPECT FAN SUPPORT ASSEMBLY							Service	ATA:72
	MOS	07-Jun-24							
	HRS	8130.1	5000 (+200)		(13130.1) 13892.1	13330.1	4899.6 (+200)		
WC#: 72.270	ENC	5496							
PROC. REF: LMM 72-70-06PROC. REF: LMM 72-70-06									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>									
730001 <sup>S</sup>	DRAIN PT2 PIPELINES TO FUEL COMPUTERS							Service	ATA:73
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 73.050	AFL	6072						PKG:13,91	
<hr/>									
731110	NO. 1 ENGINE - FUEL PUMP							Component	ATA:73
PN:3060710-23	MOS/MSC	13-Dec-22	O/C		TSO 0				
SN:0811	HRS	8094.7			TSO 0				
WC#: 73.010	ENC	5494			TSO 0				
PROC. REF: LMM 73-20-01, LMM 73-21-02PROC. REF: LMM 73-20-01, LMM 73-21-02									
<hr/>									
731110	NO. 2 ENGINE - FUEL PUMP							Component	ATA:73
PN:3060710-16	MOS/MSC	21-Jun-13	O/C						
SN:0929	HRS	5561.1			TSN 5561				
WC#: 73.010	ENC	3831							
PROC. REF: LMM 73-20-01, LMM 73-21-02PROC. REF: LMM 73-20-01, LMM 73-21-02									
<hr/>									
731120 <sup>S</sup>	NO. 1 ENGINE - REMOVE AND REPLACE FUEL FILTER ELEMENT							Service	ATA:73
	MOS	13-Dec-24							
	HRS	8783.6	300 (+100)						
WC#: 73.010	ENC	5856						PKG:2	
PROC. REF: LMM 73-21-02, LMM 73-21-02PROC. REF: LMM 73-21-02, LMM 73-21-02									
<hr/>									
731120 <sup>S</sup>	NO. 2 ENGINE - REMOVE AND REPLACE FUEL FILTER ELEMENT							Service	ATA:73
	MOS	27-Aug-24							
	HRS	8143.1	300 (+100)						
WC#: 73.010	ENC	5505						PKG:2	
PROC. REF: LMM 73-21-02, LMM 73-21-02PROC. REF: LMM 73-21-02, LMM 73-21-02									
<hr/>									
731130	NO. 1 ENGINE - FLOW DIVIDER/DRAIN VALVE							Component	ATA:73
PN:394396-2-1	MOS/MSC	23-Jul-99	O/C		TSN 0				
SN:9978	HRS	0			TSN 0				
WC#: 73.030	ENC	0			TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731130	NO. 2 ENGINE - FLOW DIVIDER/DRAIN VALVE							Component	ATA:73
PN:394396-2-1	MOS/MSC	10-Dec-03	O/C	TSN 0					
SN:10828	HRS	0		TSN 0					
WC#: 73.030	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731140	NO. 1 ENGINE - FUEL HEATER							Component	ATA:73
PN:158670-5	MOS/MSC	17-Apr-15	O/C						
SN:19-7475	HRS	6309.5							
WC#: 73.040	ENC	4434							
PROC. REF: LMM 73-10-04PROC. REF: LMM 73-10-04									
731140	NO. 2 ENGINE - FUEL HEATER							Component	ATA:73
PN:158670-5	MOS/MSC	10-Dec-03	O/C	TSN 0					
SN:8410	HRS	0		TSN 0					
WC#: 73.040	ENC	0		TSN 0					
PROC. REF: LMM 73-10-04PROC. REF: LMM 73-10-04									
731150 <sup>S</sup>	NO. 1 ENGINE - CHECK FUEL HEATER OIL TUBES (FLUID TRANSFER TUBE)							Service	ATA:73
	MOS	07-Aug-23							
	HRS	8403.8	800						
WC#: 73.050	ENC	5653							
PROC. REF: LMM 79-20-06PROC. REF: LMM 79-20-06									
731150 <sup>S</sup>	NO. 2 ENGINE - CHECK FUEL HEATER OIL TUBES (FLUID TRANSFER TUBE)							Service	ATA:73
	MOS	07-Jun-24							
	HRS	8130.1	800						
WC#: 73.050	ENC	5496							
PROC. REF: LMM 79-20-06PROC. REF: LMM 79-20-06									

PKG:3

PKG:4

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>								
<b>731160<sup>S</sup> NO. 1 ENGINE - FUEL HEATER CHECK VALVE</b> Component ATA:73								
PN:PN	MOS/MSC		O/C					
SN:UNKNOWN	HRS							
WC#: 73.060	ENC							
PROC. REF: LMM 73-10-04PROC. REF: LMM 73-10-04								
<b>731160 NO. 2 ENGINE - FUEL HEATER CHECK VALVE</b> Component ATA:73								
PN:PN	MOS/MSC	10-Dec-03	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 73.060	ENC	0			TSN 0			
PROC. REF: LMM 73-10-04PROC. REF: LMM 73-10-04								
<b>732025 NO. 1 ENGINE LOW FUEL PRESSURE SWITCH</b> Component ATA:73								
PN:HTE690014-2	MOS/MSC	08-Apr-05	O/C		TSN 0			
SN:20192	HRS	0			TSN 0			
WC#: 73.020	AFL	0			TSN 0			
<b>732026 NO. 2 ENGINE LOW FUEL PRESSURE SWITCH</b> Component ATA:73								
PN:HTE690014-2	MOS/MSC	08-Apr-05	O/C		TSN 0			
SN:20003	HRS	0			TSN 0			
WC#: 73.020	AFL	0			TSN 0			
<b>732037 NO. 1 ENGINE FUEL FILTER TEMPERATURE SWITCH</b> Component ATA:73								
PN:HE60010	MOS/MSC	30-Sep-14	O/C		TSN 0			
SN:1664TW	HRS	6275.2			TSN 0			
WC#: 73.025	AFL	4416			TSN 0			
<b>732038 NO. 2 ENGINE FUEL FILTER TEMPERATURE SWITCH</b> Component ATA:73								
PN:HE60010	MOS/MSC	08-Apr-05	O/C		TSN 0			
SN:1595TW	HRS	0			TSN 0			
WC#: 73.025	AFL	0			TSN 0			

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>								
<b>732109 ENGINE FUEL SYNCHRONIZER</b>								Component ATA:73
PN:2118756-1	MOS/MSC	16-Sep-09	O/C					
SN:19-C0229	HRS	3258.2						
WC#: 73.035	AFL	2188						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>732110 NO. 1 ENGINE - FUEL CONTROL UNIT</b>								Component ATA:73
PN:3070800-35	MOS/MSC	19-Nov-15	O/C					
SN:A9394C	HRS	6309.5						
WC#: 73.070	ENC	4434						
PROC. REF: LMM 73-20-01PROC. REF: LMM 73-20-01								
<b>732110 NO. 2 ENGINE - FUEL CONTROL UNIT</b>								Component ATA:73
PN:3070800-45	MOS/MSC	07-Jun-24	O/C	TSO 0				
SN:12929	HRS	8130.1		TSO 0				
WC#: 73.070	ENC	5496		TSO 0				
PROC. REF: LMM 73-20-01PROC. REF: LMM 73-20-01								
<b>732120 NO. 1 ENGINE - PRESSURE LIMITER VALVE</b>								Component ATA:73
PN:3070685-6	MOS/MSC	17-Apr-15	O/C					
SN:1417	HRS	6309.5						
WC#: 73.080	ENC	4434						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>732120 NO. 2 ENGINE - PRESSURE LIMITER VALVE</b>								Component ATA:73
PN:3070685-6	MOS/MSC	10-Dec-03	O/C	TSN 0				
SN:15932	HRS	0		TSN 0				
WC#: 73.080	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>732160<sup>S</sup> NO. 1 ENGINE - FUEL FLOW TRANSMITTER</b>								Component ATA:73
PN:PN	MOS/MSC		O/C					
SN:UNKNOWN	HRS							
WC#: 73.090	ENC							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>								
<b>732160 NO. 2 ENGINE - FUEL FLOW TRANSMITTER Component ATA:73</b>								
PN:PN	MOS/MSC	10-Dec-03	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 73.090	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>733001 NO. 1 ENGINE FUEL FLOW TRANSMITTER Component ATA:73</b>								
PN:9-127-55	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:J9836	HRS	0		TSN 0				
WC#: 73.040	AFL	0		TSN 0				
<b>733002 NO. 2 ENGINE FUEL FLOW TRANSMITTER Component ATA:73</b>								
PN:9-127-55	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:J9882	HRS	0		TSN 0				
WC#: 73.040	AFL	0		TSN 0				
<b>733013 NO. 1 ENGINE FUEL FLOW INDICATOR Component ATA:73</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 73.045	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>733014 NO. 2 ENGINE FUEL FLOW INDICATOR Component ATA:73</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 73.045	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>ATA 74 - IGNITION</b>								
<b>741110 NO. 1 ENGINE - IGNITION UNIT Component ATA:74</b>								
PN:3073776-1	MOS/MSC	18-Mar-15	O/C	TSN 0				
SN:J14470107	HRS	6309.5		TSN 0				
WC#: 74.010	ENC	4434		TSN 0				
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 74 - IGNITION</b>									
741110	NO. 2 ENGINE - IGNITION UNIT							Component	ATA:74
PN:3073776-1	MOS/MSC	19-Sep-15	O/C						
SN:020218032611	HRS	6473.6							
WC#: 74.010	ENC	4520							
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01									
741120 <sup>S</sup>	NO. 1 ENGINE - OPERATIONAL CHECK IGNITION SYSTEM							Service	ATA:74
	MOS	10-Jul-24							
	HRS	8683.2	1200 (+200)						
WC#: 74.010	ENC	5793						PKG:0	
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01									
741120 <sup>S</sup>	NO. 2 ENGINE - OPERATIONAL CHECK IGNITION SYSTEM							Service	ATA:74
	MOS	07-Jun-24							
	HRS	8130.1	1200 (+200)						
WC#: 74.010	ENC	5496						PKG:0	
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01									
742110	NO. 1 ENGINE - 6 O'CLOCK IGNITOR PLUG							Component	ATA:74
PN:3074541-4	MOS/MSC	06-Sep-12	O/C	TSN 0					
SN:UNKNOWN	HRS	5678.5		TSN 0					
WC#: 74.030	ENC	3957		TSN 0					
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01									
742110	NO. 2 ENGINE - 6 O'CLOCK IGNITOR PLUG							Component	ATA:74
PN:3074541-4	MOS/MSC	07-Jun-24	O/C	TSN 0					
SN:NA	HRS	8130.1		TSN 0					
WC#: 74.030	ENC	5496		TSN 0					
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01									
742120 <sup>S</sup>	NO. 1 ENGINE - REMOVE AND INSPECT 6 O'CLOCK IGNITER PLUG AND LEADS IN PLACE							Service	ATA:74
	MOS	02-Sep-21							
	HRS	7799.5	1600						
WC#: 74.030	ENC	5320						PKG:5	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01									
742120 <sup>S</sup>	NO. 2 ENGINE - REMOVE AND INSPECT 6 O'CLOCK IGNITER PLUG AND LEADS IN PLACE							Service	ATA:74
	MOS		07-Jun-24						
	HRS		8130.1	1600					
WC#: 74.030	ENC		5496						
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01									
742130 <sup>S</sup>	NO. 1 ENGINE - 7 O'CLOCK IGNITOR PLUG							Component	ATA:74
PN:PN	MOS/MSC			O/C					
SN:UNKNOWN	HRS								
WC#: 74.050	ENC								
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01									
742130	NO. 2 ENGINE - 7 O'CLOCK IGNITOR PLUG							Component	ATA:74
PN:3074541-4	MOS/MSC		07-Jun-24	O/C	TSN 0				
SN:NA	HRS		8130.1		TSN 0				
WC#: 74.050	ENC		5496		TSN 0				
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01									
742140 <sup>S</sup>	NO. 1 ENGINE - REMOVE AND INSPECT 7 O'CLOCK IGNITER PLUG AND LEADS IN PLACE							Service	ATA:74
	MOS		02-Sep-21						
	HRS		7799.5	1600					
WC#: 74.050	ENC		5320						
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01									
742140 <sup>S</sup>	NO. 2 ENGINE - REMOVE AND INSPECT 7 O'CLOCK IGNITER PLUG AND LEADS IN PLACE							Service	ATA:74
	MOS		07-Jun-24						
	HRS		8130.1	1600					
WC#: 74.050	ENC		5496						
PROC. REF: LMM 74-00-01PROC. REF: LMM 74-00-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
750130	NO. 1 ENGINE - INLET PRESSURE/TEMPERATURE SENSOR							Component	ATA:75
PN:3070816-12	MOS/MSC	23-Jul-99	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 75.010	ENC	0		TSN 0					
PROC. REF: LMM 75-40-01PROC. REF: LMM 75-40-01									
750130	NO. 2 ENGINE - INLET PRESSURE/TEMPERATURE SENSOR							Component	ATA:75
PN:3070816-12	MOS/MSC	26-May-16	O/C	TSN 0					
SN:1516901765676	HRS	6807.3		TSN 0					
WC#: 75.010	ENC	4757		TSN 0					
PROC. REF: LMM 75-40-01PROC. REF: LMM 75-40-01									
751010 <sup>S</sup>	NO. 1 ENGINE - ANTI-ICE VALVE							Component	ATA:75
PN:PN	MOS/MSC		O/C						
SN:UNKNOWN	HRS								
WC#: 75.020	ENC								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
751010	NO. 2 ENGINE - ANTI-ICE VALVE							Component	ATA:75
PN:F10A-5-SCP-102-5	MOS/MSC	10-Dec-03	O/C	TSN 0					
SN:11AY118	HRS	0		TSN 0					
WC#: 75.020	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
751013	NO. 1 ENGINE THERMAL ANTI-ICE VALVE							Component	ATA:75
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 75.020	AFL	0		TSN 0					
751014	NO. 2 ENGINE THERMAL ANTI-ICE VALVE							Component	ATA:75
PN:27441482	MOS/MSC	15-Mar-16	O/C	TSO 0					
SN:1AU9	HRS	6812.2		TSO 0					
WC#: 75.021	AFL	4820		TSO 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 75 - AIR</b>									
754010	NO. 1 ENGINE ANTI-ICE PRESSURE SWITCH							Component	ATA:75
PN:12423	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:4006TW	HRS	0		TSN 0					
WC#: 75.015	AFL	0		TSN 0					
<b>754011 NO. 2 ENGINE ANTI-ICE PRESSURE SWITCH</b>									
PN:12423	MOS/MSC	08-Apr-05	O/C	TSN 0				Component ATA:75	
SN:4008TW	HRS	0		TSN 0					
WC#: 75.015	AFL	0		TSN 0					
<b>ATA 76 - ENGINE CONTROLS</b>									
760001 <sup>S</sup>	CHECK THROTTLE LEVER CONTROLS							Service	ATA:76
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 76.030	AFL	6072						PKG:10,91	
<b>760002 <sup>S</sup> CHECK ENGINE POWER CONTROL CABLES</b>									
	MOS	29-Oct-21						Service ATA:76	
	HRS	8008.7	1600 (+50/-50)						
WC#: 76.010	AFL	5686						PKG:23,92	
<b>760003 CHECK POWER CONTROL CABLES</b>									
	MOS/MSC	08-Apr-05	O/C					Service ATA:76	
	HRS	0							
WC#: 76.020	AFL	0							
<b>760004 LUBRICATE NO. 1 ENGINE THRUST CONTROL TELEFLEX CABLE AND DISCONNECT COUPLING</b>									
	MOS	11-Mar-15						Service ATA:76	
	HRS	6400.6	2400		9118.4 (M)		125.9		
WC#: 76.040	AFL	4498							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 76 - ENGINE CONTROLS									
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11									
760004	LUBRICATE NO. 2 ENGINE THRUST CONTROL TELEFLEX CABLE AND DISCONNECT COUPLING							Service	ATA:76
	MOS	10-Jul-24							
	HRS	8892.1	2400		11292.1		2299.6		
WC#: 76.040	AFL	6160							
PROC. REF: AMS 5-20-11PROC. REF: AMS 5-20-11									
760110 <sup>U</sup>	NO. 1 ENGINE - DIGITAL ELECTRONIC ENGINE CONTROL							Component	ATA:76
PN:2118002-62	MOS/MSC	19-Nov-15	O/C						
SN:108AL0297	HRS	6309.5		TSN 6309.5					
WC#: 76.010	ENC	4434		TSN 4434					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
760110 <sup>U</sup>	NO. 2 ENGINE - DIGITAL ELECTRONIC ENGINE CONTROL							Component	ATA:76
PN:2119010-8000	MOS/MSC	25-Jul-09	O/C						
SN:114-BY0335	HRS								
WC#: 76.010	ENC								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
760120 <sup>S</sup>	NO. 1 ENGINE - BITE CHECK DIGITAL ELECTRONIC ENGINE CONTROL							Service	ATA:76
	MOS	13-Dec-24							
	HRS	8783.6	300 (+100)						
WC#: 76.020	ENC	5856							
PROC. REF: LMM 76-10-03, LMM 72-00-00PROC. REF: LMM 76-10-03, LMM 72-00-00									
760120 <sup>S</sup>	NO. 2 ENGINE - BITE CHECK DIGITAL ELECTRONIC ENGINE CONTROL							Service	ATA:76
	MOS	07-Jun-24							
	HRS	8130.1	300 (+100)						
WC#: 76.020	ENC	5496							
PROC. REF: LMM 76-10-03, LMM 72-00-00PROC. REF: LMM 76-10-03, LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 76 - ENGINE CONTROLS</b>									
760130	NO. 1 ENGINE - DOWNLOAD ECTM							Service	ATA:76
	MOS	13-Dec-24							
	HRS	8783.6							
WC#: 76.050	ENC	5856	50		(5906) 6273		50		
PROC. REF: MSC CAMP EHM ADENDUM, LMM 76-10-03PROC. REF: MSC CAMP EHM ADENDUM, LMM 76-10-03									
760130	NO. 2 ENGINE - DOWNLOAD ECTM							Service	ATA:76
	MOS	13-Dec-24							
	HRS	8230.5							
WC#: 76.050	ENC	5559	50		(5609) 6273		50		
PROC. REF: MSC CAMP EHM ADENDUM, LMM 76-10-03PROC. REF: MSC CAMP EHM ADENDUM, LMM 76-10-03									
761310	NO. 1 ENGINE - SURGE BLEED VALVE							Component	ATA:76
PN:978812-5-1	MOS/MSC	23-Jul-99	O/C	TSN 0					
SN:9899	HRS	0		TSN 0					
WC#: 76.030	ENC	0		TSN 0					
PROC. REF: LMM 76-10-01PROC. REF: LMM 76-10-01									
761310	NO. 2 ENGINE - SURGE BLEED VALVE							Component	ATA:76
PN:978812-7-1	MOS/MSC	07-Jun-24	O/C	TSO 0					
SN:11688	HRS	8130.1		TSO 0					
WC#: 76.030	ENC	5496		TSO 0					
PROC. REF: LMM 76-10-01PROC. REF: LMM 76-10-01									
761320	NO. 1 ENGINE - SOLENOID CONTROLLER VALVE							Component	ATA:76
PN:109696-4-1	MOS/MSC	17-Apr-15	O/C						
SN:9566	HRS	6309.5							
WC#: 76.040	ENC	4434							
PROC. REF: LMM 76-10-01PROC. REF: LMM 76-10-01									
761320	NO. 2 ENGINE - SOLENOID CONTROLLER VALVE							Component	ATA:76
PN:109696-4-1	MOS/MSC	10-Dec-03	O/C	TSN 0					
SN:11360	HRS	0		TSN 0					
WC#: 76.040	ENC	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

## ATA 76 - ENGINE CONTROLS

PROC. REF: LMM 76-10-01PROC. REF: LMM 76-10-01

## ATA 77 - ENGINE INDICATING

771025		NO. 1 ENGINE LOW-PRESSURE (N1) INDICATOR				Component	ATA:77
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0			
SN:UNKNOWN	HRS	0		TSN 0			
WC#: 77.010	AFL	0		TSN 0			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF							

771026		NO. 2 ENGINE LOW-PRESSURE (N1) INDICATOR				Component	ATA:77
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0			
SN:UNKNOWN	HRS	0		TSN 0			
WC#: 77.010	AFL	0		TSN 0			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF							

771037		NO. 1 ENGINE HIGH-PRESSURE (N2) INDICATOR				Component	ATA:77
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0			
SN:UNKNOWN	HRS	0		TSN 0			
WC#: 77.015	AFL	0		TSN 0			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF							

771038		NO. 2 ENGINE HIGH-PRESSURE (N2) INDICATOR				Component	ATA:77
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0			
SN:UNKNOWN	HRS	0		TSN 0			
WC#: 77.015	AFL	0		TSN 0			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF							

771110 <sup>S</sup>		NO. 1 ENGINE - LOW PRESSURE (N1) TRANSDUCER				Component	ATA:77
PN:PN	MOS/MSC		O/C				
SN:UNKNOWN	HRS						
WC#: 77.010	ENC						
PROC. REF: LMM 77-10-03PROC. REF: LMM 77-10-03							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 77 - ENGINE INDICATING</b>								
<b>771110 NO. 2 ENGINE - LOW PRESSURE (N1) TRANSDUCER Component ATA:77</b>								
PN:3075388-2	MOS/MSC	21-Jun-13	O/C					
SN:NSN	HRS	5561.1						
WC#: 77.010	ENC	3831						
PROC. REF: LMM 77-10-03PROC. REF: LMM 77-10-03								
<b>771120 NO. 1 ENGINE - HIGH PRESSURE (N2) TRANSDUCER Component ATA:77</b>								
PN:3070722-3	MOS/MSC	17-Apr-15	O/C					
SN:991936010388	HRS	6309.5						
WC#: 77.020	ENC	4434						
PROC. REF: LMM 77-10-05PROC. REF: LMM 77-10-05								
<b>771120 NO. 2 ENGINE - HIGH PRESSURE (N2) TRANSDUCER Component ATA:77</b>								
PN:3070722-3	MOS/MSC	07-Aug-08	O/C					
SN:041936037938	HRS	3441.7						
WC#: 77.020	ENC	2332						
PROC. REF: LMM 77-10-05PROC. REF: LMM 77-10-05								
<b>772110 NO. 1 ENGINE - ITT THERMOCOUPLE HARNESS Component ATA:77</b>								
PN:3073605-1	MOS/MSC	18-Mar-15	O/C	TSN 0				
SN:1415027700313	HRS	6309.5		TSN 0				
WC#: 77.030	ENC	4434		TSN 0				
PROC. REF: LMM 77-20-01PROC. REF: LMM 77-20-01								
<b>772110 NO. 2 ENGINE - ITT THERMOCOUPLE HARNESS Component ATA:77</b>								
PN:3073605-1	MOS/MSC	07-Jun-24	O/C	TSN 0				
SN:2415027700142	HRS	8130.1		TSN 0				
WC#: 77.030	ENC	5496		TSN 0				
PROC. REF: LMM 77-20-01PROC. REF: LMM 77-20-01								
<b>773005 LEFT TIME DELAY SWITCH Component ATA:77</b>								
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 77.025	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 77 - ENGINE INDICATING</b>									
773006	RIGHT TIME DELAY SWITCH							Component	ATA:77
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 77.025	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
774013	NO. 1 ENGINE ITT INDICATOR							Component	ATA:77
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 77.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
774014	NO. 2 ENGINE ITT INDICATOR							Component	ATA:77
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 77.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
<b>ATA 78 - EXHAUST</b>									
780001 <sup>S</sup>	INSPECT THRUST REVERSER LINK ARM ASSEMBLIES							Service	ATA:78
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 78.110	AFL	6072							
PKG:17,91									
<hr/>									
780002 <sup>S</sup>	INSPECT REVERSER DOOR SEALS							Service	ATA:78
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 78.120	AFL	6072							
PKG:17,91									
<hr/>									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 78 - EXHAUST</b>									
780003 <sup>S</sup>	TEST THRUST REVERSER STOW/DEPLOY MICROSWITCHES							Service	ATA:78
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 78.130	AFL	5686						PKG:22,92	
<hr/>									
780004 <sup>S</sup>	INSPECT PYLON SKIN PANELS							Service	ATA:78
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 78.135	AFL	5686						PKG:29,92	
<hr/>									
780005 <sup>S</sup>	DETAIL INSPECT DOOR LINK RODS AND PIVOT BRACKETS							Service	ATA:78
	MOS	29-Oct-21							
	HRS	8008.7	1600 (+50/-50)						
WC#: 78.140	AFL	5686						PKG:29,92	
<hr/>									
780006 <sup>S</sup>	CHECK THRUST REVERSER LEVER BAULK MECHANISM							Service	ATA:78
	MOS	11-Mar-15							
	HRS	6400.6	3200 (+150/-50)						
WC#: 78.125	AFL	4498						PKG:34,93	
<hr/>									
780009 <sup>S</sup>	INSPECT THRUST REVERSER AFTERBODY, DOORS AND FAN FLAPS							Service	ATA:78
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 78.155	AFL	6072						PKG:17,91	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 78 - EXHAUST</b>									
780010 <sup>S</sup>	INSPECT THRUST REVERSER HYDRAULIC LINES AND WIRING HARNESS							Service	ATA:78
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 78.160	AFL	6072						PKG:13,91	
<hr/>									
780011 <sup>S</sup>	DETAIL INSPECT THRUST REVERSER EXHAUST NOZZLES							Service	ATA:78
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 78.165	AFL	6072						PKG:17,91	
<hr/>									
780012 <sup>S</sup>	INSPECT THRUST REVERSER HYDRAULIC LINES							Service	ATA:78
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 78.170	AFL	6072						PKG:17,91	
<hr/>									
780013 <sup>S</sup>	INSPECT THRUST REVERSER WIRE HARNESES							Service	ATA:78
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 78.175	AFL	6072						PKG:17,91	
<hr/>									
780014 <sup>S</sup>	INSPECT THRUST REVERSER FAN DUCTS							Service	ATA:78
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 78.180	AFL	6072						PKG:17,91	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
780015 <sup>S</sup>	INSPECT THRUST REVERSER LATCH BOX SPRINGS							Service	ATA:78
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 78.185	AFL	6072						PKG:17,91	
780016 <sup>S</sup>	OPERATIONAL TEST THRUST REVERSER LATCH MONITORING SWITCHES							Service	ATA:78
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 78.190	AFL	6072						PKG:17,91	
780017 <sup>S</sup>	INSPECT THRUST REVERSER LATCHES AND LATCH RECEPTACLES							Service	ATA:78
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 78.195	AFL	6072						PKG:17,91	
780018 <sup>S</sup>	INSPECT THRUST REVERSER PRIMARY AND LATCH HYDRAULIC ACTUATORS							Service	ATA:78
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 78.200	AFL	6072						PKG:17,91	
780019 <sup>S</sup>	INSPECT THRUST REVERSER THROTTLE RETARD HYDRAULIC ACTUATORS							Service	ATA:78
	MOS	08-Dec-23							
	HRS	8690.8	800 (+40/-10)						
WC#: 78.205	AFL	6072						PKG:17,91	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 78 - EXHAUST</b>								
<b>780020 <sup>S</sup> INSPECT THRUST REVERSER FAN FLAP HYDRAULIC ACTUATORS Service ATA:78</b>								
	MOS	08-Dec-23						
	HRS	8690.8	800 (+40/-10)					
WC#: 78.210	AFL	6072						PKG:17,91
<b>780021 <sup>S</sup> INSPECT THRUST REVERSER PYLON PLUGS Service ATA:78</b>								
	MOS	08-Dec-23						
	HRS	8690.8	800 (+40/-10)					
WC#: 78.215	AFL	6072						PKG:17,91
<b>780022 CHECK DOOR LINK RODS Service ATA:78</b>								
	MOS/MSC	06-Jul-12	O/C					
	HRS	4925.2						
WC#: 78.220	AFL	3383						
<b>781001 NO. 1 ENGINE THRUST REVERSER AFTERBODY Component ATA:78</b>								
PN:5451101-79	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:HX429-79	HRS	0		TSN 0				
WC#: 78.015	AFL	0		TSN 0				
<b>781002 NO. 2 ENGINE THRUST REVERSER AFTERBODY Component ATA:78</b>								
PN:5451101-81	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:HX429-81	HRS	0		TSN 0				
WC#: 78.015	AFL	0		TSN 0				
<b>781013 NO. 1 ENGINE THRUST REVERSER ASSEMBLY Component ATA:78</b>								
PN:HS7830100-3	MOS/MSC	29-May-06	O/C	TSO 0				
SN:004	HRS	798.2		TSO 0				
WC#: 78.010	AFL	535		TSO 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 78 - EXHAUST</b>									
<b>781014</b>	<b>NO. 2 ENGINE THRUST REVERSER ASSEMBLY</b>							<b>Component</b>	<b>ATA:78</b>
PN:HS7830100-4	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:HX429-4	HRS	0		TSN 0					
WC#: 78.011	AFL	0		TSN 0					
<hr/>									
<b>781026</b>	<b>NO. 1 ENGINE THRUST REVERSER INBOARD ACTUATOR</b>							<b>Component</b>	<b>ATA:78</b>
PN:5453511-11	MOS/MSC	19-Sep-17	O/C	TSO 0					
SN:HX315-27-03	HRS	7023.3		TSO 0					
WC#: 78.020	AFL	4966		TSO 0					
<hr/>									
<b>781027</b>	<b>NO. 1 ENGINE THRUST REVERSER OUTBOARD ACTUATOR</b>							<b>Component</b>	<b>ATA:78</b>
PN:5453511-11	MOS/MSC	19-Sep-17	O/C	TSO 0					
SN:HX215-27-04	HRS	7023.3		TSO 0					
WC#: 78.020	AFL	4966		TSO 0					
<hr/>									
<b>781028</b>	<b>NO. 2 ENGINE THRUST REVERSER INBOARD ACTUATOR</b>							<b>Component</b>	<b>ATA:78</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.025	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
<b>781029</b>	<b>NO. 2 ENGINE THRUST REVERSER OUTBOARD ACTUATOR</b>							<b>Component</b>	<b>ATA:78</b>
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.025	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
<b>781053</b>	<b>NO. 1 ENGINE INBOARD LATCH ACTUATOR ASSEMBLY</b>							<b>Component</b>	<b>ATA:78</b>
PN:5453521-7	MOS/MSC	08-Sep-09	O/C	TSO 0					
SN:051821719	HRS	3234.3		TSO 0					
WC#: 78.030	AFL	2176		TSO 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 78 - EXHAUST</b>								
<b>781054 NO. 1 ENGINE OUTBOARD LATCH ACTUATOR ASSEMBLY</b>								Component ATA:78
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.030	AFL	0		TSN 0				
<hr/>								
<b>781055 NO. 2 ENGINE INBOARD LATCH ACTUATOR ASSEMBLY</b>								Component ATA:78
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.035	AFL	0		TSN 0				
<hr/>								
<b>781056 NO. 2 ENGINE OUTBOARD LATCH ACTUATOR ASSEMBLY</b>								Component ATA:78
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.035	AFL	0		TSN 0				
<hr/>								
<b>781090 NO. 1 ENGINE UPPER FAN FLAP ACTUATOR ASSEMBLY</b>								Component ATA:78
PN:5453511-11	MOS/MSC	13-Jan-17	O/C	TSO 0				
SN:HX215-27-04	HRS	7023.3		TSO 0				
WC#: 78.040	AFL	4966		TSO 0				
<hr/>								
<b>781091 NO. 1 ENGINE LOWER FAN FLAP ACTUATOR ASSEMBLY</b>								Component ATA:78
PN:5453511-15	MOS/MSC	08-Dec-23	O/C	TSO 18				
SN:HX188-27-04A	HRS	8690.8		TSO 0				
WC#: 78.040	AFL	6072		TSO 0				
<hr/>								
<b>781092 NO. 2 ENGINE UPPER FAN FLAP ACTUATOR ASSEMBLY</b>								Component ATA:78
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 78.045	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 78 - EXHAUST</b>									
<b>781093</b>	<b>NO. 2 ENGINE LOWER FAN FLAP ACTUATOR ASSEMBLY</b>							<b>Component</b>	<b>ATA:78</b>
PN:5453511-11	MOS/MSC	05-Aug-15	O/C	TSO 0					
SN:HX202-27-03	HRS	6526.2		TSO 0					
WC#: 78.045	AFL	4600		TSO 0					
<hr/>									
<b>781117</b>	<b>NO. 1 ENGINE RETARD THROTTLE ASSEMBLY</b>							<b>Component</b>	<b>ATA:78</b>
PN:5453303-3	MOS/MSC	07-Nov-13	O/C	TSO 0					
SN:HX281-5-01	HRS	5682.5		TSO 0					
WC#: 78.050	AFL	3972		TSO 0					
<hr/>									
<b>781118</b>	<b>NO. 2 ENGINE RETARD THROTTLE ASSEMBLY</b>							<b>Component</b>	<b>ATA:78</b>
PN:5453303-3	MOS/MSC	19-Sep-17	O/C	TSO 0					
SN:HX37-5-02	HRS	7023.3		TSO 0					
WC#: 78.050	AFL	4966		TSO 0					
<hr/>									
<b>781129</b>	<b>THRUST REVERSER TIME DELAY RELAY</b>							<b>Component</b>	<b>ATA:78</b>
PN:5400612-1	MOS/MSC	05-Oct-18	O/C	TSR 0					
SN:HX7-102-02	HRS	7431.7		TSR 0					
WC#: 78.055	AFL	5368		TSR 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
<b>781130</b>	<b>CONTROL RELAY BOX</b>							<b>Component</b>	<b>ATA:78</b>
PN:A1-STR-01A	MOS/MSC	29-Jan-16	O/C	TSN 0					
SN:090100137	HRS	6748.9		TSN 0					
WC#: 78.060	AFL	4775		TSN 0					
<hr/>									
<b>781136</b>	<b>AUXILIARY RELAY BOX</b>							<b>Component</b>	<b>ATA:78</b>
PN:5400605-1	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:HX435-1	HRS	0		TSN 0					
WC#: 78.065	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 78 - EXHAUST</b>									
<b>781142</b>		<b>NO. 1 ENGINE THRUST REVERSER CONTROL VALVE</b>					<b>Component</b>		<b>ATA:78</b>
PN:064135141-3	MOS/MSC	11-Jan-23	O/C						
SN:A30041777	HRS	8347.6							
WC#: 78.070	AFL	5884							
<hr/>									
<b>781143</b>		<b>NO. 2 ENGINE THRUST REVERSER CONTROL VALVE</b>					<b>Component</b>		<b>ATA:78</b>
PN:064135141-11	MOS/MSC	07-May-08	O/C						
SN:A30041201	HRS	2365.4							
WC#: 78.070	AFL	1591							
<hr/>									
<b>781155</b>		<b>THRUST REVERSER ACCUMULATOR</b>					<b>Component</b>		<b>ATA:78</b>
PN:DS259-3	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:60209-0531	HRS	0		TSN 0					
WC#: 78.075	AFL	0		TSN 0					
<hr/>									
<b>781156</b>		<b>HYDRAULIC RELIEF VALVE</b>					<b>Component</b>		<b>ATA:78</b>
PN:MS28893-D6	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:66741	HRS	0		TSN 0					
WC#: 78.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
<b>781161</b>		<b>THRUST REVERSER CONTROL PANEL</b>					<b>Component</b>		<b>ATA:78</b>
PN:5412600-3	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:HX195-103	HRS	0		TSN 0					
WC#: 78.085	AFL	0		TSN 0					
<hr/>									
<b>781167</b>		<b>NO. 1 ENGINE THRUST REVERSER PRESSURE SWITCH</b>					<b>Component</b>		<b>ATA:78</b>
PN:2365-15	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:3532	HRS	0		TSN 0					
WC#: 78.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 78 - EXHAUST</b>								
<b>781169 NO. 2 ENGINE THRUST REVERSER PRESSURE SWITCH</b>								Component ATA:78
PN:2365-15	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:3491	HRS	0		TSN 0				
WC#: 78.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>781173 THRUST REVERSER PRESSURE GAUGE</b>								Component ATA:78
PN:MS28061T7	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:311	HRS	0		TSN 0				
WC#: 78.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<b>783008 NO. 1 ENGINE LOWER THRUST REVERSER DOOR</b>								Component ATA:78
PN:HS7832000-9	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:TECAV0366	HRS	0		TSN 0				
WC#: 78.095	AFL	0		TSN 0				
<b>783009 NO. 2 ENGINE LOWER THRUST REVERSER DOOR</b>								Component ATA:78
PN:HS7832000-10	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:TECAV0366	HRS	0		TSN 0				
WC#: 78.095	AFL	0		TSN 0				
<b>783010 NO. 1 ENGINE UPPER THRUST REVERSER DOOR</b>								Component ATA:78
PN:HS7832000-7	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:TECAV0731	HRS	0		TSN 0				
WC#: 78.100	AFL	0		TSN 0				
<b>783011 NO. 2 ENGINE UPPER THRUST REVERSER DOOR</b>								Component ATA:78
PN:HS7832000-7	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:TECAV0732	HRS	0		TSN 0				
WC#: 78.100	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 78 - EXHAUST</b>									
783013	NO. 1 ENGINE INNER FAN DUCT ASSEMBLY							Component	ATA:78
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.230	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
783014	NO. 2 ENGINE INNER FAN DUCT ASSEMBLY							Component	ATA:78
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.231	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
<b>ATA 79 - OIL</b>									
790111	NO. 1 ENGINE - ANALYZE OIL AND FILTER							Service	ATA:79
	MOS	13-Dec-24							
	HRS	8783.6	10		(8793.6) 9002.5		10		
WC#: 79.010	ENC	5856							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
<hr/>									
790111 <sup>S</sup>	NO. 2 ENGINE - ANALYZE OIL AND FILTER							Service	ATA:79
	MOS	13-Dec-24							
	HRS	8230.5	150 (+100)						
WC#: 79.010	ENC	5559							
PROC. REF: LMM 72-00-00PROC. REF: LMM 72-00-00									
<hr/>									
790120	NO. 1 ENGINE - CHANGE OIL							Service	ATA:79
	MOS	13-Dec-24							
	HRS	8783.6	1200 (+100)		(9983.6) 10192.5	10083.6	1200 (+100)		
WC#: 79.020	ENC	5856							
PROC. REF: AMM 79-00-00, LMM 72-00-00PROC. REF: AMM 79-00-00, LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
790120	NO. 2 ENGINE - CHANGE OIL							Service	ATA:79
	MOS	10-Jul-24							
	HRS	8130.1	1200 (+100)		(9330.1) 10092.1	9430.1	1099.6 (+100)		
WC#: 79.020	ENC	5496							
PROC. REF: AMM 79-00-00, LMM 72-00-00PROC. REF: AMM 79-00-00, LMM 72-00-00									
790130 <sup>S</sup>	NO. 1 ENGINE - INSPECT OIL CHIP DETECTOR							Service	ATA:79
	MOS	13-Dec-24							
	HRS	8783.6	150 (+100)						
WC#: 79.030	ENC	5856							
PROC. REF: LMM 79-20-03PROC. REF: LMM 79-20-03									
790130 <sup>S</sup>	NO. 2 ENGINE - INSPECT OIL CHIP DETECTOR							Service	ATA:79
	MOS	13-Dec-24							
	HRS	8230.5	150 (+100)						
WC#: 79.030	ENC	5559							
PROC. REF: LMM 79-20-03PROC. REF: LMM 79-20-03									
792110	NO. 1 ENGINE - OIL PUMP							Component	ATA:79
PN:3060785-3	MOS/MSC	26-Sep-16	O/C	TSO 0					
SN:051405701041	HRS	6750.1		TSO 0					
WC#: 79.040	ENC			TSO 0					
PROC. REF: LMM 79-20-03PROC. REF: LMM 79-20-03									
792110	NO. 2 ENGINE - OIL PUMP							Component	ATA:79
PN:3060785-2	MOS/MSC	21-Jun-13	O/C						
SN:031405700776	HRS	5561.1		TSN 5561					
WC#: 79.040	ENC	3831							
PROC. REF: LMM 79-20-03PROC. REF: LMM 79-20-03									
792120 <sup>S</sup>	NO. 1 ENGINE - BY-PASS INDICATOR VALVE							Component	ATA:79
PN:PN	MOS/MSC		O/C						
SN:UNKNOWN	HRS								
WC#: 79.050	ENC								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
PROC. REF: LMM 79-30-01PROC. REF: LMM 79-30-01								
<b>792120 NO. 2 ENGINE - BY-PASS INDICATOR VALVE Component ATA:79</b>								
PN:PN	MOS/MSC	10-Dec-03	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 79.050	ENC	0		TSN 0				
PROC. REF: LMM 79-30-01PROC. REF: LMM 79-30-01								
<b>792130<sup>S</sup> NO. 1 ENGINE - PRESSURE BREATHER VALVE ASSEMBLY Component ATA:79</b>								
PN:3075323-3	MOS/MSC	19-Sep-17	O/C	TSO 0				
SN:UNKNOWN	HRS	6814.1		TSO 0				
WC#: 79.060	ENC	4800		TSO 0				
PROC. REF: LMM 79-20-02PROC. REF: LMM 79-20-02								
<b>792130 NO. 2 ENGINE - PRESSURE BREATHER VALVE ASSEMBLY Component ATA:79</b>								
PN:3075323-3	MOS/MSC	19-Sep-17	O/C	TSO 0				
SN:1015022907109	HRS	6901.9		TSO 0				
WC#: 79.060	ENC	4825		TSO 0				
PROC. REF: LMM 79-20-02PROC. REF: LMM 79-20-02								
<b>792140 NO. 1 ENGINE - UPPER OIL COOLER Component ATA:79</b>								
PN:158600-7	MOS/MSC	23-Jul-99	O/C	TSN 0				
SN:19-11945	HRS	0		TSN 0				
WC#: 79.070	ENC	0		TSN 0				
PROC. REF: LMM 79-20-09PROC. REF: LMM 79-20-09								
<b>792140 NO. 2 ENGINE - UPPER OIL COOLER Component ATA:79</b>								
PN:158600-7	MOS/MSC	10-Dec-03	O/C	TSN 0				
SN:12977	HRS	0		TSN 0				
WC#: 79.070	ENC	0		TSN 0				
PROC. REF: LMM 79-20-09PROC. REF: LMM 79-20-09								
<b>792144 NO. 1 ENGINE OIL LOW PRESSURE SWITCH Component ATA:79</b>								
PN:HTE690012	MOS/MSC	08-Apr-05	O/C	TSN 0				
SN:20620	HRS	0		TSN 0				
WC#: 79.030	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
<hr/>									
792145	NO. 2 ENGINE OIL LOW PRESSURE SWITCH							Component	ATA:79
PN:HTE690012	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:20617	HRS	0		TSN 0					
WC#: 79.030	AFL	0		TSN 0					
<hr/>									
792150	NO. 1 ENGINE - LOWER LEFT OIL COOLER							Component	ATA:79
PN:159900-3	MOS/MSC	23-Jul-99	O/C	TSN 0					
SN:49-9461	HRS	0		TSN 0					
WC#: 79.080	ENC	0		TSN 0					
PROC. REF: LMM 79-20-09PROC. REF: LMM 79-20-09									
<hr/>									
792150	NO. 2 ENGINE - LOWER LEFT OIL COOLER							Component	ATA:79
PN:159900-3	MOS/MSC	10-Dec-03	O/C	TSN 0					
SN:10361	HRS	0		TSN 0					
WC#: 79.080	ENC	0		TSN 0					
PROC. REF: LMM 79-20-09PROC. REF: LMM 79-20-09									
<hr/>									
792160	NO. 1 ENGINE - LOWER RIGHT OIL COOLER							Component	ATA:79
PN:159910-3	MOS/MSC	23-Jul-99	O/C	TSN 0					
SN:49-8273	HRS	0		TSN 0					
WC#: 79.090	ENC	0		TSN 0					
PROC. REF: LMM 79-20-09PROC. REF: LMM 79-20-09									
<hr/>									
792160	NO. 2 ENGINE - LOWER RIGHT OIL COOLER							Component	ATA:79
PN:159910-3	MOS/MSC	07-Aug-08	O/C	TSR 0					
SN:UNKNOWN	HRS	3441.7		TSR 0					
WC#: 79.090	ENC	2332		TSR 0					
PROC. REF: LMM 79-20-09PROC. REF: LMM 79-20-09									
<hr/>									
792170	NO. 1 ENGINE - OIL TEMPERATURE REGULATOR							Component	ATA:79
PN:158610-8	MOS/MSC	17-Apr-15	O/C						
SN:49-9751	HRS	6309.5							
WC#: 79.100	ENC	4434							
PROC. REF: LMM 79-20-07PROC. REF: LMM 79-20-07									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
792170	NO. 2 ENGINE - OIL TEMPERATURE REGULATOR							Component	ATA:79
PN:158610-8	MOS/MSC	10-Dec-03	O/C	TSN 0					
SN:10595	HRS	0		TSN 0					
WC#: 79.100	ENC	0		TSN 0					
PROC. REF: LMM 79-20-07PROC. REF: LMM 79-20-07									
793001	NO. 1 ENGINE OIL PRESSURE TRANSMITTER							Component	ATA:79
PN:APTE-354-1000-70G	MOS/MSC	03-May-15	O/C	TSN 0					
SN:7547-5-40	HRS	6409.2		TSN 0					
WC#: 79.040	AFL	4509		TSN 0					
793002	NO. 2 ENGINE OIL PRESSURE TRANSMITTER							Component	ATA:79
PN:APTE-354-1000-70G	MOS/MSC	15-Nov-05	O/C	TSN 0					
SN:6725-8-511	HRS	333.5		TSN 0					
WC#: 79.040	AFL	240		TSN 0					
793037	NO. 1 ENGINE OIL PRESSURE INDICATOR							Component	ATA:79
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 79.045	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
793038	NO. 2 ENGINE OIL PRESSURE INDICATOR							Component	ATA:79
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 79.045	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
793049	NO. 1 ENGINE OIL TEMPERATURE INDICATOR							Component	ATA:79
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 79.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 800XP Serial: 258714 RegNo: N874TX HRS: 8992.5 AFL: 6223 As Of: 13-Dec-2024

13-Jan-2025 09:46 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
793050	NO. 2 ENGINE OIL TEMPERATURE INDICATOR							Component	ATA:79
PN:PN	MOS/MSC	08-Apr-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 79.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
793110	NO. 1 ENGINE - OIL PRESSURE TRANSMITTER							Component	ATA:79
PN:388700630224	MOS/MSC	26-Sep-16	O/C						
SN:05495	HRS	6750.1							
	ENC								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
793110	NO. 2 ENGINE - OIL PRESSURE TRANSMITTER							Component	ATA:79
PN:PN	MOS/MSC	10-Dec-03	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
793320	NO. 1 ENGINE - FUEL/OIL COOLER							Component	ATA:79
PN:PN	MOS/MSC	23-Jul-99	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-10-01PROC. REF: LMM 79-10-01									
793320	NO. 2 ENGINE - FUEL/OIL COOLER							Component	ATA:79
PN:PN	MOS/MSC	10-Dec-03	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-10-01PROC. REF: LMM 79-10-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task